


SAFETY DATA SHEET**Invisible Bright // Textile // Horse and Pets // Animal**

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier****Product name** Invisible Bright // Textile // Horse and Pets // Animal**Product number** 35159, 35160, 35161, 35163, 35164, 35165**1.2. Relevant identified uses of the substance or mixture and uses advised against****Identified uses** Reflective spray**1.3. Details of the supplier of the safety data sheet****Supplier**TrackInvent AB
Rönnowsgatan 8C
SE-252 25 Helsingborg
SWEDEN
+46(0)40 – 23 13 10
info@trackinvent.se
www.albedo100.com**1.4. Emergency telephone number****National emergency telephone number** 112**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification (EC 1272/2008)****Physical hazards** Aerosol 1 - H222, H229**Health hazards** Skin Irrit. 2 - H315 STOT SE 3 - H336**Environmental hazards** Aquatic Chronic 3 - H412**2.2. Label elements****Pictogram****Signal word**

Danger

Hazard statementsH222 Extremely flammable aerosol.
H229 Pressurised container: may burst if heated
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains Butan-2-one O,O',O''-(methylsilylidyne)trioxime. May produce an allergic reaction.

Invisible Bright // Textile // Horse and Pets // Animal

Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P211 Do not spray on an open flame or other ignition source.</p> <p>P251 Do not pierce or burn, even after use.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</p> <p>P501 Dispose of contents/ container in accordance with national regulations.</p>
Contains	Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics
Supplementary precautionary statements	<p>P261 Avoid breathing spray.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P273 Avoid release to the environment.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P302+P352 IF ON SKIN: Wash with plenty of water.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P312 Call a POISON CENTER/ doctor if you feel unwell.</p> <p>P321 Specific treatment (see medical advice on this label).</p> <p>P332+P313 If skin irritation occurs: Get medical advice/ attention.</p> <p>P362+P364 Take off contaminated clothing and wash it before reuse.</p> <p>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405 Store locked up.</p>

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Contains: Isobutane.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

<p>BUTANE 50-70%</p> <p>CAS number: 106-97-8 EC number: 203-448-7 REACH registration number: 01-2119474691-32</p>
<p>Classification</p> <p>Flam. Gas 1 - H220</p> <p>Press. Gas, Compressed - H280</p>
<p>Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics 15-24.9%</p> <p>CAS number: — EC number: 927-510-4 REACH registration number: 01-2119475515-33-0000</p>
<p>Classification</p> <p>Flam. Liq. 2 - H225</p> <p>Skin Irrit. 2 - H315</p> <p>STOT SE 3 - H336</p> <p>Asp. Tox. 1 - H304</p> <p>Aquatic Chronic 2 - H411</p>

Invisible Bright // Textile // Horse and Pets // Animal

DIMETHYL ETHER		15-24.9%
CAS number: 115-10-6	EC number: 204-065-8	REACH registration number: 01-2119472128-37
Classification		
Flam. Gas 1 - H220 Press. Gas, Compressed - H280		
PROPANE		2.5-4.99%
CAS number: 74-98-6	EC number: 200-827-9	REACH registration number: 01-2119486944-21
Classification		
Flam. Gas 1 - H220 Press. Gas, Compressed - H280		
PENTANE		0.1-0.99%
CAS number: 109-66-0	EC number: 203-692-4	REACH registration number: 01-2119459286-30-0000
Classification		
Flam. Liq. 2 - H225 STOT SE 3 - H336 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		
XYLENE		0.1-0.99%
CAS number: 1330-20-7	EC number: 215-535-7	REACH registration number: 01-2119488216-32-0000
Classification		
Flam. Liq. 3 - H226 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT RE 2 - H373 Asp. Tox. 1 - H304		
Butan-2-one O,O',O''-(methylsilyldiyl)trioxime		0.1-0.99%
CAS number: 22984-54-9	EC number: 245-366-4	
Classification		
Acute Tox. 4 - H312 Eye Irrit. 2 - H319 Skin Sens. 1 - H317		

The full text for all hazard statements is displayed in Section 16.

Invisible Bright // Textile // Horse and Pets // Animal

Composition comments The Naphthas contains less than 0.1% benzene, which means that they are not classified as mutagenic or carcinogenic.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Ingestion Drink a few glasses of water or milk. DO NOT induce vomiting. Get medical attention immediately.

Skin contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information Solvent abuse can kill instantly.

Inhalation May cause drowsiness or dizziness. Vapours may cause headache, fatigue, dizziness and nausea.

Ingestion Due to the physical nature of this product, it is unlikely that ingestion will occur. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis. May cause nausea, headache, dizziness and intoxication.

Skin contact Irritating to skin. The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Extremely flammable.

5.3. Advice for firefighters

Protective actions during firefighting Containers close to fire should be removed or cooled with water.

Special protective equipment for firefighters Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

Invisible Bright // Textile // Horse and Pets // Animal

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Small Spillages: Wipe away with paper or textile fabric. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Protect against direct sunlight. Avoid eating, drinking and smoking when using the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Aerosol cans: Must not be exposed to direct sunlight or temperatures above 50°C. Keep container dry.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

BUTANE

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1450 mg/m³

Short-term exposure limit (15-minute): WEL 750 ppm 1810 mg/m³

DIMETHYL ETHER

Long-term exposure limit (8-hour TWA): WEL 400 ppm 766 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 958 mg/m³

PROPANE

Short-term exposure limit (15-minute): WEL No reference standard

PENTANE

Long-term exposure limit (8-hour TWA): WEL 600 ppm 1800 mg/m³

Short-term exposure limit (15-minute): WEL

XYLENE

Long-term exposure limit (8-hour TWA): WEL 50 ppm 220 mg/m³

Short-term exposure limit (15-minute): WEL 100 ppm 441 mg/m³

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

DNEL

Workers - Dermal; Short term systemic effects: 300 mg/kg/day

Workers - Inhalation; Long term systemic effects: 2085 mg/m³

Consumer - Dermal; Long term systemic effects: 149 mg/kg/day

Consumer - Inhalation; Long term systemic effects: 447 mg/m³

DIMETHYL ETHER (CAS: 115-10-6)

Invisible Bright // Textile // Horse and Pets // Animal

DNEL Professional - Inhalation; Long term systemic effects: 1894 mg/m³
Consumer - Inhalation; Long term systemic effects: 471 mg/m³

PNEC

- Fresh water; 0,155 mg/l
- Marine water; 0,016 mg/l
- Sediment (Freshwater); 0,681 mg/kg
- Sediment (Marinewater); 0,069 mg/kg
- Soil; 0,045 mg/kg

PENTANE (CAS: 109-66-0)

PNEC - water; 0,027 mg/l

XYLENE (CAS: 1330-20-7)

DNEL Professional - Inhalation; Short term systemic effects: 289 mg/m³
Professional - Dermal; Short term local effects: 174 mg/m³
Professional - Inhalation; Short term local effects: 289 mg/m³
Professional - Inhalation; Long term systemic effects: 77 mg/m³
Professional - Inhalation; Long term local effects: 77 mg/m³

PNEC - Fresh water; 0,327 mg/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

All handling should only take place in well-ventilated areas.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. It is recommended that gloves are made of the following material: Nitril/Viton.

Other skin and body protection

Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet.

Respiratory protection

No specific recommendation made, but chemical cartridge protection may still be required for organic dusts/vapours known to be toxic.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Aerosol.
Colour	Colourless.
Odour	Slight. Organic solvents.
Odour threshold	Not determined.
pH	Not determined.
Melting point	Not determined.

Invisible Bright // Textile // Horse and Pets // Animal

Initial boiling point and range	Not determined.
Flash point	Technical impossibility to obtain the data.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Other flammability	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0,65
Bulk density	Not determined.
Solubility(ies)	No specific test data are available.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not determined.
Explosive under the influence of a flame	Yes
Oxidising properties	Not determined.
<u>9.2. Other information</u>	
Other information	Not relevant.
Refractive index	Not determined.
Particle size	Not determined.
Molecular weight	Not determined.
Volatility	Highly volatile.
Saturation concentration	Not determined.
Critical temperature	Not determined.
Volatile organic compound	No information required.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Invisible Bright // Textile // Horse and Pets // Animal

Possibility of hazardous reactions Not known.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Not known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No data is available regarding the preparation it self.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met. Aerosol dispenser. The mist is fine, a pool may not be formed.

Invisible Bright // Textile // Horse and Pets // Animal

General information	Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.
Inhalation	May cause drowsiness or dizziness. Vapours have a narcotic effect. Symptoms following overexposure may include the following: Headache. Fatigue. Dizziness. Nausea, vomiting. May cause respiratory system irritation.
Ingestion	Due to the physical nature of this product, it is unlikely that ingestion will occur. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis. May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Irritating to skin. The product contains a small amount of sensitising substance. May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	May cause temporary eye irritation.
Acute and chronic health hazards	Prolonged and repeated contact with solvents over a long period may lead to permanent health problems. Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Nausea, vomiting. Headache.

BUTANE

Acute toxicity - oral

Notes (oral LD₅₀) Not applicable.

Acute toxicity - dermal

Notes (dermal LD₅₀) Not applicable.

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 20.0

Notes (inhalation LC₅₀)

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 58,400.0

Species Rat

ATE oral (mg/kg) 58,400.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 29,200.0

Species Rat

ATE dermal (mg/kg) 29,200.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 23.3

Species Rat

Invisible Bright // Textile // Horse and Pets // Animal

ATE inhalation (vapours
mg/l) 23.3

DIMETHYL ETHER

Acute toxicity - oral

Notes (oral LD₅₀) Not applicable.

Acute toxicity - dermal

Notes (dermal LD₅₀) Not applicable.

Skin contact Risk of frostbite.

PROPANE

Acute toxicity - oral

Notes (oral LD₅₀) Not applicable.

Acute toxicity - dermal

Notes (dermal LD₅₀) Not applicable.

Acute toxicity - inhalation

Acute toxicity inhalation
(LC₅₀ vapours mg/l) 20.0

Notes (inhalation LC₅₀)

PENTANE

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 400.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 3,000.0

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation
(LC₅₀ vapours mg/l) 364.0

Species Rat

ATE inhalation (vapours
mg/l) 364.0

XYLENE

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀
mg/kg) 5.0

Invisible Bright // Textile // Horse and Pets // Animal

Species Rabbit

ATE dermal (mg/kg) 1,100.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ gases ppmV) 6,700.0

Species Rat

Acute toxicity inhalation (LC₅₀ vapours mg/l) 6,350.0

Species Rat

ATE inhalation (gases ppm) 4,500.0

ATE inhalation (vapours mg/l) 15.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Butan-2-one O,O',O''-(methylsilyldiyl)trioxime

Acute toxicity - dermal

ATE dermal (mg/kg) 1,100.0

SECTION 12: Ecological Information

Ecotoxicity There are no data on the ecotoxicity of this product.

12.1. Toxicity

Toxicity No data is available regarding the preparation itself.

BUTANE

Acute toxicity - fish Highly volatile.
LC₅₀, 96 hours: 24.11 mg/l,

Acute toxicity - aquatic invertebrates Highly volatile.
EC₅₀, 48 hours: 14.22 mg/l, Daphnia magna

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics

Acute toxicity - fish LC₅₀, 96 hours: >13,4 mg/l, Onchorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 3 mg/l, Daphnia magna

DIMETHYL ETHER

Acute toxicity - fish LC₅₀, 96 hours: > 4.1 mg/l, Poecilia reticulata (Guppy)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: > 4.4 mg/l, Daphnia magna

Invisible Bright // Textile // Horse and Pets // Animal

Acute toxicity - aquatic plants EC₅₀, 96 hours: 154.9 mg/l, Freshwater algae

PROPANE

Acute toxicity - aquatic invertebrates Highly volatile.
EC₅₀, 48 hours: 27.14 mg/l,

Acute toxicity - aquatic plants , : ,

PENTANE

Acute toxicity - fish LC50, 96 hours: 4,26 mg/l, Onchorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 2,7-9,1 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 7,51 mg/l, Selenastrum capricornutum

XYLENE

Acute toxicity - fish LC50, 96 hours: 21 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 1-5 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 3-5 mg/l, Selenastrum capricornutum

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

BUTANE

Persistence and degradability The product is readily biodegradable.

DIMETHYL ETHER

Persistence and degradability The product is not readily biodegradable.

PROPANE

Persistence and degradability The product is readily biodegradable.

Biodegradation Water - :

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not determined.

BUTANE

Invisible Bright // Textile // Horse and Pets // Animal

Bioaccumulative potential The product is not bioaccumulating.

DIMETHYL ETHER

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

PROPANE

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient :

PENTANE

Bioaccumulative potential BCF: 171,

Partition coefficient log Pow: 3,4

XYLENE

Bioaccumulative potential BCF: 25,

Partition coefficient log Pow: 3,11-3,2

12.4. Mobility in soil

Mobility No information available

BUTANE

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

DIMETHYL ETHER

Adsorption/desorption coefficient Water - Koc: ~ 7.759 @ °C

PROPANE

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects No information required.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The manufacturer of this product complies with the rules and regulations of the European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste, by paying packaging fees for disposal and recycling of packaging waste.

Invisible Bright // Textile // Horse and Pets // Animal

Disposal methods The plastic lid and valve are sorted as plastic. Empty aerosols are sorted as scrap metal. Residues and non empty containers should be taken care of as hazardous waste according to local and national regulations.

Waste class Non empty containers: EWC code 14 06 03*
Empty containers: EWC code 15 01 04.

SECTION 14: Transport information

General Aerosols may be carried domestically as limited quantities (1L) as long as each package does not exceed 30 kg in cardboard boxes or 20 kg on trays with shrink- or stretch wrapping. Each package shall be marked with diamond-shaped area, the top and bottom part is black, surrounded by a line that measures at least 100 mm x 100 mm.

14.1. UN number

UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1

Transport labels



14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

EmS F-D, S-U

Invisible Bright // Textile // Horse and Pets // Animal

ADR transport category 2

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations COUNCIL DIRECTIVE of may 1975 on the approximation of the laws of the Member States relating to aerosol dispensers.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information A review of safety data sheet with staff to manage the product recommended.

Classification procedures according to Regulation (EC) 1272/2008 Asp. Tox. 1 - H304: Based on available data the classification criteria are not met. Aerosol dispenser. The mist is fine, a pool may not be formed.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision. Revised formulation. Revised classification.

Issued by Östergren

Revision date 17/05/2017

Revision 2.1

Supersedes date 19/04/2017

SDS number 20865

Invisible Bright // Textile // Horse and Pets // Animal

Hazard statements in full

H220 Extremely flammable gas.
H222 Extremely flammable aerosol.
H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H229 Pressurised container: may burst if heated
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains Butan-2-one O,O',O''-(methylsilylydyne)trioxime. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.