



SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : LAFITA ALÉSIA
Product code : DOV-018

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
Computerweg 3
3542 DP UTRECHT, The Netherlands
Telephone : +31-168-331711
Fax : +31-10-2270065
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31-168-331711 (During office hours only)

EMERGENCY TELEPHONE NUMBER (for DOCTORS only):

National Poisons Information Service +44-844 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Acute category 1. Hazardous to the aquatic environment — Chronic category 2.

Human health hazards : Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.


Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives.

Environmental hazards : Very toxic to aquatic organisms. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
P101 If medical advice is needed, have product container or label at hand.



P102	Keep out of reach of children.
P280 hands eyes	Wear protective gloves and eye protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P273	Avoid release to the environment.
P391	Collect spillage.
P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling

: Contains: d-Limonene ; Benzyl salicylate ; Linalool ; Cedryl methyl ketone ; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; Cineole ; (Ethoxymethoxy)cyclododecane ; 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one ; 7-Hydroxycitronellal ; Pin-2(3)-ene ; Alpha-methyl-1,3-benzodioxole-5-propionaldehyde ; Geranyl acetate ; 2,4-Dimethylcyclohex-3-ene-1-carbaldehyde ; Citral ; Citronellol .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Benzyl benzoate	10 - < 25	120-51-4	204-402-9	MAC	01-2119976371-33
2,6-Dimethyloct-7-en-2-ol	10 - < 20	18479-58-8	242-362-4		01-2119457274-37
Linalyl acetate	5 - < 10	115-95-7	204-116-4		01-2119454789-19
d-Limonene	5 - < 10	5989-27-5	227-813-5		01-2119529223-47
Benzyl salicylate	2,5 - < 5	118-58-1	204-262-9		01-2119969442-31
Linalool	1 - < 5	78-70-6	201-134-4		01-2119474016-42
Oxydipropanol	1 - < 5	25265-71-8	246-770-3		
Allyl (3-methylbutoxy)acetate	1 - < 5	67634-00-8	266-803-5		
Cedryl methyl ketone	2,5 - < 5	32388-55-9	251-020-3		01-2119969651-28
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	2,5 - < 5	54464-57-2	259-174-3		01-2119489989-04
Cineole	1 - < 5	470-82-6	207-431-5		01-2119967772-24
(Ethoxymethoxy)cyclododecane	2,5 - < 5	58567-11-6	261-332-1		01-2119971571-34
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	1 - < 2,5	127-51-5	204-846-3		
7-Hydroxycitronellal	0,1 - < 1	107-75-5	203-518-7		01-2119973482-31
Pin-2(3)-ene	0,1 - < 1	80-56-8	201-291-9	01-2119519223-49	
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	0,1 - < 1	1205-17-0	214-881-6		
Geranyl acetate	0,1 - < 1	105-87-3	203-341-5	01-2119973480-35	
2,4-Dimethylcyclohex-3-ene-1-carbaldehyde	0,1 - < 1	68039-49-6	268-264-1		
Pentyl salicylate	0,25 - < 1	2050-08-0	218-080-2		
Citral	0,1 - < 1	5392-40-5	226-394-6	01-2119462829-23	



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

p-Cymene	0,1 - < 1	99-87-6	202-796-7	
Citronellol	0,1 - < 1	106-22-9	203-375-0	01-2119453995-23

Occupational exposure limit(s), if relevant, are listed in section 8.

Substance name	Hazard Class	H-phrases	Pictograms	
Benzyl benzoate	Acute Tox. 4; Aquatic Acute 1; Aquatic chronic 2	H302; H400; H411	GHS07; GHS09	M (acute) = 1
2,6-Dimethyloct-7-en-2-ol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
Linalyl acetate	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
d-Limonene	Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1	H226; H304; H315; H317; H400; H410	GHS02; GHS07; GHS08; GHS09	M (acute) = 1
Benzyl salicylate	Skin Sens. 1; Eye Irrit. 2; Aquatic Chronic 2	H317; H319; H411	GHS07; GHS09	
Linalool	Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	
Oxydipropanol	-----	-----	-----	
Allyl (3-methylbutoxy)acetate	Acute Tox. 4; Skin Irrit. 2	H302; H315	GHS07	
Cedryl methyl ketone	Skin sens. 1; Aquatic Acute 1; Aquatic Chronic 1	H317; H400; H410	GHS07; GHS09	M (acute) = 1
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Skin Irrit. 2; Skin Sens 1B; Aquatic Chronic 1	H315; H317; H410	GHS07; GHS09	M (chronic) = 1
Cineole	Flam. Liq. 3; Skin Sens. 1B	H226; H317	GHS02; GHS07	
(Ethoxymethoxy)cyclododecane	Skin Irrit. 2; Skin Sens. 1; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
7-Hydroxycitronellal	Skin Sens. 1B; Eye Irrit. 2	H317; H319	GHS07	
Pin-2(3)-ene	Flam. Liq. 3; Skin Sens. 1; Asp. Tox. 1; Skin irrit. 2	H226; H317; H315; H304	GHS07; GHS08; GHS02	
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Skin Sens. 1; Aquatic Chronic 2	H317; H411	GHS07; GHS09	
Geranyl acetate	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 3	H315; H317; H412	GHS07	
2,4-Dimethylcyclohex-3-ene-1-carbaldehyde	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1; Aquatic Chronic 3	H319; H315; H317; H412	GHS07	
Pentyl salicylate	Aquatic Chronic 1; Aquatic Acute 1	H410	GHS09	M (acute) = 1
Citral	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2	H315; H317; H319	GHS07	
p-Cymene	Flam. Liq. 3; Asp. Tox. 1; Aquatic Chronic 2	H226; H304; H411	GHS02; GHS08; GHS09	
Citronellol	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H319; H317; H315	GHS07	

Reference is made to chapter 16 for full text of each relevant H phrase.



SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor.
Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction.
Eye contact : Irritant. May cause redness and pain.
Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

- Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO₂). Foam. Dry chemical. Water fog.
Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.



6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments
d-Limonene		110	-	MAC: DE, CH, NL
Oxydipropanol		67	-	MAC: DE
Pin-2(3)-ene		113	-	
p-Cymene		140	-	MAC: SV, ET, LT

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Benzyl benzoate	Dermal				2,6 mg/kg bw/day
2,6-Dimethyloct-7-en-2-ol	Inhalation		102 mg/m ³		5,1 mg/m ³
	Dermal				20,8 mg/kg bw/day
Linalyl acetate	Inhalation				73,5 mg/m ³
	Dermal	0,8 mg/kg bw		0,8 mg/kg bw/day	2,5 mg/kg bw/day
d-Limonene	Inhalation				2,75 mg/m ³
	Inhalation				33,3 mg/m ³
Benzyl salicylate	Dermal				0,9 mg/kg bw/day
	Inhalation				3,17 mg/m ³
Linalool	Dermal		5 mg/kg bw		2,5 mg/kg bw/day



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Oxydipropanol	Inhalation Dermal		16,5 mg/m ³		2,8 mg/m ³ 84 mg/kg bw/day
Cedryl methyl ketone	Inhalation Dermal				238 mg/m ³ 0,33 mg/kg bw/day
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphtyl)ethan-1-one	Inhalation Dermal	0,1011 mg/kg bw			1,175 mg/m ³ 1,73 mg/kg bw/day
Cineole	Inhalation Dermal				1,76 mg/m ³ 2 mg/kg bw/day
(Ethoxymethoxy)cyclododecane	Inhalation Dermal				7,05 mg/m ³ 3,3 mg/kg bw/day
7-Hydroxycitronellal	Inhalation Dermal				23,5 mg/m ³ 1,9 mg/kg bw/day
Pin-2(3)-ene	Inhalation				18 mg/m ³
Geranyl acetate	Inhalation Dermal				5,98 mg/m ³ 35,5 mg/kg bw/day
Citral	Inhalation Dermal				62,59 mg/m ³ 1,7 mg/kg bw/day
Citronellol	Inhalation Dermal				9 mg/m ³ 45,8 mg/kg bw/day
	Inhalation				161,6 mg/m ³

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Benzyl benzoate	Dermal Inhalation		25 mg/m ³ 78 mg/kg bw		1,3 mg/kg bw/day 1,25 mg/m ³
2,6-Dimethyloct-7-en-2-ol	Dermal Inhalation				0,4 mg/kg bw/day 12,5 mg/kg bw/day 21,7 mg/m ³
Linalyl acetate	Oral Dermal	0,8 mg/kg bw		0,8 mg/kg bw/day	12,5 mg/kg bw/day 1,25 mg/kg bw/day
d-Limonene	Inhalation Oral				0,68 mg/m ³ 0,2 mg/kg bw/day 8,33 mg/m ³
Benzyl salicylate	Oral Dermal Inhalation				4,76 mg/kg bw/day 0,45 mg/kg bw/day 0,78 mg/m ³
Linalool	Oral Dermal Inhalation		2,5 mg/kg bw 4,1 mg/m ³ 1,2 mg/kg bw	15 mg/kg bw/day	0,45 mg/kg bw/day 1,25 mg/kg bw/day 0,7 mg/m ³
Oxydipropanol	Oral Dermal Inhalation				0,2 mg/kg bw/day 51 mg/kg bw/day 70 mg/m ³
Cedryl methyl ketone	Oral Dermal Inhalation				24 mg/kg bw/day 0,166 mg/kg bw/day 0,289 mg/m ³
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphtyl)ethan-1-one	Oral Dermal Inhalation	0,0506 mg/kg bw			0,166 mg/kg bw/day 0,86 mg/kg bw/day 0,43 mg/m ³
Cineole	Oral Dermal Inhalation				0,25 mg/kg bw/day 1 mg/kg bw/day 1,74 mg/m ³



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

(Ethoxymethoxy)cyclododecane	Oral				600 mg/kg bw/day
	Dermal				1,67 mg/kg bw/day
	Inhalation				5,8 mg/m3
7-Hydroxycitronellal	Oral				1,67 mg/kg bw/day
	Dermal				1,1 mg/kg bw/day
	Inhalation				5,4 mg/m3
Pin-2(3)-ene	Oral				0,6 mg/kg bw/day
	Inhalation				1,06 mg/m3
Geranyl acetate	Oral				0,31 mg/kg bw/day
	Dermal				17,75 mg/kg bw/day
	Inhalation				15,4 mg/m3
Citral	Oral				8,9 mg/kg bw/day
	Dermal				1 mg/kg bw/day
	Inhalation				2,7 mg/m3
Citronellol	Oral				0,6 mg/kg bw/day
	Dermal				27,5 mg/kg bw/day
	Inhalation				47,8 mg/m3
	Oral				13,75 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Benzyl benzoate	Water	0,017 mg/l	0,002 mg/l	
	Sediment	10,66 mg/kg	1,07 mg/kg	
	STP			100 mg/l
	Soil			2,12 mg/kg
2,6-Dimethyloct-7-en-2-ol	Water	0,0278 mg/l	0,0027 mg/l	
	Sediment	0,594 mg/kg	0,0594 mg/kg	
	Intermittent water			0,278 mg/l
	STP			10 mg/l
	Soil			0,103 mg/kg
Linalyl acetate	Oral			111 mg/kg food
	Water	0,011 mg/l	0,0011 mg/l	
	Sediment	0,609 mg/kg	0,0609 mg/kg	
	Intermittent water			0,11 mg/l
	STP			10 mg/l
d-Limonene	Soil			0,115 mg/kg
	Water	0,0054 mg/l	0,0005 mg/l	
	Sediment	1,32 mg/kg	0,13 mg/kg	
	STP			1,8 mg/l
	Soil			0,262 mg/kg
Benzyl salicylate	Oral			3,33 mg/kg food
	Water	0,00103 mg/l	0,00010 mg/l	
	Sediment	0,583 mg/kg	0,0583 mg/kg	
	Intermittent water			0,01030 mg/l
	STP			10 mg/l
Linalool	Soil			0,116 mg/kg
	Oral			80 mg/kg food
	Water	0,2 mg/l	0,02 mg/l	
	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
Oxydipropanol	STP			10 mg/l
	Soil			0,327 mg/kg
	Oral			7,8 mg/kg food
	Water	0,1 mg/l	0,01 mg/l	
	Sediment	0,238 mg/kg	0,0238 mg/kg	
	Intermittent water			1 mg/l

Cineole	STP			1000 mg/l
	Soil			0,0253 mg/kg
	Oral			313 mg/kg food
	Water	0,057 mg/l	0,0057 mg/l	
(Ethoxymethoxy)cyclododecane	Sediment	1,425 mg/kg	0,1425 mg/kg	
	Intermittent water			0,57 mg/l
	STP			10 mg/l
	Soil			0,25 mg/kg
Pin-2(3)-ene	Oral			133 mg/kg food
	Water	0,0016 mg/l	0,00016 mg/l	
	Sediment	2,35 mg/kg	0,235 mg/kg	
	Intermittent water			0,016 mg/l
Geranyl acetate	STP			100 mg/l
	Soil			0,468 mg/kg
	Oral			33,3 mg/kg food
	Water	0,004 mg/l	0,0004 mg/l	
Citral	Sediment	1,033 mg/kg	0,103 mg/kg	
	STP			3,26 mg/l
	Soil			0,539 mg/kg
	Oral			1,35 mg/kg food
Citronellol	Water	0,00372 mg/l	0,000372 mg/l	
	Sediment	0,442 mg/kg	0,442 mg/kg	
	Intermittent water			0,0372 mg/l
	STP			8 mg/l
Citral	Soil			0,0859 mg/kg
	Water	0,00678 mg/l	0,000678 mg/l	
	Sediment	0,125 mg/kg	0,0125 mg/kg	
	Intermittent water			0,0678 mg/l
Citronellol	STP			1,6 mg/l
	Soil			0,0209 mg/kg
	Water	0,0024 mg/l	0,00024 mg/l	
	Sediment	0,0256 mg/kg	0,00256 mg/kg	
	Intermittent water			0,024 mg/l
	STP			580 mg/l
	Soil			0,00371 mg/kg

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals.
Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: 1 hour.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. 0,13 mm. Indication of permeation breakthrough time: 1 hour.



Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not known.	
Flash point	: > 100 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 225 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: < 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,7 (Linalyl acetate) Upper explosion limit in air (%): 12,6 Oxydipropanol
	:	Does not contain oxidizing substances.
Oxidising properties	: Not applicable.	
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: Not known.	
Vapour density (20°C)	: > 1	(air = 1)
Relative density (20°C)	: 0,9 g/ml	
Evaporation rate	: Not known.	(n-butyl acetate = 1)

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.



SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 53 %. ATE: > 5 mg/l. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: 16 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.

Ingestion

- Acute toxicity : Calculated LD50: > 3527 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met. Impregnated material with minimal content: Ingestion is unlikely to occur.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
2,6-Dimethyloct-7-en-2-ol	NOAEL (development) - estimate	1000 mg/kg.d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (oral) - estimate	500 mg/kg bw/d	Read across	Rat
	LD50 (oral)	3600 mg/kg bw	-----	Rat
	Skin sensitisation	Not sensitizing	-----	
	Skin irritation	Slightly irritant	-----	Rabbit
	Eye irritation	Moderately irritant	OECD 405	Rabbit
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	Rat
Linalyl acetate				



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

		1000 mg/kg bw/d	OECD 414	Rat
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	NOAEL (oral)	160 mg/kg bw/d	OECD 407	Rat
	Eye irritation	Irritant	OECD 405	Rabbit
	Skin irritation	Irritant	OECD 404	Rabbit
	Skin irritation	Non-irritant	-----	Human
	LC50 (inhalation)	> 2740 mg/m3	-----	Mouse
	LD50 (oral)	13934 mg/kg bw	-----	Rat
d-Limonene	Genotoxicity - in vivo	> 2000 mg/kg bw/d		Rat
	NOEL (carcinogenicity, oral)	> 300 mg/kg bw/d	OECD 451	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Mutagenicity	Negative	OECD 471	
	Skin sensitisation	10075 ug/cm2	OECD 429	Mouse
	NOAEL (development, oral)	600 mg/kg bw/d		Rat
	Skin irritation	Irritant	-----	-----
	NOAEL (oral)	30 mg/kg bw/d		Rat
	NOEL (oral)	5 mg/kg bw/d	-----	Rat
	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
	LD50 (oral)	4400 mg/kg bw	-----	Rat
	Genotoxicity - in vitro	Not genotoxic		
Benzyl salicylate	NOAEL (development) - estimate	> 360 mg/kg.d	Read across	Rat
	NOAEL (fertility) - estimate	180 mg/kg.d	Read across	Rat
	NOAEL (oral) - estimate	> 360 mg/kg bw/d	Read across	Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Eye irritation	Moderately irritant	-----	Rabbit
	Skin irritation	Non-irritant	-----	Rabbit
	Skin sensitisation	725 ug/cm2	OECD 429	Mouse
	LD50 (oral)	2227 mg/kg bw	-----	Rat
Linalool	NOAEL (oral)	117 mg/kg bw/d	-----	Rat
	LD50 (oral)	2790 mg/kg bw	-----	Rat
	Skin irritation	Mildly irritant	-----	Human
	LD50 (dermal)	5610 mg/kg bw	-----	Rabbit
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	Skin irritation	Irritant	OECD 404	Rabbit
	NOAEL (fertility, oral)	500 mg/kg bw/d		Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin sensitisation	12650 ug/cm2	OECD 429	Mouse
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOAEL (development, oral)	365 mg/kg bw/d	-----	Rat
Allyl (3-methylbutoxy)acetate	LD50 (oral) - estimate	500 mg/kg bw		-----
Cedryl methyl ketone	NOAEL (fertility, oral)	50 mg/kg bw/d	-----	Rat
	NOAEL (development, oral)	100 mg/kg bw/d	-----	Rat
	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LD50 (oral)	5000 mg/kg bw	----	Rat
	Mutagenicity	Not mutagenic	OECD 471	----
	LD50 (dermal)	> 5000 mg/kg bw	----	Rat
	LD50 (oral)	> 5000 mg/kg bw	----	Rat
Cineole	Skin sensitisation	6825 ug/cm2	OECD 429	Mouse
	NOAEL (development, oral)	480 mg/kg bw/d	OECD 414	Rat
	Skin irritation	Non-irritant	----	Rabbit
	LD50 (oral)	2480 mg/kg bw	----	Rat
	NOAEL (oral)	1200 mg/kg bw/d	----	Rat
	Genotoxicity - in vitro	Not genotoxic	----	
	Mutagenicity	Not mutagenic	----	Salmonella typhimurium
	Skin irritation	Non-irritant	----	
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
(Ethoxymethoxy)cyclododecane	NOAEL (fertility, oral)	1000 mg/kg bw/d	OECD 422	Rat
	NOAEL (development, oral)	1000 mg/kg bw/d	OECD 422	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin irritation	Irritant	OECD 404	Rabbit
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (oral)	1000 mg/kg bw/d	OECD 422	Rat
	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rabbit
	Skin sensitisation	5450 ug/cm2	OECD 429	Mouse
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	LD50 (oral)	> 5000 mg/kg bw	----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	----	----
	NOAEL (development, oral)	30 mg/kg bw/d	----	----
	NOAEL (fertility, oral)	> 3,55 mg/kg bw/d	----	Rat
	NOAEL (oral)	> 3,55 mg/kg bw/d	----	Rat
	Genotoxicity - in vitro	Not genotoxic	----	----
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOEL (carcinogenicity) - estimate	Not carcinogenic	----	
	Genotoxicity - in vivo	Not genotoxic	----	Mouse
	NOEL (oral)	250 mg/kg bw/d	----	
7-Hydroxycitronellal	LD50 (oral)	> 5000 mg/kg bw	----	Rat
	Skin irritation	Non-irritant	----	
	Eye irritation	Irritant	----	
	Skin irritation	850 ug/cm2	OECD 404	
	Skin sensitisation	5612 ug/cm2	OECD 429	Mouse
	LD50 (dermal)	> 2000 mg/kg bw	----	Rabbit
	Skin irritation	Irritant	----	
	Skin sensitisation	Sensitizing.	----	Guinea pig
	Skin irritation	Non-irritant	----	Human
	Skin irritation	Moderately irritant	----	Rabbit
Pin-2(3)-ene	LD50 (dermal)	> 5000 mg/kg bw	----	Rabbit
	Mutagenicity	Not mutagenic	----	Salmonella typhimurium
	Eye irritation - estimate	Moderately irritant	Read across	Rabbit
	Genotoxicity - estimate	Not genotoxic	Read across	
	NOAEL (development) - estimate	250 mg/kg.d	Read across	Rat



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	LD50 (oral)	3700 mg/kg bw	----	Rat
	NOAEL (inhalation)	170 mg/m3	OECD 413	Rat
	NOAEL (oral) - estimate	250 mg/kg bw/d	Read across	
	Skin irritation	Non-irritant		
	LD50 (dermal)	> 2000 mg/kg bw	----	Rabbit
Geranyl acetate	LD50 (oral)	3600 mg/kg bw	----	Rat
	Skin irritation	Non-irritant		
	NOAEL (development, oral)	> 500 mg/kg bw/d		Rat
	NOAEL (dermal)	> 300 mg/kg bw/d	----	Rat
	Skin sensitisation	4100 ug/cm2	OECD 429	----
	Mutagenicity	Negative	OECD 471	----
	LD50 (oral)	6330 mg/kg bw	----	Rat
	LD50 (dermal)	> 5460 mg/kg bw		Rabbit
	NOAEL (dermal) - estimate	1000 mg/kg bw/d	Read across	Mouse
	NOEL (carcinogenicity) - estimate	> 2000 mg/kg.d	Read across	Rat
2,4-Dimethylcyclohex-3-ene-1-carbaldehyde	Skin sensitisation	Sensitizing.	----	----
	Skin irritation	Moderately irritant		Guinea pig
	Skin sensitisation	5900 ug/cm2		
	LD50 (oral)	> 2000 mg/kg bw		Rat
Citral	LD50 (dermal)	> 2000 mg/kg bw		Rabbit
	Mutagenicity	Not mutagenic		Salmonella typhimurium
	NOAEL (development, oral)	200 mg/kg bw/d	OECD 421	Rat
	LD50 (dermal)	2250 mg/kg bw	----	Rabbit
	NOAEL (oral)	833 mg/kg bw/d	----	Rat
	Genotoxicity - in vitro	Not genotoxic		
	LD50 (oral)	4960 mg/kg bw	----	Rat
	Mutagenicity	Negative	OECD 471	
	NOEL (carcinogenicity, oral)	> 100 mg/kg bw/d	OECD 453	Rat
	NOAEL (developmental toxicity, inh.)	423 mg/m3	----	Rat
	Skin sensitisation	Sensitizing.	OECD 406	Guinea pig
	Skin irritation	Irritant		Human
	Skin irritation	Moderately irritant		Rabbit
	Eye irritation	Slightly irritant	OECD 405	Rabbit
Genotoxicity - in vivo	Negative	OECD 474	Mouse	
NOAEL (fertility, oral)	> 1000 mg/kg bw/d	OECD 421	Rat	
Citronellol	Genotoxicity - in vitro	Not genotoxic		
	Skin sensitisation	10875 ug/cm2	OECD 429	Mouse
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	NOAEL (oral)	> 50 mg/kg bw/d		Rat
	Skin irritation	Moderately irritant		Rabbit
	LD50 (oral)	3450 mg/kg bw	----	Rat
	LD50 (dermal)	2650 mg/kg bw		Rabbit
	NOAEL (fertility, dermal)	300 mg/kg bw/d	OECD 421	Rat
	NOAEL (developmental toxicity, dermal)	> 300 mg/kg bw/d	OECD 421	Rat
	Skin irritation	Moderately irritant	Patch test	Human



	Eye irritation	Moderately irritant		Rabbit
--	----------------	---------------------	--	--------

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Very toxic to aquatic organisms. Calculated LC50 (fish): 3 mg/l. Calculated EC50 (waterflea): 2 mg/l. Contains 5 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
Benzyl benzoate	IC50 (alga)	0,475 mg/l	OECD 201	Pseudokirchnerella subcapitata
	EC50 (waterflea)	3,09 mg/l	OECD 202	Daphnia magna
	NOEC (waterflea) - chronic	0,258 mg/l.d	OECD 211	Daphnia magna
	Ultimate aerobic biodegradation (%)	94 %	OECD 301 F	
	LC100 (fish)	2,84 mg/l	OECD 203	Brachydanio rerio
	LC0 (fish)	1,9 mg/l	OECD 203	Brachydanio rerio
	LC50 (fish)	2,32 mg/l	OECD 203	Brachydanio rerio
	Log P(ow)	3,97		
	BCF	24		
d-Limonene	LC50 (fish)	0,720 mg/l	OECD 203	Pimephales promelas
	EC50 (waterflea)	0,36 mg/l	OECD 202	Daphnia magna
	Ultimate aerobic biodegradation (%)	> 92 %		
	NOEC (waterflea) - chronic	0,15 mg/l.d		Daphnia magna
	Log P(ow)	4,38		
Cedryl methyl ketone	IC50 (alga)	2,80 mg/l	OECD 201	Algae
	EC50 (waterflea)	0,86 mg/l	OECD 202	Daphnia magna
	LC50 (fish)	2,3 mg/l	OECD 203	Pimephales promelas
	NOEC (waterflea) - chronic	0,087 mg/l.d	OECD 211	Daphnia magna
	Log P(ow)	5,6		
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LC50 (fish)	1,3 mg/l	OECD 203	----



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Pentyl salicylate	LC50 (alga)	> 2,6 mg/l	OECD 201	----
	EC50 (waterflea)	1,38 mg/l	OECD 202	----
	Log P(ow)	5,23		
	BCF	600		
	LC50 (fish)	1,34 mg/l		Brachydanio rerio
	Ultimate aerobic biodegradation (%)	86 %	OECD 301 F	
	EC50 (waterflea)	2,8 mg/l		Daphnia magna
	Log P(ow)	4,4000		
	BCF	55		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : UN 3082

14.2. UN proper shipping name

Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene ; Cedryl methyl ketone)

Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene ; Cedryl methyl ketone)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 9
Classification code : M6
Packaging group : III
Danger label : 9



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 9
Packaging group : III
EmS (fire / spill) : F - A / S - F
Marine pollutant : Yes



IATA (air)
Class : 9

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STP : Sewage Treatment Plant
SU : Sector of Use
TWA/STEL : Time-Weighted Average/Short Term Exposure Limit
UN : United Nations
VOC : Volatile Organic Compounds
vPvB : Very Persistent and Very Bioaccumulative

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3 : Flammable liquid, hazard category 3.
Acute Tox. 4 : Acute toxicity, category 4.
Skin Irrit. 2 : Skin irritation, category 2.
Eye Irrit. 2 : Eye irritation, category 2.
Skin Sens. 1 : Skin sensitization, category 1.
Asp. Tox. 1 : Aspiration hazard, category 1.
Aquatic Chronic 1 : Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2 : Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3 : Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1 : Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226 : Flammable liquid and vapour.
H302 : Harmful if swallowed.
H304 : May be fatal if swallowed and enters airways.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Number format : "," used as decimal separator.

End of safety data sheet.