



SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : LAFITA NOTRE DAME
Product code : DOV-012

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

1.3. Details of the supplier of the safety data sheet

Supplier : Dovox B.V.
Computerweg 3
3542 DP UTRECHT, The Netherlands
Telephone : +31-168-331711
Fax : +31-10-2270065
E-mail : info@dovox.nl
Website : www.dovox.nl

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:
NL - Telephone : +31-168-331711 (During office hours only)
EMERGENCY TELEPHONE NUMBER (for DOCTORS only):
National Poisons Information Service +44-844 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION


2.1. Classification of the substance or mixture

CLP classification : Skin irritation, category 2. Skin sensitization, category 1. Eye irritation, category 2. Hazardous to the aquatic environment — Chronic category 2.
Human health hazards : Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.
Environmental hazards : Toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P280 gloves Wear protective gloves.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P302+P352 IF ON SKIN: Wash with plenty of water/soap.
P362+P364 Take off contaminated clothing and wash it before reuse.



P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling

: Contains: d-Limonene ; Linalool ; 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one ; Cedryl methyl ketone ; 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; alpha-Hexylcinnamaldehyde ; Alpha-methyl-1,3-benzodioxole-5-propionaldehyde ; Citronellol ; Butylphenyl methylpropional ; Pin-2(3)-ene ; 1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one ; Coumarin .

2.3. Other hazards

Other information : The product does not need to carry all label elements required by Article 17 of Regulation (EC) No 1272/2008 on the basis of Annex I, point 1.5.2.1. Exemption for packages where the contents do not exceed 125 ml. Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
d-Limonene	5 - < 10	5989-27-5	227-813-5		01-2119529223-47
2,6-Dimethyloct-7-en-2-ol	5 - < 10	18479-58-8	242-362-4		01-2119457274-37
Linalyl acetate	5 - < 10	115-95-7	204-116-4		01-2119454789-19
Linalool	5 - < 10	78-70-6	201-134-4		01-2119474016-42
(Z)-3-hexenyl salicylate	2,5 - < 5	65405-77-8	265-745-8		01-2119987320-37
Cedryl methyl ketone	2,5 - < 5	32388-55-9	251-020-3		01-2119969651-28
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	2,5 - < 5	54464-57-2	259-174-3		01-2119489989-04
Benzyl benzoate	1 - < 5	120-51-4	204-402-9		01-2119976371-33
Benzyl acetate	1 - < 5	140-11-4	205-399-7		
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	1 - < 5	127-51-5	204-846-3		
4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	1 - < 5	14901-07-6	238-969-9		01-2119937833-30
2-tert-Butylcyclohexyl acetate	1 - < 5	88-41-5	201-828-7		
Alpha, beta,2,2,3-pentamethylcyclopent-3-ene-1-butanol	1 - < 5	65113-99-7	265-453-0		
2-Phenylethanol	1 - < 5	60-12-8	200-456-2		01-2119963921-31
3-methyl-5-phenylpentanol	1 - < 5	55066-48-3	259-461-3		01-2119969446-23
3,7-Dimethylnona-1,6-dien-3-ol	1 - < 5	10339-55-6	233-732-6		01-2119969272-32
Undecan-4-olide	1 - < 5	104-67-6	203-225-4		01-2119959333-34
alpha-Hexylcinnamaldehyde	1 - < 5	101-86-0	202-983-3		01-2119533092-50
1-[(2-tert-Butyl)cyclohexyloxy]-2-butanol	1 - < 5	139504-68-0	412-300-2		01-0000015959-52
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	1 - < 5	1205-17-0	214-881-6		
Tetrahydro-3-pentyl-2H-pyran-4-yl acetate	1 - < 5	18871-14-2	242-640-5		
Citronellol	1 - < 5	106-22-9	203-375-0		01-2119453995-23
2-(4-tert-butylbenzyl)propionaldehyde	2,5 - < 3	80-54-6	201-289-8		01-2119485965-18
(E)-oxacyclohexadec-12-en-2-one,	0,25 - < 1	111879-80-2	422-320-3		
(E)-oxacyclohexadec-13-en-2-one					
Pin-2(3)-ene	0,1 - < 1	80-56-8	201-291-9		01-2119519223-49



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	0,1 - < 1	33704-61-9	251-649-3		01-2119977131-40
Allyl hexanoate	0,1 - < 1	123-68-2	204-642-4		01-2119983573-26
Coumarin	0,1 - < 1	91-64-5	202-086-7		01-2119949300-45

Occupational exposure limit(s), if relevant, are listed in section 8.

Substance name	Hazard Class	H-phrases	Pictograms	
d-Limonene	Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1	H226; H304; H315; H317; H400; H410	GHS02; GHS07; GHS08; GHS09	M (acute) = 1
2,6-Dimethyloct-7-en-2-ol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
Linalyl acetate	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
Linalool	Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	
(Z)-3-hexenyl salicylate	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1
Cedryl methyl ketone	Skin sens. 1; Aquatic Acute 1; Aquatic Chronic 1	H317; H400; H410	GHS07; GHS09	M (acute) = 1
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Skin Irrit. 2; Skin Sens 1B; Aquatic Chronic 1	H315; H317; H410	GHS07; GHS09	M (chronic) = 1
Benzyl benzoate	Acute Tox. 4; Aquatic Acute 1; Aquatic chronic 2	H302; H400; H411	GHS07; GHS09	M (acute) = 1
Benzyl acetate	Aquatic Chronic 3	H412	----	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	Aquatic Chronic 2	H411	GHS09	
2-tert-Butylcyclohexyl acetate	Aquatic Chronic 2	H411	GHS09	
Alpha, beta,2,2,3-pentamethylcyclopent-3-ene-1-butanol	Eye Irrit. 2; Aquatic Chronic 2	H319; H411	GHS07; GHS09	
2-Phenylethanol	Acute Tox. 4; Eye Irrit. 2	H302; H319	GHS07	
3-methyl-5-phenylpentanol	Eye Dam. 1	H302; H373	GHS07; GHS08	
3,7-Dimethylnona-1,6-dien-3-ol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
Undecan-4-olide	Aquatic Chronic 3	H412	----	
alpha-Hexylcinnamaldehyde	Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 2	H317; H400; H411	GHS07; GHS09	M (acute) = 1
1-[(2-tert-Butyl)cyclohexyloxy]-2-butanol	Eye Irrit. 2; Aquatic Chronic 2	H319; H411	GHS07; GHS09	
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Skin Sens. 1; Aquatic Chronic 2	H317; H411	GHS07; GHS09	
Tetrahydro-3-pentyl-2H-pyran-4-yl acetate	Aquatic Chronic 3	H412	----	
Citronellol	Eye Irrit. 2; Skin Irrit. 2; Skin Sens. 1B	H319; H317; H315	GHS07	
2-(4-tert-butylbenzyl)propionaldehyde	Aquatic Chronic 2; Skin Irrit. 2; Skin Sens. 1B; Acute Tox. 4; Repr. 2	H302; H315; H317; H411; H361f	GHS07; GHS08; GHS09	
(E)-oxacyclohexadec-12-en-2-one,	Aquatic Acute 1;	H410	GHS09	M (acute) = 1
(E)-oxacyclohexadec-13-en-2-one	Aquatic Chronic 1			



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Pin-2(3)-ene	Flam. Liq. 3; Skin Sens. 1; Asp. Tox. 1; Skin irrit 2	H226; H317; H315; H304	GHS07; GHS08; GHS02	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2; Aquatic Chronic 2	H315; H317; H319; H411	GHS07; GHS09	
Allyl hexanoate	Acute Tox. 3; Aquatic acute 1; Aquatic Chronic 3	H301; H311; H331; H400; H412	GHS06; GHS09	M (acute) = 1
Coumarin	Acute Tox. 4; Skin Sens. 1B; Aquatic Chronic 3	H302; H317; H412	GHS07	

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO₂). Foam. Dry chemical. Water fog.
- Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.



SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments
d-Limonene		110	-	MAC: DE, CH, NL
Benzyl acetate		5	-	
Pin-2(3)-ene		113	-	

Derived no-effect level (DNEL) for workers:



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
d-Limonene	Inhalation				33,3 mg/m ³
2,6-Dimethyloct-7-en-2-ol	Dermal				20,8 mg/kg bw/day
	Inhalation				73,5 mg/m ³
Linalyl acetate	Dermal	0,8 mg/kg bw		0,8 mg/kg bw/day	2,5 mg/kg bw/day
	Inhalation				2,75 mg/m ³
Linalool	Dermal		5 mg/kg bw		2,5 mg/kg bw/day
	Inhalation		16,5 mg/m ³		2,8 mg/m ³
(Z)-3-hexenyl salicylate	Dermal				0,9 mg/kg bw/day
	Inhalation				1,59 mg/m ³
Cedryl methyl ketone	Dermal				0,33 mg/kg bw/day
	Inhalation				1,175 mg/m ³
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Dermal	0,1011 mg/kg bw			1,73 mg/kg bw/day
	Inhalation				1,76 mg/m ³
Benzyl benzoate	Dermal				2,6 mg/kg bw/day
	Inhalation		102 mg/m ³		5,1 mg/m ³
Benzyl acetate	Dermal		12,5 mg/kg bw		6,25 mg/kg bw/day
	Inhalation		43,8 mg/m ³		21,9 mg/m ³
4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	Dermal				2,1913 mg/kg bw/day
	Inhalation				2,498 mg/m ³
2-Phenylethanol	Dermal				21,2 mg/kg bw/day
	Inhalation				59,9 mg/m ³
3,7-Dimethylnona-1,6-dien-3-ol	Dermal	16 mg/kg bw	5,5 mg/kg bw	16 mg/kg bw/day	2,7 mg/kg bw/day
	Inhalation		18 mg/m ³		3 mg/m ³
Undecan-4-olide	Dermal				5,38 mg/kg bw/day
	Inhalation				19 mg/m ³
alpha-Hexylcinnamaldehyde	Dermal	0,525 mg/kg bw		0,525 mg/kg bw/day	18,2 mg/kg bw/day
	Inhalation	6,28 mg/m ³			0,078 mg/m ³
1-[(2-tert-Butyl)cyclohexyloxy]-2-butanol	Dermal				5 mg/kg bw/day
	Inhalation				17,6 mg/m ³
Citronellol	Dermal				45,8 mg/kg bw/day
	Inhalation				161,6 mg/m ³
2-(4-tert-butylbenzyl)propionaldehyde	Dermal	0,41 mg/kg bw	20 mg/kg bw		3,33 mg/kg bw/day
	Inhalation	0,29 mg/m ³	0,29 mg/m ³	0,048 mg/m ³	0,048 mg/m ³
Pin-2(3)-ene	Inhalation				5,98 mg/m ³
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Dermal			5,510 mg/kg bw/day	0,42 mg/kg bw/day
	Inhalation				1,47 mg/m ³
Allyl hexanoate	Dermal				4,3 mg/kg bw/day
	Inhalation				15 mg/m ³
Coumarin	Dermal				0,79 mg/kg bw/day
	Inhalation				6,78 mg/m ³

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
d-Limonene	Inhalation				8,33 mg/m ³
	Oral				4,76 mg/kg bw/day



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

2,6-Dimethyloct-7-en-2-ol	Dermal				12,5 mg/kg bw/day
	Inhalation				21,7 mg/m3
	Oral				12,5 mg/kg bw/day
Linalyl acetate	Dermal	0,8 mg/kg bw		0,8 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation				0,68 mg/m3
	Oral				0,2 mg/kg bw/day
Linalool	Dermal		2,5 mg/kg bw	15 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation		4,1 mg/m3		0,7 mg/m3
	Oral		1,2 mg/kg bw		0,2 mg/kg bw/day
(Z)-3-hexenyl salicylate	Dermal				0,45 mg/kg bw/day
	Inhalation				0,39 mg/m3
	Oral				0,23 mg/kg bw/day
Cedryl methyl ketone	Dermal				0,166 mg/kg bw/day
	Inhalation				0,289 mg/m3
	Oral				0,166 mg/kg bw/day
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Dermal	0,0506 mg/kg bw			0,86 mg/kg bw/day
	Inhalation				0,43 mg/m3
	Oral				0,25 mg/kg bw/day
Benzyl benzoate	Dermal				1,3 mg/kg bw/day
	Inhalation		25 mg/m3		1,25 mg/m3
	Oral		78 mg/kg bw		0,4 mg/kg bw/day
Benzyl acetate	Dermal		6,25 mg/kg bw		3,125 mg/kg bw/day
	Inhalation		11 mg/m3		5,5 mg/m3
	Oral		6,25 mg/kg bw		3,125 mg/kg bw/day
4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	Dermal				0,5403 mg/kg bw/day
	Inhalation				0,6214 mg/m3
	Oral				4,3825 mg/kg bw/day
2-Phenylethanol	Dermal				12,7 mg/kg bw/day
	Inhalation				17,7 mg/m3
	Oral		5,1 mg/kg bw		5,1 mg/kg bw/day
3,7-Dimethylnona-1,6-dien-3-ol	Dermal	16 mg/kg bw	2,7 mg/kg bw	16 mg/kg bw/day	1,4 mg/kg bw/day
	Inhalation		4,4 mg/m3		0,74 mg/m3
	Oral		1,3 mg/kg bw		0,2 mg/kg bw/day
Undecan-4-olide	Dermal				2,7 mg/kg bw/day
	Inhalation				4,68 mg/m3
	Oral				2,7 mg/kg bw/day
alpha-Hexylcinnamaldehyde	Dermal	0,0787 mg/kg bw		0,0787 mg/kg bw/day	9,11 mg/kg bw/day
	Inhalation		4,71 mg/m3		0,019 mg/m3
	Oral				0,056 mg/kg bw/day
1-[(2-tert-Butyl)cyclohexyloxy]-2-butanol	Dermal				2,5 mg/kg bw/day
	Inhalation				4,35 mg/m3
	Oral				2,5 mg/kg bw/day
Citronellol	Dermal				27,5 mg/kg bw/day
	Inhalation				47,8 mg/m3
	Oral				13,75 mg/kg bw/day
2-(4-tert-butylbenzyl)propionaldehyde	Dermal	0,41 mg/kg bw	20 mg/kg bw		1,67 mg/kg bw/day
	Inhalation	0,07 mg/m3	0,07 mg/m3	0,012 mg/m3	0,012 mg/m3
	Oral		0,041 mg/kg bw		0,007 mg/kg bw/day
Pin-2(3)-ene	Inhalation				1,06 mg/m3
	Oral				0,31 mg/kg bw/day



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Dermal			3,241 mg/kg bw/day	0,25 mg/kg bw/day
	Inhalation				0,44 mg/m3
Allyl hexanoate	Oral				0,25 mg/kg bw/day
	Dermal				2,1 mg/kg bw/day
	Inhalation				3,7 mg/m3
Coumarin	Oral				2,1 mg/kg bw/day
	Dermal				0,39 mg/kg bw/day
	Inhalation				1,69 mg/m3
	Oral				0,39 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
d-Limonene	Water	0,0054 mg/l	0,0005 mg/l	
	Sediment	1,32 mg/kg	0,13 mg/kg	
	STP			1,8 mg/l
	Soil			0,262 mg/kg
	Oral			3,33 mg/kg food
2,6-Dimethyloct-7-en-2-ol	Water	0,0278 mg/l	0,0027 mg/l	
	Sediment	0,594 mg/kg	0,0594 mg/kg	
	Intermittent water			0,278 mg/l
	STP			10 mg/l
	Soil			0,103 mg/kg
Linalyl acetate	Oral			111 mg/kg food
	Water	0,011 mg/l	0,0011 mg/l	
	Sediment	0,609 mg/kg	0,0609 mg/kg	
	Intermittent water			0,11 mg/l
	STP			10 mg/l
Linalool	Soil			0,115 mg/kg
	Water	0,2 mg/l	0,02 mg/l	
	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
	STP			10 mg/l
(Z)-3-hexenyl salicylate	Soil			0,327 mg/kg
	Oral			7,8 mg/kg food
	Water	0,00061 mg/l	0,000061 mg/l	
	Sediment	0,11 mg/kg	0,011 mg/kg	
	Intermittent water			0,0061 mg/l
Benzyl benzoate	STP			10 mg/l
	Soil			0,0217 mg/kg
	Oral			40 mg/kg food
	Water	0,017 mg/l	0,002 mg/l	
	Sediment	10,66 mg/kg	1,07 mg/kg	
Benzyl acetate	STP			100 mg/l
	Soil			2,12 mg/kg
	Water	0,004 mg/l	0,0004 mg/l	
	Sediment	0,114 mg/kg	0,0114 mg/kg	
	Intermittent water			0,04 mg/l
4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	STP			8,55 mg/l
	Soil			0,0205 mg/kg
	Water	0,00146 mg/l	0,000146 mg/l	
	Sediment	22,45 mg/kg	22,45 mg/kg	
	Intermittent water			0,0146 mg/l
	STP			0,0428 mg/l
	Soil			10,47 mg/kg



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

2-Phenylethanol	Water	0,215 mg/l	0,0215 mg/l	
	Sediment	1,454 mg/kg	0,1454 mg/kg	
	Intermittent water			2,15 mg/l
	STP			10 mg/l
	Soil			0,164 mg/kg
3,7-Dimethylnona-1,6-dien-3-ol	Water	0,023 mg/l	0,0023 mg/l	
	Sediment	0,223 mg/kg	0,0223 mg/kg	
	Intermittent water			0,23 mg/l
	STP			10 mg/l
	Soil			0,031 mg/kg
Undecan-4-olide	Oral			8,53 mg/kg food
	Water	0,0058 mg/l	0,00058 mg/l	
	Sediment	0,628 mg/kg	0,063 mg/kg	
	Intermittent water			0,058 mg/l
	STP			80 mg/l
alpha-Hexylcinnamaldehyde	Soil			0,122 mg/kg
	Oral			66,7 mg/kg food
	Water	0,03 mg/l	0,003 mg/l	
	Sediment	47,7 mg/kg	4,77 mg/kg	
	Intermittent water			0,03 mg/l
1-[(2-tert-Butyl)cyclohexyloxy]-2-butanol	STP			10 mg/l
	Soil			9,51 mg/kg
	Oral			6,6 mg/kg food
	Water	0,022 mg/l	0,002 mg/l	
	Sediment	0,218 mg/kg	0,022 mg/kg	
Citronellol	Intermittent water			0,041 mg/l
	STP			1 mg/l
	Soil			2 mg/kg
	Oral			4,67 mg/kg food
	Water	0,0024 mg/l	0,00024 mg/l	
2-(4-tert-butylbenzyl)propionaldehyde	Sediment	0,0256 mg/kg	0,00256 mg/kg	
	Intermittent water			0,024 mg/l
	STP			580 mg/l
	Soil			0,00371 mg/kg
	Water	0,0020 mg/l	0,0002 mg/l	
Pin-2(3)-ene	Sediment	0,0584 mg/kg	0,0058 mg/kg	
	Intermittent water			0,0204 mg/l
	STP			1,049 mg/l
	Soil			0,0463 mg/kg
	Water	0,004 mg/l	0,0004 mg/l	
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Sediment	1,033 mg/kg	0,103 mg/kg	
	STP			3,26 mg/l
	Soil			0,539 mg/kg
	Oral			1,35 mg/kg food
	Water	0,004 mg/l	0 mg/l	
Allyl hexanoate	Sediment	0,0991 mg/kg	0,00991 mg/kg	
	STP			10 mg/l
	Soil			0,0174 mg/kg
	Oral			1,11 mg/kg food
	Water	0,000117 mg/l	0,000011 mg/l	
	Sediment	0,00446 mg/kg	0,000446 mg/kg	
	Intermittent water			0,00117 mg/l
	STP			10 mg/l
	Soil			0,000825 mg/kg



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Coumarin	Oral			47,56 mg/kg food
	Water	0,019 mg/l	0,0019 mg/l	
	Sediment	0,15 mg/kg	0,015 mg/kg	
	Intermittent water			0,0142 mg/l
	STP			6,4 mg/l
	Soil			0,018 mg/kg
	Oral			30,7 mg/kg food

8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: 1 hour.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. 0,13 mm. Indication of permeation breakthrough time: 1 hour.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not known.	
Flash point	: 95 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 225 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: < 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,5 (Butylphenyl methylpropional)
		Upper explosion limit in air (%): 11,9 2-Phenylethanol
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	



Viscosity (40°C)	: Not relevant.	The product contains < 10% substances having an aspiration hazard.
Vapour pressure (20°C)	: Not known.	
Vapour density (20°C)	: > 1	(air = 1)
Relative density (20°C)	: Not known.	
Evaporation rate	: Not known.	(n-butyl acetate = 1)

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 75 %. ATE: > 5 mg/l. Not classified due to lack of data.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 4286 mg/kg.bw. Ingredients of unknown toxicity: 18 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Irritant.



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Ingestion

- Acute toxicity : Calculated LD50: > 3251 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met. Impregnated material with minimal content: Ingestion is unlikely to occur.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
d-Limonene	Genotoxicity - in vivo	> 2000 mg/kg bw/d		Rat
	NOEL (carcinogenicity, oral)	> 300 mg/kg bw/d	OECD 451	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Mutagenicity	Negative	OECD 471	
	Skin sensitisation	10075 ug/cm2	OECD 429	Mouse
	NOAEL (development, oral)	600 mg/kg bw/d		Rat
	Skin irritation	Irritant	-----	-----
	NOAEL (oral)	30 mg/kg bw/d		Rat
	NOEL (oral)	5 mg/kg bw/d	-----	Rat
	LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit
2,6-Dimethyloct-7-en-2-ol	LD50 (oral)	4400 mg/kg bw	-----	Rat
	Genotoxicity - in vitro	Not genotoxic		
	NOAEL (development) - estimate	1000 mg/kg.d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (oral) - estimate	500 mg/kg bw/d	Read across	Rat
	LD50 (oral)	3600 mg/kg bw	-----	Rat
	Skin sensitisation	Not sensitizing		
	Skin irritation	Slightly irritant	-----	Rabbit
	Eye irritation	Moderately irritant	OECD 405	Rabbit
Linalyl acetate	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	Rat
		1000 mg/kg bw/d	OECD 414	Rat
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	NOAEL (oral)	160 mg/kg bw/d	OECD 407	Rat
	Eye irritation	Irritant	OECD 405	Rabbit
	Skin irritation	Irritant	OECD 404	Rabbit
	Skin irritation	Non-irritant	-----	Human
	LC50 (inhalation)	> 2740 mg/m3	-----	Mouse



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Linalool	LD50 (oral)	13934 mg/kg bw	----	Rat
	NOAEL (oral)	117 mg/kg bw/d	----	Rat
	LD50 (oral)	2790 mg/kg bw	----	Rat
	Skin irritation	Mildly irritant	----	Human
	LD50 (dermal)	5610 mg/kg bw	----	Rabbit
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	Skin irritation	Irritant	OECD 404	Rabbit
	NOAEL (fertility, oral)	500 mg/kg bw/d		Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin sensitisation	12650 ug/cm2	OECD 429	Mouse
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	NOAEL (development, oral)	365 mg/kg bw/d	----	Rat
	Cedryl methyl ketone	NOAEL (fertility, oral)	50 mg/kg bw/d	----
NOAEL (development, oral)		100 mg/kg bw/d	----	Rat
LD50 (dermal)		> 2000 mg/kg bw	----	Rabbit
LD50 (oral)		5000 mg/kg bw	----	Rat
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Mutagenicity	Not mutagenic	OECD 471	----
	LD50 (dermal)	> 5000 mg/kg bw	----	Rat
	LD50 (oral)	> 5000 mg/kg bw	----	Rat
	Skin sensitisation	6825 ug/cm2	OECD 429	Mouse
	NOAEL (development, oral)	480 mg/kg bw/d	OECD 414	Rat
	Skin irritation	Non-irritant	----	Rabbit
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	Skin sensitisation	5450 ug/cm2	OECD 429	Mouse
	LD50 (oral)	> 5000 mg/kg bw	----	Rat
Alpha, beta,2,2,3-pentamethylcyclopent-3-ene-1-butanol	LD50 (dermal)	> 5000 mg/kg bw	----	----
	NOAEL (development, oral)	30 mg/kg bw/d	----	----
	NOAEL (fertility, oral)	> 3,55 mg/kg bw/d	----	Rat
	NOAEL (oral)	> 3,55 mg/kg bw/d	----	Rat
	Genotoxicity - in vitro	Not genotoxic	----	----
	LD50 (oral)	6700 mg/kg bw	----	Rat
	2-Phenylethanol	LD50 (oral)	1609 mg/kg bw	----
NOAEL (dermal)		510 mg/kg bw/d	OECD 411	Rat
Genotoxicity - in vitro		Not genotoxic	OECD 476	
NOAEL (development, oral)		4,3 mg/kg bw/d		Rat
Eye irritation		Irritant	----	Rabbit
Skin irritation		Slightly irritant	----	Rabbit
LD50 (dermal)		2535 mg/kg bw	OECD 402	Rabbit
Skin sensitisation - estimate		Not sensitizing		
NOAEL (developmental toxicity, dermal)		140 mg/kg bw/d		Rat
Mutagenicity		Negative	OECD 471	Salmonella typhimurium
3,7-Dimethylnona-1,6-dien-3-ol		Genotoxicity - estimate	Not genotoxic	Read across
	NOAEL (dermal) - estimate	250 mg/kg bw/d	Read across	Rat
	NOAEL (oral) - estimate	117 mg/kg bw/d	Read across	Rat



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

alpha-Hexylcinnamaldehyde	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium	
	LD50 (dermal)	> 5000 mg/kg bw	----	Rabbit	
	LD50 (oral)	5000 mg/kg bw	----	Rat	
	Eye irritation	Irritant	----	Rabbit	
	Skin irritation	Irritant	----	Rabbit	
	NOAEL (dermal)	25 mg/kg bw/d		Rat	
	Skin irritation	Moderately irritant	OECD 404	Rabbit	
	Skin sensitisation	2372 ug/cm2	OECD 429	Mouse	
	LD50 (oral)	> 2450 mg/kg bw	OECD 401	Rat	
	LC50 (inhalation)	> 5000 mg/m3	OECD 403	Rat	
	LD50 (dermal)	> 3000 mg/kg bw	OECD 402	Rabbit	
	NOAEL (oral) - estimate	30 mg/kg bw/d	Read across	Rat	
	Eye irritation	Non-irritant		Rabbit	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
1-[(2-tert-Butyl)cyclohexyloxy]-2-butanol	Genotoxicity - in vitro	Not genotoxic	OECD 476		
	Genotoxicity - in vivo	Not genotoxic	OECD 474		
	NOAEL (development, oral)	100 mg/kg bw/d	OECD 421	Rat	
	Skin sensitisation	Not sensitizing		Guinea pig	
	NOAEL (fertility, oral)	500 mg/kg bw/d	OECD 405	Rat	
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse	
	Genotoxicity - in vitro	Not genotoxic	OECD 473	Chinese Hamster	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
	LD50 (oral)	> 2000 mg/kg bw	OECD 401	Rat	
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat	
	NOAEL (oral)	140 mg/kg bw/d	OECD 407	Rat	
	Skin irritation	Slightly irritant	OECD 404	Rabbit	
	Eye irritation	Irritant	OECD 405	Rabbit	
	Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Skin irritation	Non-irritant		
LD50 (dermal)		> 2000 mg/kg bw	----	Rabbit	
LD50 (oral)		3600 mg/kg bw	----	Rat	
Skin irritation		Non-irritant			
NOAEL (development, oral)		> 500 mg/kg bw/d		Rat	
NOAEL (dermal)		> 300 mg/kg bw/d	----	Rat	
Skin sensitisation		4100 ug/cm2	OECD 429	----	
Genotoxicity - in vitro		Not genotoxic			
Skin sensitisation		10875 ug/cm2	OECD 429	Mouse	
Mutagenicity		Not mutagenic	OECD 471	Salmonella typhimurium	
NOAEL (oral)		> 50 mg/kg bw/d		Rat	
Skin irritation		Moderately irritant		Rabbit	
LD50 (oral)		3450 mg/kg bw	----	Rat	
LD50 (dermal)		2650 mg/kg bw		Rabbit	
Citronellol	NOAEL (fertility, dermal)	300 mg/kg bw/d	OECD 421	Rat	
	NOAEL (developmental toxicity, dermal)	> 300 mg/kg bw/d	OECD 421	Rat	
	Skin irritation	Moderately irritant	Patch test	Human	
	Eye irritation	Moderately irritant		Rabbit	
	2-(4-tert-butylbenzyl)propionaldehyde	Mutagenicity	Negative	OECD 471	----
		Skin sensitisation	2372 ug/cm2	OECD 429	Mouse
		LD50 (oral)	1390 mg/kg bw	----	Rat
		LD50 (dermal)	> 5000 mg/kg bw	----	Rabbit



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Pin-2(3)-ene	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Non-irritant	-----	Rabbit
	NOAEL (oral)	25 mg/kg bw/d	-----	Rat
	Genotoxicity - in vivo	Negative	OECD 474	Mouse
	NOAEL (fertility, oral)	25 mg/kg bw/d	-----	Rat
	NOAEL (development, oral)	4 mg/kg bw/d	OECD 414	Rat
	Skin sensitisation	Sensitizing.	-----	Guinea pig
	Skin irritation	Non-irritant	-----	Human
	Skin irritation	Moderately irritant	-----	Rabbit
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit
	Mutagenicity	Not mutagenic	-----	Salmonella typhimurium
	Eye irritation - estimate	Moderately irritant	Read across	Rabbit
	Genotoxicity - estimate	Not genotoxic	Read across	
	NOAEL (development) - estimate	250 mg/kg.d	Read across	Rat
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	LD50 (oral)	3700 mg/kg bw	-----	Rat
	NOAEL (inhalation)	170 mg/m ³	OECD 413	Rat
	NOAEL (oral) - estimate	250 mg/kg bw/d	Read across	
	NOAEL (fertility, oral)	115 mg/kg bw/d	OECD 421	Rat
	NOAEL (development, oral)	115 mg/kg bw/d	OECD 421	Rat
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	NOAEL (oral)	10 mg/kg bw/d	OECD 408	Rat
	Eye irritation	Irritant	-----	-----
	Skin irritation	Irritant	-----	Human
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	LD50 (oral)	> 2325 mg/kg bw	OECD 401	Rat
	NOEL (carcinogenicity) - estimate	Not carcinogenic	-----	
	Genotoxicity - in vivo	> 105 mg/kg bw/d	OECD 474	Mouse
Coumarin	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Skin irritation	Non-irritant	-----	Rabbit
	NOAEL (oral)	> 138,3 mg/kg bw/d	-----	Mouse
	LD50 (oral)	680 mg/kg bw	-----	Rat
	Eye irritation	Non-irritant	-----	Rabbit
	NOAEL (development, oral)	> 115 mg/kg bw/d	-----	Mouse
	Skin sensitisation	> 12500 ug/cm ²	OECD 429	Mouse

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Toxic to aquatic organisms. Calculated LC50 (fish): 2 mg/l. Calculated EC50 (waterflea): < 1 mg/l.
Contains 10 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.



12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Adsorbs to soil and has low mobility.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Other adverse effects

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
d-Limonene	LC50 (fish)	0,720 mg/l	OECD 203	Pimephales promelas
	EC50 (waterflea)	0,36 mg/l	OECD 202	Daphnia magna
	Ultimate aerobic biodegradation (%)	> 92 %		
	NOEC (waterflea) - chronic	0,15 mg/l.d		Daphnia magna
(Z)-3-hexenyl salicylate	Log P(ow)	4,38		
	IC50 (alga)	0,61 mg/l	OECD 201	Desmodesmus subspicatus
	EC50 (waterflea)	3,7 mg/l	OECD 202	Daphnia magna
	LC50 (fish) - estimate	1,13 mg/l		Brachydanio rerio
Cedryl methyl ketone	Ultimate aerobic biodegradation (%)	89 %	OECD 301 F	
	Log P(ow)	4,57		
	IC50 (alga)	2,80 mg/l	OECD 201	Algae
	EC50 (waterflea)	0,86 mg/l	OECD 202	Daphnia magna
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LC50 (fish)	2,3 mg/l	OECD 203	Pimephales promelas
	NOEC (waterflea) - chronic	0,087 mg/l.d	OECD 211	Daphnia magna
	Log P(ow)	5,6		
	LC50 (fish)	1,3 mg/l	OECD 203	-----
Benzyl benzoate	IC50 (alga)	> 2,6 mg/l	OECD 201	-----
	EC50 (waterflea)	1,38 mg/l	OECD 202	-----
	Log P(ow)	5,23		
	BCF	600		
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	IC50 (alga)	0,475 mg/l	OECD 201	Pseudokirchnerella subcapitata
	EC50 (waterflea)	3,09 mg/l	OECD 202	Daphnia magna
	NOEC (waterflea) - chronic	0,258 mg/l.d	OECD 211	Daphnia magna
	Ultimate aerobic biodegradation (%)	94 %	OECD 301 F	
	LC100 (fish)	2,84 mg/l	OECD 203	Brachydanio rerio
	LC0 (fish)	1,9 mg/l	OECD 203	Brachydanio rerio
	LC50 (fish)	2,32 mg/l	OECD 203	Brachydanio rerio
	Log P(ow)	3,97		
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	BCF	24		
	LC50 (fish)	10,9 mg/l	-----	Oncorhynchus mykiss



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	Ultimate aerobic biodegradation (%)	61,8 %	OECD 301 B	
	EC50 (waterflea) - estimate	3,04 mg/l	----	Daphnia magna
	Log P(ow)	4,6		
	LC50 (fish)	5,09 mg/l	----	Pimephales promelas
2-tert-Butylcyclohexyl acetate	EC50 (waterflea)	1,64 mg/l	----	Daphnia magna
		3,22 mg/l	----	Selenastrum capricornutum
	Log P(ow)	4,1		
	EC50 (waterflea)	17 mg/l	----	
Alpha, beta,2,2,3-pentamethylcyclopent-3-ene-1-butanol	LC50 (fish)	1,7 mg/l	----	
	Log P(ow)	3,96		
	EC50 (waterflea) - estimate	0,046 mg/l	----	
	LC50 (fish) - estimate	0,2777 mg/l	----	
alpha-Hexylcinnamaldehyde	Log P(ow)	4,73		
	IC50 (alga)	> 0,32 mg/l	OECD 201	Desmodesmus subspicatus
	Ultimate aerobic biodegradation (%)	97 %	OECD 301 F	
1-[(2-tert-Butyl)cyclohexyloxy]-2-butanol	LC50 (fish)	1,7 mg/l	OECD 203	Pimephales promelas
	NOEC (fish)	0,93 mg/l	OECD 203	Pimephales promelas
	Log P(ow)	5,3		
	Ultimate aerobic biodegradation (%)	3 %	OECD 301 C	
	NOEC (waterflea) - chronic	1,4 mg/l.d	OECD 202	Daphnia magna
	NOEC (fish)	0,22 mg/l.d	OECD 210	Pimephales promelas
	LC50 (fish)	4,1 mg/l	OECD 203	Oncorhynchus mykiss
	EC50 (waterflea)	5,9 mg/l	OECD 202	Daphnia magna
	IC50 (alga)	5,6 mg/l	OECD 201	Selenastrum capricornutum
	Log P(ow)	4,05		
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Log P(ow)	2,4		
2-(4-tert-butylbenzyl)propionaldehyde	EC100 (waterflea)	25 mg/l		Daphnia magna
	Ultimate aerobic biodegradation (%)	68 %	OECD 301 F	
	EC50 (waterflea)	10,7 mg/l		Daphnia magna
	LC50 (fish)	2,2 mg/l	OECD 203	Brachydanio rerio
	EC0 (waterflea)	6,25 mg/l		Daphnia magna
	Log P(ow)	4,3000		
	BCF	274		
	NOEC (fish)	0,52 mg/l	OECD 203	Oncorhynchus mykiss
	LC50 (fish)	2,0 mg/l	OECD 203	Oncorhynchus mykiss
	EC50 (waterflea)	0,48 mg/l	OECD 202	Daphnia magna
1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one	Log P(ow)	5,02		
	Ultimate aerobic biodegradation (%)	0 %	OECD 301 C	
	IC50 (alga)	10 mg/l	OECD 201	Desmodesmus subspicatus
	EC50 (waterflea)	1,5 mg/l	OECD 202	Daphnia magna
	LC50 (fish)	2,12 mg/l		Oryzias latipes



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

p-Cymene	Log P(ow)	4,2		
	BCF	81		
	LC50 (fish)	48 mg/l	----	Cyprinodon variegatus
	EC50 (waterflea)	6,5 mg/l	----	Daphnia magna
	IC50 (alga)	4,03 mg/l	OECD 201	Pseudokirchnerella subcapitata
Benzyl salicylate	Primary aerobic biodegradation (%)	88 %		
	Log P(ow)	4,1		
	BCF	286		
	NOEC (waterflea) - acute	0,89 mg/l	OECD 202	Daphnia magna
	EC50 (waterflea)	2,25 mg/l	OECD 202	Daphnia magna
	Ultimate aerobic biodegradation (%)	93 %	OECD 301 F	
	LC50 (fish)	1,2 mg/l	OECD 203	Brachydanio rerio
	NOEC (algae)	0,502 mg/l	OECD 201	Selenastrum capricornutum
	IC50 (alga)	1,29 mg/l	OECD 201	Selenastrum capricornutum
	Log P(ow)	4,3		

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : UN 3082

14.2. UN proper shipping name

Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene ; Cedryl methyl ketone)

Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Limonene ; Cedryl methyl ketone)

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 9
Classification code : M6
Packaging group : III
Danger label : 9



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 9
Packaging group : III
EmS (fire / spill) : F - A / S - F
Marine pollutant : Yes

IATA (air)

Class : 9

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION *

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION *

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE : Acute Toxicity Estimate
CLP : Classification, Labeling & Packaging
CMR : Carcinogenic, Mutagenic or toxic for Reproduction
EEC : European Economic Community



SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3	: Flammable liquid, hazard category 3.
Acute Tox. 3	: Acute toxicity, category 3.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1	: Skin sensitization, category 1.
STOT RE 2	: Specific target organ toxicity — repeated exposure, category 2.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Number format : ", " used as decimal separator.

[End of safety data sheet.](#)