



**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING \***

**1.1. Product identifier**

Product name : LAFITA GOUTTE D'OR  
Product code : DOV-011

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : SU21 Consumer product. PC3 Air care products. Airfreshener.

**1.3. Details of the supplier of the safety data sheet**

Supplier : Dovox B.V.  
Computerweg 3  
3542 DP UTRECHT, The Netherlands  
Telephone : +31-30-7116 824  
Fax : +31-30-3100 141  
E-mail : info@dovox.nl  
Website : www.dovox.nl

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:  
NL - Telephone : +31-30-7116 824 (During office hours only)  
EMERGENCY TELEPHONE NUMBER (for DOCTORS only):  
National Poisons Information Service +44-844 892 0111 (24/7)

**SECTION 2 HAZARDS IDENTIFICATION**


**2.1. Classification of the substance or mixture**

CLP classification : Skin irritation, category 2. Eye irritation, category 2. Skin sensitization, category 1. Hazardous to the aquatic environment — Chronic category 1.  
Human health hazards : Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.  
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.  
Environmental hazards : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**2.2. Label elements**

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases : H317 May cause an allergic skin reaction.  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 gloves Wear protective gloves.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P302+P352 IF ON SKIN: Wash with plenty of water/soap.  
P362+P364 Take off contaminated clothing and wash it before reuse.



P501 Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one  
; d-Limonene ; Linalool ; Butylphenyl methylpropional ;  
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one ; (Ethoxymethoxy)cyclododecane  
; Alpha-methyl-1,3-benzodioxole-5-propionaldehyde ; Coumarin ;  
4-(4-Hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde ; 2-(2,2,7,7-tetramethyltricyclo  
[6.2.1.0(1,6)] undec-5(4)-en-5-yl) propan-1-ol ; Pin-2(3)-ene ; Geraniol ; Eugenol ; Cinnamaldehyde

**2.3. Other hazards**

Other information : The product does not need to carry all label elements required by Article 17 of Regulation (EC) No 1272/2008 on the basis of Annex I, point 1.5.2.1. Exemption for packages where the contents do not exceed 125 ml. Does not contain PBT or vPvB substances.

**SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

**3.2. Mixtures**

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	25 - < 50	54464-57-2	259-174-3		01-2119489989-04
d-Limonene	5 - < 10	5989-27-5	227-813-5		
p-Menth-1-en-8-yl acetate	10 - < 25	80-26-2	201-265-7		01-2119980733-29
2,6-Dimethyloct-7-en-2-ol	5 - < 10	18479-58-8	242-362-4		01-2119457274-37
Linalyl acetate	5 - < 10	115-95-7	204-116-4		01-2119454789-19
Linalool	5 - < 10	78-70-6	201-134-4		01-2119474016-42
2-(4-tert-butylbenzyl)propionaldehyde	2,5 - < 3	80-54-6	201-289-8		01-2119485965-18
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	1 - < 5	127-51-5	204-846-3		01-2120138569-45
(Ethoxymethoxy)cyclododecane	1 - < 5	58567-11-6	261-332-1		01-2119971571-34
Alpha,alpha-dimethylphenylethyl butyrate	1 - < 5	10094-34-5	233-221-8		
2-tert-Butylcyclohexyl acetate	1 - < 5	88-41-5	201-828-7		
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	1 - < 5	1205-17-0	214-881-6		
Coumarin	1 - < 5	91-64-5	202-086-7		01-2119949300-45
4-(4-Hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde	1 - < 5	31906-04-4	250-863-4		
(Z)-3-hexenyl salicylate	0,25 - < 1	65405-77-8	265-745-8		01-2119987320-37
2-(2,2,7,7-tetramethyltricyclo [6.2.1.0(1,6)] undec-5(4)-en-5-yl) propan-1-ol	0,25 - < 1	929625-08-1	695-374-0		
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	0,25 - < 1	28219-61-6	248-908-8		01-2119529224-45
Pin-2(3)-ene	0,1 - < 1	80-56-8	201-291-9		01-2119519223-49
Alpha-Cedrene	0,25 - < 1	469-61-4	207-418-4		
Geraniol	0,1 - < 1	106-24-1	203-377-1		01-2119552430-49
Eugenol	0,1 - < 1	97-53-0	202-589-1		01-2119971802-33
Cinnamaldehyde	0,01 - < 0,1	104-55-2	203-213-9		



# SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Substance name	Hazard Class	H-phrases	Pictograms	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Skin Irrit. 2; Skin Sens 1B; Aquatic Chronic 1	H315; H317; H410	GHS07; GHS09	M (chronic) = 1
d-Limonene	Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1	H226; H304; H315; H317; H400; H410	GHS02; GHS07; GHS08; GHS09	M (acute) = 1
p-Menth-1-en-8-yl acetate	Aquatic Chronic 2	H411	GHS09	
2,6-Dimethyloct-7-en-2-ol	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
Linalyl acetate	Skin Irrit. 2; Eye Irrit. 2	H315; H319	GHS07	
Linalool	Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1B	H315; H317; H319	GHS07	
2-(4-tert-butylbenzyl)propionaldehyde	Aquatic Chronic 2; Skin Irrit. 2; Skin Sens. 1B; Acute Tox. 4; Repr. 2	H302; H315; H317; H411; H361f	GHS07; GHS08; GHS09	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
(Ethoxymethoxy)cyclododecane	Skin Irrit. 2; Skin Sens. 1; Aquatic Chronic 2	H315; H317; H411	GHS07; GHS09	
Alpha,alpha-dimethylphenylethyl butyrate	Aquatic Chronic 2	H411	GHS09	
2-tert-Butylcyclohexyl acetate	Aquatic Chronic 2	H411	GHS09	
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Skin Sens. 1; Aquatic Chronic 2	H317; H411	GHS07; GHS09	
Coumarin	Acute Tox. 4; Skin Sens. 1B; Aquatic Chronic 3	H302; H317; H412	GHS07	
4-(4-Hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde	Skin Sens. 1A	H317	GHS07	
(Z)-3-hexenyl salicylate	Aquatic Acute 1; Aquatic Chronic 1	H400; H410	GHS09	M (acute) = 1 M (chronic) = 1
2-(2,2,7,7-tetramethyltricyclo[6.2.1.0(1,6)] undec-5(4)-en-5-yl)propan-1-ol	Skin Irrit. 2; Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 1	H315; H317; H400; H410	GHS07; GHS09	
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Eye Irrit. 2; Aquatic Acute 1; Aquatic Chronic 1	H319; H400; H410	GHS07; GHS09	M (acute) = 1 M (chronic) = 1
Pin-2(3)-ene	Flam. Liq. 3; Skin Sens. 1; Asp. Tox. 1; Skin irrit 2	H226; H317; H315; H304	GHS07; GHS08; GHS02	
Alpha-Cedrene	Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1	H304; H400; H410	GHS08; GHS09	M (acute) = 10 M (chronic) = 10
Geraniol	Skin Sens. 1; Eye Dam. 1; Skin Irrit. 2	H317; H318; H315	GHS05; GHS07	
Eugenol	Eye Irrit. 2; Skin Sens. 1B	H319; H317	GHS07	
Cinnamaldehyde	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1A	H312; H315; H317; H319	GHS07	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.



**SECTION 4 FIRST-AID MEASURES**

**4.1. Description of first aid measures**

First aid measures

- Inhalation : Not applicable under normal conditions of use. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

**4.2. Most important symptoms and effects, both acute and delayed**

Effects and symptoms

- Inhalation : No specific effects and/or symptoms are known.
- Skin contact : Irritant. May cause redness and irritation, sensitisation. May produce an allergic reaction.
- Eye contact : Irritant. May cause redness and pain.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea.

**4.3. Indication of any immediate medical attention and special treatment needed**

Note to physicians : None known.

**SECTION 5 FIRE-FIGHTING MEASURES**

**5.1. Extinguishing media**

Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : Water jet.

**5.2. Special hazards arising from the substance or mixture**

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

**5.3. Advice for firefighters**

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

**SECTION 6 ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

**6.2. Environmental precautions**

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike. Waste product should not be allowed to contaminate soil or water.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.



### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.  
Recommended packaging : Keep only in the original container.  
Non recommended packaging : PE and PP.

### 7.3. Specific end use(s)

Use : Use only as directed.

## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments
d-Limonene		110	-	
Pin-2(3)-ene		113	-	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Dermal	0,1011 mg/kg bw			1,73 mg/kg bw/day
	Inhalation				1,76 mg/m <sup>3</sup>
d-Limonene	Inhalation				33,3 mg/m <sup>3</sup>
	Dermal				20,8 mg/kg bw/day
2,6-Dimethyloct-7-en-2-ol	Inhalation				73,5 mg/m <sup>3</sup>
	Dermal				2,5 mg/kg bw/day
Linalyl acetate	Dermal	0,8 mg/kg bw		0,8 mg/kg bw/day	2,75 mg/m <sup>3</sup>
	Inhalation				2,5 mg/kg bw/day
Linalool	Dermal		5 mg/kg bw		2,8 mg/m <sup>3</sup>
	Inhalation				16,5 mg/m <sup>3</sup>
2-(4-tert-butylbenzyl)propionaldehyde	Dermal	0,41 mg/kg bw	20 mg/kg bw		3,33 mg/kg bw/day
	Inhalation				0,29 mg/m <sup>3</sup>



# SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

(Ethoxymethoxy)cyclododecane	Dermal				3,3 mg/kg bw/day
	Inhalation				23,5 mg/m3
Coumarin	Dermal				0,79 mg/kg bw/day
	Inhalation				6,78 mg/m3
(Z)-3-hexenyl salicylate	Dermal				0,9 mg/kg bw/day
	Inhalation				1,59 mg/m3
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Dermal		6 mg/kg bw		1,4 mg/kg bw/day
	Inhalation		7 mg/m3		7 mg/m3
Pin-2(3)-ene	Inhalation				5,98 mg/m3
Geraniol	Dermal				12,5 mg/kg bw/day
	Inhalation				161,6 mg/m3
Eugenol	Dermal				6 mg/kg bw/day
	Inhalation				21,2 mg/m3
Cinnamaldehyde	Dermal				2,5125 mg/kg bw/day
	Inhalation				2,203 mg/m3

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Dermal	0,0506 mg/kg bw			0,86 mg/kg bw/day
	Inhalation				0,43 mg/m3
d-Limonene	Oral				0,25 mg/kg bw/day
	Inhalation				8,33 mg/m3
	Oral				4,76 mg/kg bw/day
2,6-Dimethyloct-7-en-2-ol	Dermal				12,5 mg/kg bw/day
	Inhalation				21,7 mg/m3
	Oral				12,5 mg/kg bw/day
Linalyl acetate	Dermal	0,8 mg/kg bw		0,8 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation				0,68 mg/m3
	Oral				0,2 mg/kg bw/day
Linalool	Dermal		2,5 mg/kg bw	15 mg/kg bw/day	1,25 mg/kg bw/day
	Inhalation		4,1 mg/m3		0,7 mg/m3
	Oral		1,2 mg/kg bw		0,2 mg/kg bw/day
2-(4-tert-butylbenzyl)propionaldehyde	Dermal	0,41 mg/kg bw	20 mg/kg bw		1,67 mg/kg bw/day
	Inhalation	0,07 mg/m3	0,07 mg/m3	0,012 mg/m3	0,012 mg/m3
	Oral		0,041 mg/kg bw		0,007 mg/kg bw/day
(Ethoxymethoxy)cyclododecane	Dermal				1,67 mg/kg bw/day
	Inhalation				5,8 mg/m3
	Oral				1,67 mg/kg bw/day
Coumarin	Dermal				0,39 mg/kg bw/day
	Inhalation				1,69 mg/m3
	Oral				0,39 mg/kg bw/day
(Z)-3-hexenyl salicylate	Dermal				0,45 mg/kg bw/day
	Inhalation				0,39 mg/m3
	Oral				0,23 mg/kg bw/day
2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Dermal		3 mg/kg bw		0,5 mg/kg bw/day
	Inhalation		1,5 mg/m3		1,5 mg/m3
	Oral		3 mg/kg bw		0,5 mg/kg bw/day
Pin-2(3)-ene	Inhalation				1,06 mg/m3
	Oral				0,31 mg/kg bw/day



# SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Geraniol	Dermal Inhalation				7,5 mg/kg bw/day 47,8 mg/m <sup>3</sup>
Eugenol	Oral Dermal Inhalation				13,75 mg/kg bw/day 3 mg/kg bw/day 5,22 mg/m <sup>3</sup>
Cinnamaldehyde	Oral Dermal Inhalation Oral				3 mg/kg bw/day 0,625 mg/kg bw/day 0,5435 mg/m <sup>3</sup> 2,5 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
d-Limonene	Water	0,0054 mg/l	0,0005 mg/l	
	Sediment	1,32 mg/kg	0,13 mg/kg	
	STP			1,8 mg/l
	Soil			0,262 mg/kg
p-Menth-1-en-8-yl acetate	Oral			3,33 mg/kg food
	Water	0,0069 mg/l	0,00069 mg/l	
	Sediment	0,453 mg/kg	0,0453 mg/kg	
	STP			10 mg/l
2,6-Dimethyloct-7-en-2-ol	Soil			0,0865 mg/kg
	Water	0,0278 mg/l	0,0027 mg/l	
	Sediment	0,594 mg/kg	0,0594 mg/kg	
	Intermittent water			0,278 mg/l
Linalyl acetate	STP			10 mg/l
	Soil			0,103 mg/kg
	Oral			111 mg/kg food
	Water	0,011 mg/l	0,0011 mg/l	
Linalool	Sediment	0,609 mg/kg	0,0609 mg/kg	
	Intermittent water			0,11 mg/l
	STP			10 mg/l
	Soil			0,115 mg/kg
2-(4-tert-butylbenzyl)propionaldehyde	Water	0,2 mg/l	0,02 mg/l	
	Sediment	2,22 mg/kg	0,222 mg/kg	
	Intermittent water			2 mg/l
	STP			10 mg/l
(Ethoxymethoxy)cyclododecane	Soil			0,327 mg/kg
	Oral			7,8 mg/kg food
	Water	0,0020 mg/l	0,0002 mg/l	
	Sediment	0,0584 mg/kg	0,0058 mg/kg	
Coumarin	Intermittent water			0,0204 mg/l
	STP			1,049 mg/l
	Soil			0,0463 mg/kg
	Water	0,0016 mg/l	0,00016 mg/l	
(Z)-3-hexenyl salicylate	Sediment	2,35 mg/kg	0,235 mg/kg	
	Intermittent water			0,016 mg/l
	STP			100 mg/l
	Soil			0,468 mg/kg
Coumarin	Oral			33,3 mg/kg food
	Water	0,019 mg/l	0,0019 mg/l	
	Sediment	0,15 mg/kg	0,015 mg/kg	
	Intermittent water			0,0142 mg/l
(Z)-3-hexenyl salicylate	STP			6,4 mg/l
	Soil			0,018 mg/kg
	Oral			30,7 mg/kg food
	Water	0,00061 mg/l	0,000061 mg/l	



2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	Sediment	0,11 mg/kg	0,011 mg/kg	
	Intermittent water			0,0061 mg/l
Pin-2(3)-ene	STP			10 mg/l
	Soil			0,0217 mg/kg
Geraniol	Oral			40 mg/kg food
	Water	0,00063 mg/l	0,000063 mg/l	
Cinnamaldehyde	Sediment	0,044 mg/kg	0,0044 mg/kg	
	STP			1 mg/l
Cinnamaldehyde	Soil			0,0084 mg/kg
	Oral			1 mg/kg food
Cinnamaldehyde	Water	0,004 mg/l	0,0004 mg/l	
	Sediment	1,033 mg/kg	0,103 mg/kg	
Cinnamaldehyde	STP			3,26 mg/l
	Soil			0,539 mg/kg
Cinnamaldehyde	Oral			1,35 mg/kg food
	Water	0,0108 mg/l	0,0010 mg/l	
Cinnamaldehyde	Sediment	0,115 mg/kg	0,0115 mg/kg	
	Intermittent water			0,108 mg/l
Cinnamaldehyde	STP			0,7 mg/l
	Soil			0,0167 mg/kg
Cinnamaldehyde	Water	1,004 mg/l	0,1004 mg/l	
	Sediment	159,1851 mg/kg	159,1851 mg/kg	
Cinnamaldehyde	Intermittent water			1,004 mg/l
	STP			13,119 mg/l
Cinnamaldehyde	Soil			56,0847 mg/kg
	Oral			0,00033 mg/kg food

## 8.2. Exposure controls

Engineering measures : Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: 1 hour.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. 0,13 mm. Indication of permeation breakthrough time: 1 hour.
- Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties





Appearance	: Liquid.	Impregnated material.
Colour	: Light yellow.	
Odour	: Perfumed.	
Odour threshold	: Not known.	
pH	: Not applicable.	Waterfree product.
Solubility in water	: Not soluble.	
Partition coefficient (n-octanol/water)	: Not known.	
Flash point	: 98 °C	
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 190 °C	
Boiling point/boiling range	: > 100 °C	
Melting point/melting range	: < 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,5 ( Butylphenyl methylpropional ) Upper explosion limit in air (%): 6,5 d-Limonene
	:	Does not contain oxidizing substances.
Oxidising properties	: Not applicable.	
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: Not known.	
Viscosity (40°C)	: < 20,5 mm <sup>2</sup> /sec	
Vapour pressure (20°C)	: Not known.	
Vapour density (20°C)	: > 1	(air = 1)
Relative density (20°C)	: Not known.	
Evaporation rate	: Not known.	(n-butyl acetate = 1)

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

No toxicological research has been carried out on this product.  
Inhalation



# SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

- Acute toxicity : Calculated LC50: > 7,766 mg/l. Ingredients of unknown toxicity: 88 %. ATE: > 5 mg/l. Not classified due to lack of data.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Skin contact
- Acute toxicity : Calculated LD50: > 4720 mg/kg.bw. Ingredients of unknown toxicity: 21 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Irritant. May cause redness. Prolonged contact may dry out and defat the skin.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Eye contact
- Corrosion/irritation : Irritant.
- Ingestion
- Acute toxicity : Calculated LD50: > 3739 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Contains a substance/substances with an aspiration hazard. Not classified - based on available data, the classification criteria are not met. Impregnated material with minimal content: Ingestion is unlikely to occur.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: Not classified - based on available data, the classification criteria are not met.

## Toxicological information:

Chemical name	Property		Method	Test animal	
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	Mutagenicity	Not mutagenic	OECD 471	-----	
	LD50 (dermal)	> 5000 mg/kg bw	-----	Rat	
	LD50 (oral)	> 5000 mg/kg bw	-----	Rat	
	Skin sensitisation	6825 ug/cm2	OECD 429	Mouse	
	NOAEL (development, oral)	480 mg/kg bw/d	OECD 414	Rat	
	d-Limonene	Skin irritation	Non-irritant	-----	Rabbit
		Genotoxicity - in vivo	> 2000 mg/kg bw/d		Rat
		NOEL (carcinogenicity, oral)	> 300 mg/kg bw/d	OECD 451	Rat
		Eye irritation	Non-irritant	OECD 405	Rabbit
		Mutagenicity	Negative	OECD 471	
		Skin sensitisation	10075 ug/cm2	OECD 429	Mouse
		NOAEL (development, oral)	600 mg/kg bw/d		Rat
		Skin irritation	Irritant	-----	-----
		NOAEL (oral)	30 mg/kg bw/d		Rat
		NOEL (oral)	5 mg/kg bw/d		Rat
LD50 (dermal)	> 2000 mg/kg bw	-----	Rabbit		



# SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

2,6-Dimethyloct-7-en-2-ol	LD50 (oral)	4400 mg/kg bw	----	Rat
	Genotoxicity - in vitro	Not genotoxic		
	NOAEL (development) - estimate	1000 mg/kg.d	Read across	Rat
	Mutagenicity	Not mutagenic	OECD 471	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	NOAEL (oral) - estimate	500 mg/kg bw/d	Read across	Rat
	LD50 (oral)	3600 mg/kg bw	----	Rat
	Skin sensitisation	Not sensitizing		
	Skin irritation	Slightly irritant		Rabbit
	Eye irritation	Moderately irritant	OECD 405	Rabbit
Linalyl acetate	LD50 (dermal)	> 5000 mg/kg bw	----	Rabbit
	LC50 (inhalation) - estimate	> 5000 mg/m3	----	Rat
		1000 mg/kg bw/d	OECD 414	Rat
	NOAEL (development, oral)	> 1000 mg/kg bw/d	OECD 414	Rat
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Mouse
	Mutagenicity	Not mutagenic	OECD 471	Salmonella typhimurium
	NOAEL (dermal)	250 mg/kg bw/d	OECD 411	Rat
	NOAEL (oral)	160 mg/kg bw/d	OECD 407	Rat
	Eye irritation	Irritant	OECD 405	Rabbit
Linalool	Skin irritation	Irritant	OECD 404	Rabbit
	Skin irritation	Non-irritant	----	Human
	LC50 (inhalation)	> 2740 mg/m3	----	Mouse
	LD50 (oral)	13934 mg/kg bw	----	Rat
	NOAEL (oral)	117 mg/kg bw/d	----	Rat
	LD50 (oral)	2790 mg/kg bw	----	Rat
	Skin irritation	Mildly irritant	----	Human
	LD50 (dermal)	5610 mg/kg bw	----	Rabbit
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	Skin irritation	Irritant	OECD 404	Rabbit
2-(4-tert-butylbenzyl)propionaldehyde	NOAEL (fertility, oral)	500 mg/kg bw/d		Rat
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin sensitisation	12650 ug/cm2	OECD 429	Mouse
	LD50 (oral)	1390 mg/kg bw	----	Rat
	LD50 (dermal)	> 5000 mg/kg bw	----	Rabbit
	Skin irritation	Irritant	OECD 404	Rabbit
	Eye irritation	Non-irritant	----	Rabbit
	NOAEL (oral)	25 mg/kg bw/d	----	Rat
	Genotoxicity - in vivo	Negative	OECD 474	Mouse
	NOAEL (fertility, oral)	25 mg/kg bw/d		Rat
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	NOAEL (development, oral)	4 mg/kg bw/d	OECD 414	Rat
	Genotoxicity - in vitro	Not genotoxic	----	----
	NOAEL (oral)	> 3,55 mg/kg bw/d	----	Rat
	NOAEL (fertility, oral)	> 3,55 mg/kg bw/d	----	Rat



# SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

(Ethoxymethoxy)cyclododecane	NOAEL (development, oral)	30 mg/kg bw/d	----	----
	LD50 (dermal)	> 5000 mg/kg bw	----	----
	LD50 (oral)	> 5000 mg/kg bw	----	Rat
	Skin sensitisation	5450 ug/cm2	OECD 429	Mouse
	Skin sensitisation	Sensitizing.	OECD 429	Mouse
	NOAEL (fertility, oral)	1000 mg/kg bw/d	OECD 422	Rat
	NOAEL (development, oral)	1000 mg/kg bw/d	OECD 422	Rat
	Eye irritation	Non-irritant	OECD 405	Rabbit
	Skin irritation	Irritant	OECD 404	Rabbit
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOAEL (oral)	1000 mg/kg bw/d	OECD 422	Rat
	LD50 (oral)	> 5000 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 5000 mg/kg bw	OECD 402	Rabbit
Alpha-methyl-1,3-benzodioxole-5-propionaldehyde	Skin irritation	Non-irritant		
	LD50 (dermal)	> 2000 mg/kg bw	----	Rabbit
	LD50 (oral)	3600 mg/kg bw	----	Rat
	Skin irritation	Non-irritant		
	NOAEL (development, oral)	> 500 mg/kg bw/d		Rat
	NOAEL (dermal)	> 300 mg/kg bw/d	----	Rat
	Skin sensitisation	4100 ug/cm2	OECD 429	----
	NOEL (carcinogenicity) - estimate	Not carcinogenic		
	Genotoxicity - in vivo	> 105 mg/kg bw/d	OECD 474	Mouse
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
Coumarin	Genotoxicity - in vitro	Not genotoxic	OECD 476	
	Skin irritation	Non-irritant		Rabbit
	NOAEL (oral)	> 138,3 mg/kg bw/d		Mouse
	LD50 (oral)	680 mg/kg bw	----	Rat
	Eye irritation	Non-irritant		Rabbit
	NOAEL (development, oral)	> 115 mg/kg bw/d		Mouse
	Skin sensitisation	> 12500 ug/cm2	OECD 429	Mouse
	Skin sensitisation	4275 ug/cm2	OECD 429	Mouse
	Eye irritation	Mildly irritant	----	Rabbit
	LD50 (dermal)	> 5000 mg/kg bw	----	Rabbit
	LD50 (oral)	> 5000 mg/kg bw	----	Rat
	Skin irritation	Non-irritant	Patch test	Human
	Skin irritation	Irritant	----	Rabbit
	NOAEL (oral)	1000 mg/kg bw/d	OECD 407	Rat
4-(4-Hydroxy-4-methylpentyl)cyclohex-3-enecarbaldehyde	Genotoxicity - in vitro	Not genotoxic	OECD 473	----
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Eye irritation	Slightly irritant	OECD 405	Rabbit
	Skin irritation	Irritant	OECD 404	Rabbit
	LD50 (oral)	> 2000 mg/kg bw	OECD 423	Rat
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	Skin sensitisation	Sensitizing.	----	Guinea pig
	Skin irritation	Non-irritant	----	Human
	Skin irritation	Moderately irritant	----	Rabbit
2-(2,2,7,7-tetramethyltricyclo[6.2.1.0(1,6)] undec-5(4)-en-5-yl)propan-1-ol				
Pin-2(3)-ene				



# SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

Geraniol	LD50 (dermal)	> 5000 mg/kg bw	-----	Rabbit	
	Mutagenicity	Not mutagenic	-----	Salmonella typhimurium	
	Eye irritation - estimate	Moderately irritant	Read across	Rabbit	
	Genotoxicity - estimate	Not genotoxic	Read across		
	NOAEL (development) - estimate	250 mg/kg.d	Read across	Rat	
	LD50 (oral)	3700 mg/kg bw	-----	Rat	
	NOAEL (inhalation)	170 mg/m3	OECD 413	Rat	
	NOAEL (oral) - estimate	250 mg/kg bw/d	Read across		
	Skin sensitisation	3525 ug/cm2	OECD 429	Mouse	
	NOAEL (fertility, dermal)	> 300 mg/kg bw/d	OECD 421	Rat	
	NOAEL (developmental toxicity, dermal)	> 300 mg/kg bw/d	OECD 421	Rat	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium	
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse	
	Genotoxicity - in vitro	Not genotoxic	OECD 476	Chinese Hamster	
	NOAEL (dermal)	300 mg/kg bw/d	OECD 421	Rat	
	NOEL (oral)	> 550 mg/kg bw/d		Rat	
	Eugenol	NOEL (carcinogenicity) - estimate	Not carcinogenic	Read across	
LD50 (oral)		> 2840 mg/kg bw	-----	Rat	
LD50 (dermal)		> 5000 mg/kg bw	-----	Rabbit	
Skin sensitisation		2703 ug/cm2	OECD 429	Mouse	
NOAEL (fertility) - estimate		> 700 mg/kg.d	Read across	Rat	
NOAEL (development, oral)		250 mg/kg bw/d		Rabbit	
Mutagenicity		Not mutagenic	OECD 471	Salmonella typhimurium	
Genotoxicity - in vivo		Genotoxic	OECD 474	Mouse	
Genotoxicity - estimate		Not genotoxic			
Genotoxicity - in vitro		Genotoxic	OECD 476	Mouse	
NOAEL (oral)		600 mg/kg bw/d	OECD 408	Rat	
NOEL (carcinogenicity, oral)		300 mg/kg bw/d	-----	Rat	
LD50 (dermal)		> 2000 mg/kg bw		Rat	
LC50 (inhalation) - estimate		> 5000 mg/m3		Rat	
LC50 (inhalation)		> 2580 mg/m3	OECD 403	Rat	
Cinnamaldehyde		LD50 (oral)	> 2000 mg/kg bw	OECD 423	Rat
		LD50 (dermal)	1260 mg/kg bw	-----	Rabbit
	LD50 (oral)	2220 mg/kg bw	-----	Rat	
	NOAEL (development, oral)	5 mg/kg bw/d	-----	Rat	
	Skin irritation	Severely irritant			
	Skin sensitisation	262 ug/cm2	OECD 429	Mouse	
	NOEL (carcinogenicity) - estimate	Not carcinogenic			
	Eye irritation	Moderately irritant	-----	Rabbit	
	Genotoxicity - in vivo	Not genotoxic	-----		
	Genotoxicity - in vitro	Genotoxic	-----		
	NOAEL (oral) - estimate	250 mg/kg bw/d			
	Mutagenicity	Not mutagenic	-----	Salmonella typhimurium	



**SECTION 12 ECOLOGICAL INFORMATION**

**12.1. Toxicity**

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Very toxic to aquatic organisms. Calculated LC50 (fish): 1 mg/l. Calculated EC50 (waterflea): < 1 mg/l. Contains 8 % of components with unknown hazards to the aquatic environment. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

**12.2. Persistence and degradability**

Persistence – degradability : May cause long-term adverse effects in the aquatic environment.

**12.3. Bioaccumulative potential**

Bioaccumulative potential : Contains bioaccumulating substances.

**12.4. Mobility in soil**

Mobility : Adsorbs to soil and has low mobility. Floats on water.

**12.5. Results of PBT and vPvB ass**

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

**12.6. Other adverse effects**

Other information : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	LC50 (fish)	1,3 mg/l	OECD 203	-----
	IC50 (alga)	> 2,6 mg/l	OECD 201	-----
	EC50 (waterflea)	1,38 mg/l	OECD 202	-----
	Log P(ow)	5,23		
	BCF	600		
d-Limonene	LC50 (fish)	0,720 mg/l	OECD 203	Pimephales promelas
	EC50 (waterflea)	0,36 mg/l	OECD 202	Daphnia magna
	Ultimate aerobic biodegradation (%)	> 92 %		
	NOEC (waterflea) - chronic	0,15 mg/l.d		Daphnia magna
	Log P(ow)	4,38		
(Z)-3-hexenyl salicylate	IC50 (alga)	0,61 mg/l	OECD 201	Desmodesmus subspicatus
	EC50 (waterflea)	3,7 mg/l	OECD 202	Daphnia magna
	LC50 (fish) - estimate	1,13 mg/l		Brachydanio rerio
	Ultimate aerobic biodegradation (%)	89 %	OECD 301 F	
	Log P(ow)	4,57		
2-(2,2,7,7-tetramethyltricyclo[6.2.1.0(1,6)] undec-5(4)-en-5-yl)propan-1-ol	Ultimate aerobic biodegradation (%)	90 %	OECD 301 F	
	EC50 (waterflea) - estimate	> 100 mg/l		Daphnia magna
	IC50 (alga) - estimate	> 100 mg/l		



# SAFETY DATA SHEET

According to Regulation (EU) No 2015/830

2-Ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol	IC50 (algea)	> 0,14 mg/l	OECD 201	Pseudokirchnerella subcapitata
	EC50 (waterflea)	> 0,26 mg/l	OECD 202	Daphnia magna
	LC50 (fish)	0,3 mg/l	OECD 203	Cyprinus carpio
	Log P(ow)	6,2		
	BCF	57,4		
	Ultimate aerobic biodegradation (%)	0 %	OECD 301 F	
Alpha-Cedrene	IC50 (algea)	2,5 mg/l		Pseudokirchnerella subcapitata
	EC50 (waterflea)	0,63 mg/l	OECD 202	Daphnia magna
	LC50 (fish)	1,1 mg/l	----	Lepomis macrochirus
	Log P(ow)	4,44		
	LC50 (fish) - estimate	0,055 mg/l	----	----
	EC50 (waterflea) - estimate	> 0,01 mg/l		
	Log P(ow)	6,38		

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues, impregnated wipes and non-empty pack as hazardous waste.
- Additional warning : None.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

## SECTION 14 TRANSPORT INFORMATION

### 14.1. UN number

UN nr. : UN 3082

### 14.2. UN proper shipping name

Transport name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; d-Limonene )

Transport name (IMDG, IATA) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ( 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one ; d-Limonene )

### 14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 9  
Classification code : M6  
Packaging group : III  
Danger label : 9







Other information : Not intended for carriage by tank-vessels on inland waterways.

**IMDG (sea)**

Class : 9  
Packaging group : III  
EmS (fire / spill) : F - A / S - F  
Marine pollutant : Yes

**IATA (air)**

Class : 9

**14.6. Special precautions for user**

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

**SECTION 15 REGULATORY INFORMATION**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

**15.2. Chemical safety assessment**

Chemical safety assessment : Not applicable.

**SECTION 16 OTHER INFORMATION**

**16.1. Other information**

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE : Acute Toxicity Estimate  
CLP : Classification, Labeling & Packaging  
CMR : Carcinogenic, Mutagenic or toxic for Reproduction  
EEC : European Economic Community  
IATA : International Air Transport Association  
IBC code : International Bulk Chemical Code  
IMDG : International Maritime Dangerous Goods Code  
LD50/LC50 : Lethal Dose/Concentration for 50% of a population  
MAC : Maximum Allowable Concentration



MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3	: Flammable liquid, hazard category 3.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
Skin Sens. 1	: Skin sensitization, category 1.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Number format : "," used as decimal separator.

End of safety data sheet.