

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : NEW CAR

Product code : R38825.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Blend of odoriferous substances.

#### 1.3. Details of the supplier of the safety data sheet

Registered company name : PARF'EX.

Address : P.A. Les Bois de Grasse, 51, avenue Louison Bobet.06130. Grasse .France.

Telephone : +33 (0) 4 92 42 42 52. Fax : +33 (0) 4 93 70 33 99.

e-mail : contact@parfex.com

Website : www.parfex.com

Opening hours : 8H00 - 12H00 / 14H00 - 17H00

#### 1.4. Emergency telephone number : +33 (0) 4 92 42 42 61.

Association/Organisation : PARF'EX .

### SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

##### In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 3 (Flam. Liq. 3, H226).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1B (Skin Sens. 1B, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

#### 2.2. Label elements

##### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07



GHS09



GHS02

Signal Word :

WARNING

Product identifiers :

EC 204-262-9

EC 250-954-9

EC 915-730-3

EC 202-589-1

EC 203-375-0

EC 202-983-3

BENZYL SALICYLATE

4-TERT.BUTYLCYCLOHEXYL ACETATE

REACTION MASS / OTNE MULTICONSTITUENT

EUGENOL

CITRONELLOL

ALPHA-HEXYLCINNAMALDEHYDE

## NEW CAR - R38825

EC 202-086-7	COUMARIN
CAS 8008-57-9	ORANGE, SWEET, EXT.
EC 204-409-7	PIPERONAL
EC 224-052-0	TRANS-ANETHOLE
EC 226-394-6	CITRAL
EC 246-430-4	TR-1-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIENYL)-2-BUTEN-1-ONE (TR-ALPHA-DAMASCENONE)

## Hazard statements :

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

## Precautionary statements - Prevention :

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing gas or vapours.
P264	Wash the skin thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

## Precautionary statements - Response :

P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
-------------	--

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq$  0.1% published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures****Composition :**

Identification	(EC) 1272/2008	Note	%
CAS: 84-66-2 EC: 201-550-6 REACH: 01-2119486682-27-xxxx DIETHYL PHTHALATE		[1]	10 $\leq$ x % < 25
CAS: 88-41-5 EC: 201-828-7 REACH: 01-2119970713-33-xxxx 2-TERT-BUTYLCYCLOHEXYL ACETATE	GHS09 Aquatic Chronic 2, H411		10 $\leq$ x % < 25
CAS: 140-11-4 EC: 205-399-7 BENZYL ACETATE	Aquatic Chronic 3, H412	[1]	2.5 $\leq$ x % < 10
CAS: 118-58-1 EC: 204-262-9 REACH: 01-2119969442-31-xxxx BENZYL SALICYLATE	GHS07 Wng Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412		2.5 $\leq$ x % < 10
CAS: 18479-58-8 EC: 242-362-4 REACH: 01-2119457274-37-xxxx 2,6-DIMETHYLOCT-7-EN-2-OL	GHS07 Wng Skin Irrit. 2, H315 Eye Irrit. 2, H319		2.5 $\leq$ x % < 10
INDEX: 607-022-00-5 CAS: 141-78-6 EC: 205-500-4 REACH: 01-2119475103-46-xxxx ETHYL ACETATE	GHS02, GHS07 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH:066	[1]	2.5 $\leq$ x % < 10
CAS: 32210-23-4 EC: 250-954-9 REACH: 01-2119976286-24-xxxx 4-TERT.BUTYLCYCLOHEXYL ACETATE	GHS07 Wng Skin Sens. 1B, H317		2.5 $\leq$ x % < 10

## NEW CAR - R38825

HYDROCARBONS	GHS08 Dgr Asp. Tox. 1, H304		2.5 <= x % < 10
EC: 915-730-3 REACH: 01-2119489989-04-xxxx REACTION MASS / OTNE MULTICONSTITUENT	GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410 M Chronic = 1		2.5 <= x % < 10
CAS: 97-53-0 EC: 202-589-1 EUGENOL	GHS07 Wng Eye Irrit. 2, H319 Skin Sens. 1B, H317		2.5 <= x % < 10
CAS: 68901-15-5 EC: 272-657-3 ALLYL (CYCLOHEXYLOXY) ACETATE (TETRAMIRAN)	GHS07 Wng Acute Tox. 4, H302 Skin Irrit. 2, H315 Aquatic Chronic 3, H412		2.5 <= x % < 10
CAS: 106-22-9 EC: 203-375-0 REACH: 01-2119453995-23-xxxx CITRONELLOL	GHS07 Wng Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1B, H317		2.5 <= x % < 10
CAS: 115-95-7 EC: 204-116-4 REACH: 01-2119454789-19-xxxx LINALYL ACETATE	GHS07 Wng Eye Irrit. 2, H319 Skin Irrit. 2, H315		2.5 <= x % < 10
CAS: 101-86-0 EC: 202-983-3 REACH: 01-2119533092-50-xxxx ALPHA-HEXYLCINNAMALDEHYDE	GHS07, GHS09 Wng Skin Sens. 1B, H317 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 1		1 <= x % < 2.5
CAS: 79-77-6 EC: 201-224-3 REACH: 01-2119449921-34-xxxx TRANS-BETA-IONONE	GHS09 Aquatic Chronic 2, H411		1 <= x % < 2.5
CAS: 91-64-5 EC: 202-086-7 REACH: 01-2119943756-26-xxxx COUMARIN	GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317		1 <= x % < 2.5
CAS: 121-32-4 EC: 204-464-7 ETHYL VANILLIN	GHS07 Wng Eye Irrit. 2, H319		1 <= x % < 2.5
CAS: 8008-57-9 REACH: 01-2119493353-35-xxxx ORANGE, SWEET, EXT.	GHS08, GHS02, GHS07, GHS09 Dgr Asp. Tox. 1, H304 Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411		1 <= x % < 2.5
CAS: 120-57-0 EC: 204-409-7 PIPERONAL	GHS07 Wng Skin Sens. 1B, H317		0 <= x % < 1
CAS: 4180-23-8 EC: 224-052-0 TRANS-ANETHOLE	GHS07 Wng Skin Sens. 1B, H317		0 <= x % < 1
CAS: 469-61-4 EC: 207-418-4 ALPHA-CEDRENE	GHS08, GHS09 Dgr Asp. Tox. 1, H304 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 10		0 <= x % < 1
CAS: 5392-40-5 EC: 226-394-6 REACH: 01-2119462829-23-xxxx CITRAL	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	[1]	0 <= x % < 1

## NEW CAR - R38825

CAS: 24720-09-0 EC: 246-430-4  TR-1-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIENYL)-2-BUTEN-1-ONE (TR-ALPHA-DAMASCENONE)	GHS07 Wng Acute Tox. 4, H302 Skin Sens. 1B, H317		0 <= x % < 1
CAS: 546-28-1 EC: 208-898-8  BETA-CEDRENE	GHS09 Wng Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 <= x % < 1
CAS: 475-20-7 EC: 207-491-2  LONGIFOLENE	GHS08, GHS07, GHS09 Dgr Asp. Tox. 1, H304 Skin Sens. 1B, H317 Aquatic Acute 1, H400 M Acute = 10 Aquatic Chronic 1, H410 M Chronic = 10		0 <= x % < 1

**Information on ingredients :**

[1] Substance for which maximum workplace exposure limits are available.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. Description of first aid measures****In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

Remove contact lenses.

**In the event of splashes or contact with skin :**

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

Remove at once any soiled garment. Wash at once and abundantly in water during at least 15 minutes.

**In the event of swallowing :**

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5 : FIREFIGHTING MEASURES**

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

**5.1. Extinguishing media**

Keep packages near the fire cool, to prevent pressurised containers from bursting.

**Suitable methods of extinction**

In the event of a fire, use :

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder

**NEW CAR - R38825**

---

- carbon dioxide (CO<sub>2</sub>)
- Prevent the effluent of fire-fighting measures from entering drains or waterways.

**Unsuitable methods of extinction**

- In the event of a fire, do not use :
- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

**5.3. Advice for firefighters**

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

---

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

**For non first aid worker**

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

Avoid any contact with the skin and eyes.

**For first aid worker**

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures

Use drums to dispose of collected waste in compliance with current regulations (see section 13).

**6.3. Methods and material for containment and cleaning up**

Take off by means of dry absorber (sand, sawdust, universal absorber). Avoid spilling.

**6.4. Reference to other sections**

No data available.

---

**SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

**7.1. Precautions for safe handling**

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Remove contaminated clothing and protective equipment before entering eating areas.

**Fire prevention :**

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Prevent the accumulation of electrostatic charges with connections to earth.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

## NEW CAR - R38825

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.  
Never open the packages under pressure.

**7.2. Conditions for safe storage, including any incompatibilities**

No data available.

**Storage**

Keep well away from all sources of ignition, heat and direct sunlight.

Avoid accumulation of electrostatic charges.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Store products in tightly closed, original containers in cool, dry place.

**Packaging**

Always keep in packaging made of an identical material to the original.

**7.3. Specific end use(s)**

No data available.

**SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters****Occupational exposure limits :**

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
84-66-2	5 mg/m3			A4	
140-11-4	10 ppm			A4	
141-78-6	400 ppm				
5392-40-5	5 (IFV) ppm			Skin; SEN; A4	

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS	VME :	VME :	Excess	Notes
141-78-6		400 ppm 1500 mg/m3		2( )

- France (INRS - ED984 :2012) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
84-66-2	-	5	-	-	-	-
141-78-6	400	1400	-	-	-	84

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
84-66-2	5 mg/m3	10 mg/m3			
141-78-6	200 ppm	400 ppm			

- European Union (2017/164/UE, 2009/161/UE, 2006/15/CE, 2000/39/CE, 98/24/CE)

CAS	VME-mg/m3 :	VME-ppm :	VLE-mg/m3 :	VLE-ppm :	Notes :
141-78-6	734	200	1468	400	-

**8.2. Exposure controls****Personal protection measures, such as personal protective equipment**

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**- Eye / face protection**

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

**NEW CAR - R38825**

Provide eyewash stations in facilities where the product is handled constantly.

**- Hand protection**

Gloves must be selected according to the application and duration of use at the workstation.

Use appropriate gloves.

Wash hands before breaks and at once after manipulation of the product.

**- Body protection**

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties****General information :**

Physical state : Fluid liquid.

**Important health, safety and environmental information**

pH : Not relevant.

Boiling point/boiling range : Not relevant.

Flash Point : 54.00 °C.

Vapour pressure (50 °C) : Between 175 kPa and 300 kPa inclusive.

Density : > 1

Water solubility : Insoluble.

Viscosity:  $\nu < 7 \text{ mm}^2/\text{s}$  (40 °C)

Melting point/melting range : Not relevant.

Self-ignition temperature : Not relevant.

Decomposition point/decomposition range : Not relevant.

**9.2. Other information**

Odour Oriental floral

Color Yellow to green brown yellow

Specific Gravity from 0.987 to 1.017

Refractive index from 1.473 to 1.503

**SECTION 10 : STABILITY AND REACTIVITY**

Stable in the conditions of storage above.

No dangerous reaction known at the conditions recommended for use and storage, during the period of one year recommended.

**10.1. Reactivity**

No data available.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

No data available.

**10.4. Conditions to avoid**

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid :

- accumulation of electrostatic charges.

- heating

- heat

- flames and hot surfaces

Avoid temperatures close to flashpoint.

Do not warm the closed bowls.

Avoid the contact with oxidizing agents.

**NEW CAR - R38825**

### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

## SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

No data is available regarding the preparation itself.

However, exposure of this preparation could lead to health problems for especially sensitive subjects or due to unforeseeable reasons.

#### 11.1.1. Substances

##### Acute toxicity :

TR-1-(2,6,6-TRIMETHYLCYCLOHEXA-1,3-DIENYL)-2-BUTEN-1-ONE (TR-ALPHA-DAMASCENONE) (CAS: 24720-09-0)

Oral route : LD50 = 1670 mg/kg

Dermal route : LD50 = 2900 mg/kg

TRANS-ANETHOLE (CAS: 4180-23-8)

Oral route : LD50 = 3000 mg/kg

PIPERONAL (CAS: 120-57-0)

Oral route : LD50 = 2700 mg/kg

ETHYL VANILLIN (CAS: 121-32-4)

Oral route : LD50 = 3000 mg/kg

COUMARIN (CAS: 91-64-5)

Oral route : LD50 = 500 mg/kg

ALPHA-HEXYLCINNAMALDEHYDE (CAS: 101-86-0)

Oral route : LD50 = 3100 mg/kg

CITRONELLOL (CAS: 106-22-9)

Oral route : LD50 = 3450 mg/kg

Dermal route : LD50 = 2650 mg/kg

ALLYL (CYCLOHEXYLOXY) ACETATE (TETRAMIRAN) (CAS: 68901-15-5)

Oral route : LD50 = 700 mg/kg

EUGENOL (CAS: 97-53-0)

Oral route : LD50 = 2300 mg/kg

4-TERT.BUTYLCYCLOHEXYL ACETATE (CAS: 32210-23-4)

Oral route : LD50 = 3370 mg/kg

BENZYL ACETATE (CAS: 140-11-4)

Oral route : LD50 = 2490 mg/kg

2-TERT-BUTYLCYCLOHEXYL ACETATE (CAS: 88-41-5)

Oral route : LD50 = 4600 mg/kg

#### 11.1.2. Mixture

No toxicological data available for the mixture.

#### Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 97-53-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 91-64-5 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.



NEW CAR - R38825

## SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.  
The product must not be allowed to run into drains or waterways.

### 12.1. Toxicity

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2016).

### 14.1. UN number

1266

### 14.2. UN proper shipping name

UN1266=PERFUMERY PRODUCTS

### 14.3. Transport hazard class(es)

- Classification :



3

### 14.4. Packing group

III

## NEW CAR - R38825

**14.5. Environmental hazards**

- Environmentally hazardous material :

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	F1	III	3	30	5 L	163 640E	E1	3	D/E

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ
	3	-	III	5 L	F-E,S-D	163 223 904 955	E1

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	3	-	III	355	60 L	366	220 L	A3 A72	E1
	3	-	III	Y344	10 L	-	-	A3 A72	E1

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available.

**SECTION 15 : REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****- Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

**- Container information:**

No data available.

**- Particular provisions :**

No data available.

**15.2. Chemical safety assessment**

No data available.

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**NEW CAR - R38825**

---

EUH066

Repeated exposure may cause skin dryness or cracking.

**Abbreviations :**

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS02 : Flame

GHS07 : Exclamation mark

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.