


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887059

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier

Trade name : Valvoline™ BRAKE CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Cleaner.

1.3 Details of the supplier of the safety data sheet

Ellis Enterprises B.V., an affiliate of Valvoline
 Wieldrechtseweg 39
 3316 BG Dordrecht
 Netherlands
 +31 (0)78 654 3500 (in the Netherlands), or
 contact your local CSR contact person

SDS@valvoline.com

1.4 Emergency telephone number

00-800-825-8654 / 001-859-202-3865, or contact
 your local emergency telephone number at 112

Product Information

+31 (0)78 654 3500 (in the Netherlands), or
 contact your local CSR contact person

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture
Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1

H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

Skin irritation, Category 2

H315: Causes skin irritation.

Specific target organ toxicity - single
 exposure, Category 3, Central nervous
 system

H336: May cause drowsiness or dizziness.

Long-term (chronic) aquatic hazard,
 Category 2

H411: Toxic to aquatic life with long lasting effects.


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Valvoline™ BRAKE CLEANER

Version: 2.0

™ Trademark, Valvoline or its subsidiaries, registered in various countries
887059

2.2 Label elements
Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
Prevention:
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P260 Do not breathe spray.
Storage:
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Disposal:
P501 Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:
Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional advice

No information available.

SECTION 3: Composition/information on ingredients


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887059

3.2 Mixtures
Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane	921-024-6 01-2119475514-35-xxxx	Flam. Liq.2; H225 Skin Irrit.2; H315 STOT SE3; H336 Asp. Tox.1; H304 Aquatic Chronic2; H411	>= 60,00 - < 70,00
Propane	74-98-6 200-827-9 01-2119486944-21-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 10,00 - < 15,00
Isobutane	75-28-5 200-857-2 01-2119485395-27-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 5,00 - < 10,00
Substances with a workplace exposure limit :			
Butane	106-97-8 203-448-7 01-2119474691-32-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 5,00 - < 10,00
Carbon dioxide	124-38-9 907-631-9	Press. GasLiquefied gas; H280	>= 2,50 - < 5,00

For explanation of abbreviations see section 16.

SECTION 4: First aid measures
4.1 Description of first aid measures

General advice : Move out of dangerous area.
 Call a POISON CENTRE or doctor/physician if exposed or
 you feel unwell.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.

If inhaled : Move to fresh air.
 If unconscious, place in recovery position and seek medical
 advice.


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries

887059

Consult a physician after significant exposure.

In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.

If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No symptoms known or expected.

Risks : Causes skin irritation.
May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures
5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries
887059

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : carbon dioxide and carbon monoxide
Hydrocarbons

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures
6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
Remove all sources of ignition.
Use personal protective equipment.
Ensure adequate ventilation.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up
6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Valvoline™ BRAKE CLEANER

Version: 2.0

™ Trademark, Valvoline or its subsidiaries, registered in various countries
887059

SECTION 7: Handling and storage
7.1 Precautions for safe handling

- Advice on safe handling : Open drum carefully as content may be under pressure. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours/dust. Do not smoke. Container hazardous when empty. Take precautionary measures against static discharges. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition. Use only explosion-proof equipment.
- Hygiene measures : Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. No smoking.
- Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

- Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Valvoline™ BRAKE CLEANER

Version: 2.0

™ Trademark, Valvoline or its subsidiaries, registered in various countries
887059

8.1 Control parameters
Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Butane	106-97-8	STEL	750 ppm 1.810 mg/m ³	GB EH40
		TWA	600 ppm 1.450 mg/m ³	GB EH40
Carbon dioxide	124-38-9	TWA	5.000 ppm 9.000 mg/m ³	2006/15/EC
		STEL	15.000 ppm 27.400 mg/m ³	GB EH40
		TWA	5.000 ppm 9.150 mg/m ³	GB EH40

8.2 Exposure controls
Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Wear as appropriate:
Impervious clothing
Safety shoes
Flame-resistant clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Discard gloves that show tears, pinholes, or signs of wear.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
In the case of dust or aerosol formation use respirator with an approved filter.

SECTION 9: Physical and chemical properties


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887059

9.1 Information on basic physical and chemical properties

Appearance	: aerosol
Colour	: clear
Odour	: solvent-like
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: 10,9 %(V)
Lower explosion limit / Lower flammability limit	: 0,6 %(V)
Vapour pressure	: 8 hPa (20 °C)
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0,64 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: > 200 °C
Decomposition temperature	: No data available


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries

887059

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

9.2 Other information

Self-ignition : not auto-flammable

SECTION 10: Stability and reactivity
10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

None known.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information
11.1 Information on toxicological effects

 Information on likely routes of exposure : Inhalation
 Skin contact
 Eye Contact
 Ingestion


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries
887059

Acute toxicity

Not classified based on available information.

Components:
Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane:

Acute oral toxicity	: LD50 (Rat): > 5.840 mg/kg Remarks: Information given is based on data obtained from similar substances.
Acute inhalation toxicity	: LC50 (Rat): > 25,2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2.800 - 3.100 mg/kg Assessment: Not classified as acutely toxic by dermal absorption under GHS. Remarks: Information given is based on data obtained from similar substances.

Components:
PROPANE:

Acute inhalation toxicity	: LC50 (Rat): 1.237 mg/l Exposure time: 2 h Test atmosphere: gas Assessment: Not classified as acutely toxic by inhalation under GHS. Remarks: Information given is based on data obtained from similar substances.
---------------------------	---

Components:
ISOBUTANE:

Acute inhalation toxicity	: LC50 (Mouse, male): 520400 ppm Exposure time: 2 h Test atmosphere: gas
---------------------------	--

Components:
BUTANE NORMAL:

Acute inhalation toxicity	: LC50 (Mouse): 680 mg/l Exposure time: 2 h LC50 (Rat): > 50000 ppm Exposure time: 2 h Test atmosphere: gas
---------------------------	---


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries

887059

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks: May cause skin irritation and/or dermatitis.

Components:
Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane:

Result: Irritating to skin.

ISOBUTANE:

Result: No skin irritation

CARBON DIOXIDE:

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:
Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane:

Result: Slight, transient irritation

ISOBUTANE:

Result: No eye irritation

CARBON DIOXIDE:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:
Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane:

Germ cell mutagenicity-Assessment : Classified based on benzene content < 0.1% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note P)

PROPANE:

Genotoxicity in vitro : Test Type: Ames test

SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Valvoline™ BRAKE CLEANER

Version: 2.0

™ Trademark, Valvoline or its subsidiaries, registered in various countries
887059

Test species: **Salmonella typhimurium**
Metabolic activation: **with and without metabolic activation**
Result: **negative**
Remarks: **Information given is based on data obtained from similar substances.**

ISOBUTANE:

Genotoxicity in vitro : Test Type: **Chromosome aberration test in vitro**
Test species: **Human lymphocytes**
Metabolic activation: **with and without metabolic activation**
Method: **OECD Test Guideline 473**
Result: **negative**
GLP: **yes**

: Test Type: **Ames test**
Metabolic activation: **with and without metabolic activation**
Result: **negative**

Genotoxicity in vivo : Test Type: **in vivo assay**
Test species: **Drosophila melanogaster (vinegar fly)**
Result: **negative**
Remarks: **Information given is based on data obtained from similar substances.**

Test Type: **In vivo micronucleus test**
Test species: **Rat**
Method: **OECD Test Guideline 474**
Result: **negative**
Remarks: **Information given is based on data obtained from similar substances.**

BUTANE NORMAL:

Genotoxicity in vitro : Test Type: **Ames test**
Test species: **Salmonella typhimurium**
Metabolic activation: **with and without metabolic activation**
Result: **negative**

Carcinogenicity

Not classified based on available information.

Components:**Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane:**

Carcinogenicity - Assessment : **Classified based on benzene content < 0.1% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note P)**

Reproductive toxicity

Not classified based on available information.


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER

 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887059

STOT - single exposure

May cause drowsiness or dizziness.

Components:
Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane:

 Assessment: **May cause drowsiness or dizziness.**
STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:
Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane:
May be fatal if swallowed and enters airways.
Further information
Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

SECTION 12: Ecological information
12.1 Toxicity
Components:

Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane

 Toxicity to fish : **LL50 (Oncorhynchus mykiss (rainbow trout)): 11,4 mg/l**
 Exposure time: **96 h**
 Test Type: **semi-static test**
 Test substance: **WAF**
 Method: **OECD Test Guideline 203**

 Toxicity to daphnia and other aquatic invertebrates : **EL50 (Daphnia hyalina (water flea)): 3 mg/l**
 Exposure time: **48 h**
 Test Type: **static test**
 Test substance: **WAF**
 Method: **OECD Test Guideline 202**

 Toxicity to algae : **EL50 (Pseudokirchneriella subcapitata (green algae)): > 10 - 30 mg/l**
 End point: **Growth inhibition**

SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries
887059

Exposure time: 72 h
Test Type: static test
Test substance: WAF
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,17 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: static test
Test substance: WAF
Method: OECD Test Guideline 211

Butane

Toxicity to fish : Remarks: No toxicity at the limit of solubility
QSAR

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): Expected > 10 - < 100 mg/l
Exposure time: 48 h
Remarks: QSAR

Toxicity to algae : EC50 (green algae): Expected 7,7 mg/l
Exposure time: 96 h
Remarks: QSAR

12.2 Persistence and degradability**Components:**

Hydrocarbons, C6-C7, n-alkanes, iso-alkanes, cyclenes, <5% nhexane

Biodegradability : Inoculum: activated sludge
Biodegradation: 98 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Butane

Biodegradability : Result: Readily biodegradable.
Remarks: Information given is based on data obtained from similar substances.

12.3 Bioaccumulative potential**Components:**

Propane

Partition coefficient: n-octanol/water : log Pow: 2,36

Isobutane

SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER
™ Trademark, Valvoline or its subsidiaries, registered in various countries
887059

Partition coefficient: n-octanol/water : log Pow: **2,76**

Butane

Partition coefficient: n-octanol/water : log Pow: **2,89**

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information**14.1 UN number**

ADN : UN 1950

SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Valvoline™ BRAKE CLEANER

Version: 2.0

™ Trademark, Valvoline or its subsidiaries, registered in various countries
887059

ADR : UN 1950**RID** : UN 1950**IMDG** : UN 1950**IATA** : UN 1950**14.2 UN proper shipping name****ADN** : AEROSOLS**ADR** : AEROSOLS**RID** : AEROSOLS**IMDG** : AEROSOLS

()

IATA : AEROSOLS**14.3 Transport hazard class(es)****ADN** : 2**ADR** : 2**RID** : 2**IMDG** : 2.1**IATA** : 2.1**14.4 Packing group****ADN**

Packing group : Not assigned by regulation

Classification Code : 5F

Labels : 2.1

ADR

Packing group : Not assigned by regulation

Classification Code : 5F

Labels : 2.1

Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : 5F

Hazard Identification Number : 23

Labels : 2.1

IMDG

Packing group : Not assigned by regulation

Labels : 2.1

EmS Code : F-D, S-U


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Valvoline™ BRAKE CLEANER

Version: 2.0

™ Trademark, Valvoline or its subsidiaries, registered in various countries
887059

IATA (Cargo)

Packing instruction (cargo aircraft) : 203
 Packing instruction (LQ) : Y203
 Packing group : Not assigned by regulation
 Labels : Flammable gas

IATA (Passenger)

Packing instruction (passenger aircraft) : 203
 Packing instruction (LQ) : Y203
 Packing group : Not assigned by regulation
 Labels : Flammable gas

14.5 Environmental hazards
ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user


The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

		Page: 18
SAFETY DATA SHEET		Revision Date: 20.09.2019
		Print Date: 23.09.2019
		SDS Number: 000000274853
Valvoline™ BRAKE CLEANER ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887059		Version: 2.0

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P3a	FLAMMABLE AEROSOLS	150 t	500 t
E2	ENVIRONMENTAL HAZARDS	200 t	500 t
18	Liquefied extremely flammable gases (including LPG) and natural gas	50 t	200 t

Other regulations : Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

DSL : This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.

AICS Not in compliance with the inventory

ENCS Not in compliance with the inventory


SAFETY DATA SHEET

Revision Date: 20.09.2019

Print Date: 23.09.2019

SDS Number: 000000274853

Version: 2.0

Valvoline™ BRAKE CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries

887059

KECI	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory
TCSI	Not in compliance with the inventory
TSCA	Not On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information
Further information


Revision Date: 20.09.2019

Full text of H-Statements

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet


		Page: 20
SAFETY DATA SHEET		Revision Date: 20.09.2019
		Print Date: 23.09.2019
		SDS Number: 000000274853
Valvoline™ BRAKE CLEANER ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887059		Version: 2.0

Valvoline internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
BEI : Biological Exposure Index
CAS : Chemical Abstracts Service (Division of the American Chemical Society).
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
FG : Food grade
GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
H-statement : Hazard Statement
IATA : International Air Transport Association.
IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO : International Civil Aviation Organization
ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
IMDG : International Maritime Code for Dangerous Goods
ISO : International Organization for Standardization
logPow : octanol-water partition coefficient
LCxx : Lethal Concentration, for xx percent of test population
LDxx : Lethal Dose, for xx percent of test population.
ICxx : Inhibitory Concentration for xx of a substance
Ecxx : Effective Concentration of xx
N.O.S.: Not Otherwise Specified
OECD : Organization for Economic Co-operation and Development
OEL : Occupational Exposure Limit
P-Statement : Precautionary Statement
PBT : Persistent , Bioaccumulative and Toxic
PPE : Personal Protective Equipment
STEL : Short-term exposure limit
STOT : Specific Target Organ Toxicity
TLV : Threshold Limit Value
TWA : Time-weighted average
vPvB : Very Persistent and Very Bioaccumulative
WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands
ADR : Agreement concerning the International Carriage of Dangerous Goods by Road.
ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine
CLP : Classification, Labelling and Packaging
CSA : Chemical Safety Assessment
CSR : Chemical Safety Report
DNEL : Derived No Effect Level.
EINECS : European Inventory of Existing Commercial Chemical Substances.

	Page: 21
SAFETY DATA SHEET	Revision Date: 20.09.2019
	Print Date: 23.09.2019
	SDS Number: 000000274853
Valvoline™ BRAKE CLEANER ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887059	Version: 2.0

ELINCS : European List of Notified Chemical Substances

PEC : Predicted Effect Concentration

PEL : Permissible Exposure Limits

PNEC : Predicted No Effect Concentration

R-phrase : Risk phrase

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulation Concerning the International Transport of Dangerous Goods by Rail

S-phrase: Safety phrase

WGK : German Water Hazard Class