


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887082

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier

Trade name : Valvoline™ CARBURETTOR CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Cleaner.

1.3 Details of the supplier of the safety data sheet

Ellis Enterprises B.V., an affiliate of Valvoline
 Wieldrechtseweg 39
 3316 BG Dordrecht
 Netherlands
 +31 (0)78 654 3500 (in the Netherlands), or
 contact your local CSR contact person

SDS@valvoline.com

1.4 Emergency telephone number

00-800-825-8654 / 001-859-202-3865, or contact
 your local emergency telephone number at 112

Product Information

+31 (0)78 654 3500 (in the Netherlands), or
 contact your local CSR contact person

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture
Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1

H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

Skin irritation, Category 2

H315: Causes skin irritation.

Eye irritation, Category 2

H319: Causes serious eye irritation.

Specific target organ toxicity - single exposure, Category 3, Central nervous system

H336: May cause drowsiness or dizziness.


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887082

2.2 Label elements
Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.
 H229 Pressurised container: May burst if heated.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statements : P101 If medical advice is needed, have product
 container or label at hand.
 P102 Keep out of reach of children.
Prevention:
 P210 Keep away from heat, hot surfaces, sparks,
 open flames and other ignition sources. No
 smoking.
 P211 Do not spray on an open flame or other
 ignition source.
 P251 Do not pierce or burn, even after use.
 P260 Do not breathe spray.
Storage:
 P410 + P412 Protect from sunlight. Do not expose to
 temperatures exceeding 50 °C/ 122 °F.
Disposal:
 P501 Dispose of contents/container in
 accordance with local regulation.

Hazardous components which must be listed on the label:

Butanone
 propan-2-ol

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional advice

No information available.

SECTION 3: Composition/information on ingredients


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 00000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887082

3.2 Mixtures
Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
xylene	1330-20-7	Flam. Liq.3; H226 Acute Tox.4; H332 Acute Tox.4; H312 Skin Irrit.2; H315	>= 40,00 - < 50,00
Propane	74-98-6 200-827-9 01-2119486944-21-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 15,00 - < 25,00
Butanone	78-93-3 201-159-0 01-2119457290-43-xxxx	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336	>= 15,00 - < 20,00
propan-2-ol	67-63-0 200-661-7 01-2119457558-25-xxxx	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336	>= 10,00 - < 15,00
Isobutane	75-28-5 200-857-2 01-2119485395-27-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 5,00 - < 10,00
Substances with a workplace exposure limit :			
Butane	106-97-8 203-448-7 01-2119474691-32-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 5,00 - < 10,00

For explanation of abbreviations see section 16.

SECTION 4: First aid measures
4.1 Description of first aid measures

General advice : Move out of dangerous area.
 Call a POISON CENTRE or doctor/physician if exposed or you feel unwell.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887082

- If inhaled : Move to fresh air.
 If unconscious, place in recovery position and seek medical advice.
 Consult a physician after significant exposure.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
 If on skin, rinse well with water.
 Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
 Remove contact lenses.
 Protect unharmed eye.
- If swallowed : IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
 Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No symptoms known or expected.
- Risks : Causes skin irritation.
 Causes serious eye irritation.
 May cause drowsiness or dizziness.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures
5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray
 Foam
 Alcohol-resistant foam
 Carbon dioxide (CO₂)
 Dry chemical
- Unsuitable extinguishing media : High volume water jet


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries
887082

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide
Hydrocarbons

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures
6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas.
Remove all sources of ignition.
Use personal protective equipment.
Ensure adequate ventilation.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887082

6.3 Methods and material for containment and cleaning up
6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage
7.1 Precautions for safe handling

- Advice on safe handling : Open drum carefully as content may be under pressure. Provide sufficient air exchange and/or exhaust in work rooms. Do not breathe vapours/dust. Do not smoke. Container hazardous when empty. Take precautionary measures against static discharges. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations. Container may be opened only under exhaust ventilation hood.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition. Use only explosion-proof equipment.
- Hygiene measures : Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. No smoking.
- Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

- Specific use(s) : No data available


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887082

SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
xylene	1330-20-7	STEL	100 ppm 441 mg/m ³	GB EH40
		TWA	50 ppm 220 mg/m ³	GB EH40
		TWA	50 ppm 221 mg/m ³	2000/39/EC
Butanone	78-93-3	STEL	100 ppm 442 mg/m ³	2000/39/EC
		TWA	200 ppm 600 mg/m ³	2000/39/EC
		STEL	300 ppm 900 mg/m ³	2000/39/EC
		TWA	200 ppm 600 mg/m ³	GB EH40
propan-2-ol	67-63-0	STEL	300 ppm 899 mg/m ³	GB EH40
		TWA	400 ppm 999 mg/m ³	GB EH40
		STEL	500 ppm 1.250 mg/m ³	GB EH40
Butane	106-97-8	STEL	750 ppm 1.810 mg/m ³	GB EH40
		TWA	600 ppm 1.450 mg/m ³	GB EH40

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Xylene	1330-20-7	methyl hippuric acid: 650 Millimoles per mole Creatinine (Urine)	After shift	GB EH40 BAT
METHYL ETHYL KETONE	78-93-3	butan-2-one: 70 micromol per litre (Urine)	After shift	GB EH40 BAT


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887082

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Wear as appropriate:
 Impervious clothing
 Safety shoes
 Flame-resistant clothing
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
 Discard gloves that show tears, pinholes, or signs of wear.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
 In the case of dust or aerosol formation use respirator with an approved filter.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : aerosol

Colour : clear

Odour : solvent-like

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : Not applicable


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1


Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887082

Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: 11,5 %(V)
Lower explosion limit / Lower flammability limit	: 1 %(V)
Vapour pressure	: 105 hPa (20 °C)
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0,72 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: 500 °C
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

9.2 Other information

Self-ignition : not auto-flammable

SECTION 10: Stability and reactivity

	Page: 10
SAFETY DATA SHEET	Revision Date: 06.02.2019
	Print Date: 14.02.2019
	SDS Number: 000000274854
Valvoline™ CARBURETTOR CLEANER ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887082	Version: 3.1

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : None known.

Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Acids
Aldehydes
alkalis
Amines
Copper
Copper alloys
Ethylene oxide
halogens
isocyanates
strong alkalis
Strong oxidizing agents
Do not use with aluminum equipment at temperatures above 49C or 120 degrees F.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Acute toxicity

Not classified based on available information.


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER

™ Trademark, Valvoline or its subsidiaries, registered in various countries

887082

Product:

Acute inhalation toxicity : Acute toxicity estimate : > 20 mg/l
 Exposure time: 4 h
 Test atmosphere: vapour
 Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate : > 2.000 mg/kg
 Method: Calculation method

Components:
Xylene:

Acute oral toxicity : LD50 (Rat, male): 3.523 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 29 mg/l
 Exposure time: 4 h
 Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 2.000 mg/kg

Components:
PROPANE:

Acute inhalation toxicity : LC50 (Rat): 1.237 mg/l
 Exposure time: 2 h
 Test atmosphere: gas
 Assessment: Not classified as acutely toxic by inhalation under GHS.
 Remarks: Information given is based on data obtained from similar substances.

Components:
METHYL ETHYL KETONE:

Acute oral toxicity : LD50 (Rat): 2.300 - 3.500 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5 g/kg

Components:
ISOPROPANOL:

Acute oral toxicity : LD50 (Rat): 5,84 g/kg

Acute inhalation toxicity : LC50 (Rat): 16000 ppm
 Exposure time: 4 h
 Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 12.800 mg/kg


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887082

Components:
ISOBUTANE:

Acute inhalation toxicity : LC50 (Mouse, male): 520400 ppm
 Exposure time: 2 h
 Test atmosphere: gas

Components:
BUTANE NORMAL:

Acute inhalation toxicity : LC50 (Mouse): 680 mg/l
 Exposure time: 2 h

 LC50 (Rat): > 50000 ppm
 Exposure time: 2 h
 Test atmosphere: gas

Skin corrosion/irritation

Causes skin irritation.

Product:

Result: Repeated exposure may cause skin dryness or cracking.

Remarks: May cause skin irritation and/or dermatitis.

Components:
Xylene:

Result: Irritating to skin.

METHYL ETHYL KETONE:

Result: No skin irritation

ISOPROPANOL:

Result: Slight, transient irritation

ISOBUTANE:

Result: No skin irritation


Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:
METHYL ETHYL KETONE:

	Page: 13
SAFETY DATA SHEET	Revision Date: 06.02.2019
	Print Date: 14.02.2019
	SDS Number: 00000274854
Valvoline™ CARBURETTOR CLEANER ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887082	Version: 3.1

Result: Irritating to eyes.

ISOPROPANOL:

Result: Irritating to eyes.

ISOBUTANE:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Components:

PROPANE:

Genotoxicity in vitro : Test Type: Ames test
Test species: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative
Remarks: Information given is based on data obtained from similar substances.

ISOBUTANE:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test species: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

: Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay
Test species: Drosophila melanogaster (vinegar fly)
Result: negative
Remarks: Information given is based on data obtained from similar substances.

Test Type: In vivo micronucleus test
Test species: Rat
Method: OECD Test Guideline 474
Result: negative
Remarks: Information given is based on data obtained from similar substances.


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887082

BUTANE NORMAL:

Genotoxicity in vitro

: Test Type: Ames test
 Test species: Salmonella typhimurium
 Metabolic activation: with and without metabolic activation
 Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause drowsiness or dizziness.

Product:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

Components:
METHYL ETHYL KETONE:

Assessment: May cause drowsiness or dizziness.

ISOPROPANOL:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity

Not classified based on available information.

Components:
METHYL ETHYL KETONE:

May be harmful if swallowed and enters airways.

Further information
Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects.,


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887082

Solvents may degrease the skin.

Components:
METHYL ETHYL KETONE:

Remarks: Central nervous system

ISOPROPANOL:

Remarks: Central nervous system

SECTION 12: Ecological information
12.1 Toxicity
Components:

xylene

Toxicity to fish : LC50 (Fish): 13,5 mg/l
 Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7,4 mg/l
 Exposure time: 48 h

Butanone

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3.130 - 3.320 mg/l
 Exposure time: 96 h
 Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 4.025 - 6.440 mg/l
 Exposure time: 48 h
 Test Type: static test
 Remarks: Intoxication

propan-2-ol

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 5.770 - 7.450 mg/l
 Exposure time: 96 h
 Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 10.000 mg/l
 Exposure time: 24 h
 Test Type: static test

Butane

Toxicity to fish : Remarks: No toxicity at the limit of solubility
 QSAR


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887082

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): Expected > 10 - < 100 mg/l

Exposure time: 48 h

Remarks: QSAR

Toxicity to algae : EC50 (green algae): Expected 7,7 mg/l

Exposure time: 96 h

Remarks: QSAR

12.2 Persistence and degradability
Components:

xylene

Biodegradability : Result: Readily biodegradable.

Butane

Biodegradability : Result: Readily biodegradable.
Remarks: Information given is based on data obtained from similar substances.
12.3 Bioaccumulative potential
Components:

xylene

Partition coefficient: n-octanol/water : log Pow: 3,16

Propane

Partition coefficient: n-octanol/water : log Pow: 2,36

Butanone

Partition coefficient: n-octanol/water : log Pow: 0,29

propan-2-ol


Partition coefficient: n-octanol/water : log Pow: 0,05

Isobutane

Partition coefficient: n-octanol/water : log Pow: 2,76

Butane

Partition coefficient: n-octanol/water : log Pow: 2,89

		Page: 17
SAFETY DATA SHEET		Revision Date: 06.02.2019
		Print Date: 14.02.2019
		SDS Number: 000000274854
Valvoline™ CARBURETTOR CLEANER ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887082		Version: 3.1

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number

ADN : UN 1950
ADR : UN 1950
RID : UN 1950
IMDG : UN 1950
IATA : UN 1950


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887082

14.2 UN proper shipping name

ADN : AEROSOLS
ADR : AEROSOLS
RID : AEROSOLS
IMDG : AEROSOLS
IATA : AEROSOLS

14.3 Transport hazard class(es)

ADN : 2
ADR : 2
RID : 2
IMDG : 2.1
IATA : 2.1

14.4 Packing group

ADN
 Packing group : Not assigned by regulation
 Classification Code : 5F
 Labels : 2.1

ADR
 Packing group : Not assigned by regulation
 Classification Code : 5F
 Labels : 2.1
 Tunnel restriction code : (D)

RID
 Packing group : Not assigned by regulation
 Classification Code : 5F
 Hazard Identification Number : 23
 Labels : 2.1

IMDG
 Packing group : Not assigned by regulation
 Labels : 2.1
 EmS Code : F-D, S-U

IATA (Cargo)
 Packing instruction (cargo aircraft) : 203
 Packing instruction (LQ) : Y203
 Packing group : Not assigned by regulation
 Labels : Flammable gas

IATA (Passenger)


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887082

Packing instruction : 203
 (passenger aircraft)
 Packing instruction (LQ) : Y203
 Packing group : Not assigned by regulation
 Labels : Flammable gas

14.5 Environmental hazards
ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that : Not applicable
 deplete the ozone layer

Regulation (EC) No 850/2004 on persistent organic : Not applicable
 pollutants

REACH - List of substances subject to authorisation : Not applicable
 (Annex XIV)

REACH - Restrictions on the manufacture, placing on : Not applicable
 the market and use of certain dangerous substances,
 preparations and articles (Annex XVII)


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887082

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P3a	FLAMMABLE AEROSOLS	150 t	500 t
18	Liquefied extremely flammable gases (including LPG) and natural gas	50 t	200 t

Other regulations : Young people under 18 years old are not allowed to work with this product according to the EU Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

DSL : This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.

AICS Not in compliance with the inventory

ENCS Not in compliance with the inventory

KECI Not in compliance with the inventory

PICCS Not in compliance with the inventory

IECSC Not in compliance with the inventory

TCSI Not in compliance with the inventory


TSCA Not On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

		Page: 21
SAFETY DATA SHEET		Revision Date: 06.02.2019
		Print Date: 14.02.2019
		SDS Number: 000000274854
Valvoline™ CARBURETTOR CLEANER ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887082		Version: 3.1

SECTION 16: Other information

Further information

Revision Date: 06.02.2019

Full text of H-Statements

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet
Valvoline internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
BEI : Biological Exposure Index
CAS : Chemical Abstracts Service (Division of the American Chemical Society).
CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
FG : Food grade
GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
H-statement : Hazard Statement
IATA : International Air Transport Association.


SAFETY DATA SHEET

Revision Date: 06.02.2019

Print Date: 14.02.2019

SDS Number: 000000274854

Version: 3.1

Valvoline™ CARBURETTOR CLEANER
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887082

IATA-DGR : Dangerous Goods Regulation by the “International Air Transport Association” (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the “International Civil Aviation Organization”

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands

ADR : Agreement concerning the International Carriage of Dangerous Goods by Road.

ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine

CLP : Classification, Labelling and Packaging

CSA : Chemical Safety Assessment

CSR : Chemical Safety Report

DNEL : Derived No Effect Level.

EINECS : European Inventory of Existing Commercial Chemical Substances.

ELINCS : European List of Notified Chemical Substances

PEC : Predicted Effect Concentration

PEL : Permissible Exposure Limits

PNEC : Predicted No Effect Concentration

R-pharse : Risk phrase

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulation Concerning the International Transport of Dangerous Goods by Rail

S-pharse: Safety phrase

WGK : German Water Hazard Class