


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887083

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product identifier

Trade name : Valvoline™ COCKPITSPRAY FOAM

™ Trademark, Valvoline or its subsidiaries, registered in various countries

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Cleaner.

1.3 Details of the supplier of the safety data sheet

Ellis Enterprises B.V., an affiliate of Valvoline
 Wieldrechtseweg 39
 3316 BG Dordrecht
 Netherlands
 +31 (0)78 654 3500 (in the Netherlands), or
 contact your local CSR contact person

SDS@valvoline.com

1.4 Emergency telephone number

00-800-825-8654 / 001-859-202-3865, or contact
 your local emergency telephone number at 112

Product Information

+31 (0)78 654 3500 (in the Netherlands), or
 contact your local CSR contact person

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture
Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1

H223: Flammable aerosol.

H229: Pressurised container: May burst if heated.

Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements
Labelling (REGULATION (EC) No 1272/2008)



SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887083

Hazard pictograms



Signal word

: Danger

Hazard statements

: H222 Extremely flammable aerosol.
 H229 Pressurised container: May burst if heated.
 H319 Causes serious eye irritation.

Precautionary statements

: P102 Keep out of reach of children.
Prevention:
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P211 Do not spray on an open flame or other ignition source.
 P251 Do not pierce or burn, even after use.
 P260 Do not breathe spray.
Storage:
 P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Disposal:
 P501 Dispose of contents/container in accordance with regional regulations.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Additional advice

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
propan-2-ol	67-63-0 200-661-7 01-2119457558-25-xxxx	Flam. Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336	>= 15,00 - < 20,00


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887083

Ammonia, aqueous solution	1336-21-6 215-647-6	Acute Tox.4; H302 Skin Corr.1B; H314 STOT SE3; H335 Aquatic Acute1; H400 Aquatic Chronic2; H411	>= 0,25 - < 0,50
Substances with a workplace exposure limit :			
Butane	106-97-8 203-448-7 01-2119474691-32-xxxx	Flam. Gas1; H220 Press. GasLiquefied gas; H280	>= 2,50 - < 5,00
1-Methoxypropan-2-ol	107-98-2 203-539-1 01-2119457435-35-xxxx	Flam. Liq.3; H226 STOT SE3; H336	>= 1,00 - < 2,50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures
4.1 Description of first aid measures

- General advice : Move out of dangerous area.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.
 If unconscious, place in recovery position and seek medical advice.
 If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
 Remove contact lenses.
 Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.
 Never give anything by mouth to an unconscious person.
 If symptoms persist, call a physician.


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM

™ Trademark, Valvoline or its subsidiaries, registered in various countries

887083

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No symptoms known or expected.
- Risks : Causes serious eye irritation.
Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures
5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide
Hydrocarbons

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887083

be disposed of in accordance with local regulations.
 Use a water spray to cool fully closed containers.

SECTION 6: Accidental release measures
6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.
 Remove all sources of ignition.
 Ensure adequate ventilation.
 Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
 Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
 Prevent further leakage or spillage if safe to do so.
 If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up
6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage
7.1 Precautions for safe handling

Advice on safe handling : Open drum carefully as content may be under pressure.
 Provide sufficient air exchange and/or exhaust in work rooms.
 Do not breathe vapours/dust.
 Do not smoke.
 Container hazardous when empty.
 Take precautionary measures against static discharges.
 Avoid contact with skin and eyes.
 Smoking, eating and drinking should be prohibited in the application area.
 For personal protection see section 8.
 Dispose of rinse water in accordance with local and national regulations.

Advice on protection against : Take necessary action to avoid static electricity discharge


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887083

fire and explosion (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition. Use only explosion-proof equipment.

Hygiene measures : Wash hands before breaks and at the end of workday. When using do not eat or drink. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. No smoking.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-2-ol	67-63-0	TWA	400 ppm 999 mg/m ³	GB EH40
		STEL	500 ppm 1.250 mg/m ³	GB EH40
Butane	106-97-8	STEL	750 ppm 1.810 mg/m ³	GB EH40
		TWA	600 ppm 1.450 mg/m ³	GB EH40
1-Methoxypropan-2-ol	107-98-2	TWA	100 ppm 375 mg/m ³	2000/39/EC
		STEL	150 ppm 568 mg/m ³	2000/39/EC
		TWA	100 ppm 375 mg/m ³	GB EH40
		STEL	150 ppm	GB EH40


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887083

560 mg/m3

8.2 Exposure controls
Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Wear as appropriate:
 Impervious clothing
 Safety shoes
 Flame-resistant clothing
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

Appearance : aerosol

Colour : colourless

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : No data available


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887083

Flammability (solid, gas)	: No data available
Upper explosion limit / Upper flammability limit	: 12 %(V)
Lower explosion limit / Lower flammability limit	: 2 %(V)
Vapour pressure	: 43 hPa (20 °C)
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0,89 g/cm ³ (20 °C)
Solubility(ies)	
Water solubility	: immiscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: 425 °C
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Oxidizing properties	: No data available

9.2 Other information

Self-ignition : not auto-flammable

SECTION 10: Stability and reactivity
10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM

™ Trademark, Valvoline or its subsidiaries, registered in various countries

887083

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Exposure to air or moisture over prolonged periods.

Heat, flames and sparks.

10.5 Incompatible materials

 Materials to avoid : Acids
 Aldehydes
 alkalis
 aluminum
 Amines
 Ethylene oxide
 halogenated hydrocarbons
 halogens
 isocyanates
 salts of strong bases
 strong bases
 Strong oxidizing agents
 Do not use with aluminum equipment at temperatures above 49C or 120 degrees F.

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information
11.1 Information on toxicological effects

 Information on likely routes of exposure : Inhalation
 Skin contact
 Eye Contact
 Ingestion

Acute toxicity

Not classified based on available information.

Components:
ISOPROPANOL:

Acute oral toxicity : LD50 (Rat): 5,84 g/kg


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887083

Acute inhalation toxicity : LC50 (Rat): 16000 ppm
 Exposure time: 4 h
 Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 12.800 mg/kg

Components:
AMMONIUM HYDROXIDE ((NH₄)(OH)):

Acute oral toxicity : LD50 (Rat): 350 mg/kg

Components:
BUTANE NORMAL:

Acute inhalation toxicity : LC50 (Mouse): 680 mg/l
 Exposure time: 2 h

LC50 (Rat): > 50000 ppm
 Exposure time: 2 h
 Test atmosphere: gas

Components:
1-METHOXY-2-PROPANOL:

Acute oral toxicity : LD50 (Rat): 4.016 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 10000 ppm
 Exposure time: 4 h
 Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 13.000 mg/kg

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Product:

Result: Repeated exposure may cause skin dryness or cracking.

Remarks: May cause skin irritation in susceptible persons.


Components:
ISOPROPANOL:

Result: Slight, transient irritation

AMMONIUM HYDROXIDE ((NH₄)(OH)):

Result: Corrosive to skin

1-METHOXY-2-PROPANOL:

	Page: 11
SAFETY DATA SHEET	Revision Date: 05.10.2018
	Print Date: 06.05.2019
	SDS Number: 000000274855
Valvoline™ COCKPITSPRAY FOAM ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887083	Version: 1.0

Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:

ISOPROPANOL:

Result: Irritating to eyes.

AMMONIUM HYDROXIDE ((NH4)(OH)):

Result: Corrosive

1-METHOXY-2-PROPANOL:

Result: Slight, transient irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Components:

1-METHOXY-2-PROPANOL:

Assessment: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

BUTANE NORMAL:

Genotoxicity in vitro : Test Type: Ames test
Test species: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: negative

1-METHOXY-2-PROPANOL:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative

Carcinogenicity

Not classified based on available information.


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887083

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:
ISOPROPANOL:

Assessment: May cause drowsiness or dizziness.

AMMONIUM HYDROXIDE ((NH₄)(OH)):

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

1-METHOXY-2-PROPANOL:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information
Product:

Remarks: No data available

Components:
ISOPROPANOL:

Remarks: Central nervous system

SECTION 12: Ecological information
12.1 Toxicity
Components:

propan-2-ol
 Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): 5.770 - 7.450
 mg/l


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM

™ Trademark, Valvoline or its subsidiaries, registered in various countries

887083

Exposure time: 96 h

Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 24 h
Test Type: static test

Ammonia, aqueous solution

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8,5 mg/l
Exposure time: 96 h

Butane

Toxicity to fish : Remarks: No toxicity at the limit of solubility
QSAR

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): Expected > 10 - < 100 mg/l
Exposure time: 48 h
Remarks: QSAR

Toxicity to algae : EC50 (green algae): Expected 7,7 mg/l
Exposure time: 96 h
Remarks: QSAR

1-Methoxypropan-2-ol

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l
End point: Growth inhibition
Exposure time: 7 d
Test Type: static test

12.2 Persistence and degradability
Components:

Butane

Biodegradability : Result: Readily biodegradable.
Remarks: Information given is based on data obtained from similar substances.

1-Methoxypropan-2-ol


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various countries
 887083

Biodegradability : Result: Readily biodegradable.
 Biodegradation: 96 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301E

12.3 Bioaccumulative potential
Components:

propan-2-ol
 Partition coefficient: n-
 octanol/water : log Pow: 0,05

Butane
 Partition coefficient: n-
 octanol/water : log Pow: 2,89

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment
Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects
Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life.

SECTION 13: Disposal considerations
13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
 Do not contaminate ponds, waterways or ditches with chemical or used container.
 Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
 Empty containers should be taken to an approved waste handling site for recycling or disposal.


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887083

Do not re-use empty containers.
 Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information
14.1 UN number

ADN : UN 1950
 ADR : UN 1950
 RID : UN 1950
 IMDG : UN 1950
 IATA : UN 1950

14.2 UN proper shipping name

ADN : AEROSOLS
 ADR : AEROSOLS
 RID : AEROSOLS
 IMDG : AEROSOLS
 IATA : AEROSOLS

14.3 Transport hazard class(es)

ADN : 2
 ADR : 2
 RID : 2
 IMDG : 2.1
 IATA : 2.1

14.4 Packing group

ADN
 Packing group : Not assigned by regulation
 Classification Code : 5F
 Labels : 2.1

ADR
 Packing group : Not assigned by regulation
 Classification Code : 5F
 Labels : 2.1
 Tunnel restriction code : (D)

RID
 Packing group : Not assigned by regulation


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887083

Classification Code : 5F
 Hazard Identification Number : 23
 Labels : 2.1

IMDG

Packing group : Not assigned by regulation
 Labels : 2.1
 EmS Code : F-D, S-U

IATA (Cargo)

Packing instruction (cargo aircraft) : 203
 Packing instruction (LQ) : Y203
 Packing group : Not assigned by regulation
 Labels : Flammable gas

IATA (Passenger)

Packing instruction (passenger aircraft) : 203
 Packing instruction (LQ) : Y203
 Packing group : Not assigned by regulation
 Labels : Flammable gas

14.5 Environmental hazards
ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user


The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

		Page: 17
SAFETY DATA SHEET		Revision Date: 05.10.2018
		Print Date: 06.05.2019
		SDS Number: 000000274855
Valvoline™ COCKPITSPRAY FOAM ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887083		Version: 1.0

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 57). : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P3a	FLAMMABLE AEROSOLS	150 t	500 t
18	Liquefied extremely flammable gases (including LPG) and natural gas	50 t	200 t

according to Detergents Regulation EC 648/2004 : 5 % or over but less than 15 %: Aliphatic hydrocarbons

The components of this product are reported in the following inventories:

DSL : This product contains one or several components that are not on the Canadian DSL and have annual quantity limits.

AICS : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM
 ™ Trademark, Valvoline or its subsidiaries, registered in various
 countries
 887083

IECSC	Not in compliance with the inventory
TCSI	Not in compliance with the inventory
TSCA	Not On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information
Further information

Revision Date: 05.10.2018

Full text of H-Statements

H220	Extremely flammable gas.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (+31 (0)78 654 3500).


SAFETY DATA SHEET

Revision Date: 05.10.2018

Print Date: 06.05.2019

SDS Number: 000000274855

Version: 1.0

Valvoline™ COCKPITSPRAY FOAM

™ Trademark, Valvoline or its subsidiaries, registered in various countries


887083

Sources of key data used to compile the Safety Data Sheet
 Valvoline internal data including own and sponsored test reports
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists
 BEI : Biological Exposure Index
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction
 FG : Food grade
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.
 H-statement : Hazard Statement
 IATA : International Air Transport Association.
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
 ICAO : International Civil Aviation Organization
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"
 IMDG : International Maritime Code for Dangerous Goods
 ISO : International Organization for Standardization
 logPow : octanol-water partition coefficient
 LCxx : Lethal Concentration, for xx percent of test population
 LDxx : Lethal Dose, for xx percent of test population.
 ICxx : Inhibitory Concentration for xx of a substance
 Ecxx : Effective Concentration of xx
 N.O.S.: Not Otherwise Specified
 OECD : Organization for Economic Co-operation and Development
 OEL : Occupational Exposure Limit
 P-Statement : Precautionary Statement
 PBT : Persistent , Bioaccumulative and Toxic
 PPE : Personal Protective Equipment
 STEL : Short-term exposure limit
 STOT : Specific Target Organ Toxicity
 TLV : Threshold Limit Value
 TWA : Time-weighted average
 vPvB : Very Persistent and Very Bioaccumulative
 WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands
 ADR : Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: Regulation for the Carriage of Dangerous Substances on the Rhine
 CLP : Classification, Labelling and Packaging
 CSA : Chemical Safety Assessment
 CSR : Chemical Safety Report
 DNEL : Derived No Effect Level.

	Page: 20
SAFETY DATA SHEET	Revision Date: 05.10.2018
	Print Date: 06.05.2019
	SDS Number: 000000274855
Valvoline™ COCKPITSPRAY FOAM ™ Trademark, Valvoline or its subsidiaries, registered in various countries 887083	Version: 1.0

- EINECS : European Inventory of Existing Commercial Chemical Substances.
- ELINCS : European List of Notified Chemical Substances
- PEC : Predicted Effect Concentration
- PEL : Permissible Exposure Limits
- PNEC : Predicted No Effect Concentration
- R-phrase : Risk phrase
- REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
- RID : Regulation Concerning the International Transport of Dangerous Goods by Rail
- S-phrase: Safety phrase
- WGK : German Water Hazard Class