



PF WEATHER GUARD TYRE GEL

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 20/08/2015

Revision date:

Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : PF WEATHER GUARD TYRE GEL

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Use of the substance/mixture : Automotive Care Products.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited
4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road
Liverpool, L30 4AB - United Kingdom
T +44 151 530 4740
MSDS@turtlewaxeuropa.com

1.4. Emergency telephone number

Emergency number : +44 151 530 4740
Office hours only 08:30 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children
EUH-statements : EUH208 - Contains (L) LIMONENE(5989-27-5). May produce an allergic reaction

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
3-(Polyoxyethylene)propylheptamethyltrisiloxane	(CAS No) 67674-67-3	0.1 - 1	Acute Tox. 4 (Inhalation), H332 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Polyacrylic acid	(CAS No) 9003-01-4	0.1 - 1	Not classified
(L) LIMONENE	(CAS No) 5989-27-5 (EC no) 227-813-5 (EC index no) 601-029-00-7	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Aliphatic alcohol ethoxylate	(CAS No) 68131-40-8 (EC no) 614-295-4 (REACH-no) 01-2119560577-29	< 0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

PF WEATHER GUARD TYRE GEL

Safety Data Sheet

according to Regulation (EC) No. 453/2010

CARNAUBA WAX		< 0.1	Not classified
Siloxanes and Silicones; 3-[(2-aminoethyl)amino]propyl Me; di-Me	(CAS No) 71750-79-3	< 0.1	Skin Irrit. 2, H315 Eye Dam. 1, H318
2-(2-Hydroxy-5-t-octylphenyl) benzotriazole	(CAS No) 3147-75-9 (EC no) 221-573-5	< 0.1	Aquatic Chronic 3, H412
2-Methyl-2,4-pentanediol	(CAS No) 107-41-5 (EC no) 203-489-0 (EC index no) 603-053-00-3 (REACH-no) 01-2119539582-35	< 0.1	Eye Irrit. 2, H319 Skin Irrit. 2, H315
METHYL ANTHRANILATE	(CAS No) 134-20-3 (EC no) 205-132-4	< 0.1	Eye Irrit. 2, H319
ETHYL-METHYLPHENYLGLYCIDATE	(CAS No) 77-83-8 (EC no) 201-061-8	< 0.1	Skin Corr. 1B, H314 Aquatic Chronic 2, H411
Pyrithione Zinc	(CAS No) 13463-41-7	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Aquatic Acute 1, H400
2-methylisothiazol-3(2H)-one	(CAS No) 2682-20-4	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400
MAPEG 600 MO		< 0.1	Not classified
Fatty acids, C16-18 and C18-unsatd.	(CAS No) 67701-08-0 (EC no) 266-932-7	< 0.1	Not classified
THYMOL	(CAS No) 89-83-8 (EC no) 201-944-8 (EC index no) 604-032-00-1 (REACH-no) 01-2119511177-46	< 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Chronic 2, H411
1,2-Benzisothiazolin-3-one	(CAS No) 2634-33-5 (EC no) 220-120-9 (EC index no) 613-088-00-6	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
2-Amino-2-methylpropanol	(CAS No) 124-68-5 (EC no) 204-709-8 (EC index no) 603-070-00-6 (REACH-no) 01-2119475788-16	< 0.1	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Cyclohexane	(CAS No) 110-82-7 (EC no) 203-806-2 (EC index no) 601-017-00-1 (REACH-no) 01-2119463273-41	< 0.1	Flam. Liq. 2, H225 Asp. Tox. 1, H304 Skin Irrit. 2, H315 STOT SE 3, H336 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Acrylic acid	(CAS No) 79-10-7 (EC no) 201-177-9 (EC index no) 607-061-00-8 (REACH-no) 01-2119407795-33	< 0.1	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Aquatic Acute 1, H400
Methanol	(CAS No) 67-56-1 (EC no) 200-659-6;200-659	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 STOT SE 1, H370

Specific concentration limits:

Name	Product identifier	Specific concentration limits
1,2-Benzisothiazolin-3-one	(CAS No) 2634-33-5 (EC no) 220-120-9 (EC index no) 613-088-00-6	(C >= 0.05) Skin Sens. 1, H317
Acrylic acid	(CAS No) 79-10-7 (EC no) 201-177-9 (EC index no) 607-061-00-8 (REACH-no) 01-2119407795-33	(C >= 1) STOT SE 3, H335

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Not expected to present a significant hazard under anticipated conditions of normal use.
First-aid measures after skin contact	: Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Not expected to present a significant hazard under anticipated conditions of normal use. Rinse mouth.

PF WEATHER GUARD TYRE GEL

Safety Data Sheet

according to Regulation (EC) No. 453/2010

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: May cause slight irritation.
Symptoms/injuries after eye contact	: May cause slight irritation.
Symptoms/injuries after ingestion	: May cause slight irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: The product is not flammable.
Explosion hazard	: Product is not explosive.
Reactivity in case of fire	: Not known.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire	: Not applicable.
Firefighting instructions	: Use extinguishing media appropriate for surrounding fire.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid release to the environment.

6.1.1. For non-emergency personnel

Protective equipment	: protective gloves.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Mark out the contaminated area with signs and prevent access to unauthorized personnel.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Avoid contact with skin and eyes.
Emergency procedures	: Ventilate area. Stop leak if safe to do so. Mark out the contaminated area with signs and prevent access to unauthorized personnel.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Shovel into suitable and closed container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container closed when not in use. Store in a well-ventilated place. Keep cool. Store in original container.
Special rules on packaging	: Keep only in original container.

PF WEATHER GUARD TYRE GEL

Safety Data Sheet

according to Regulation (EC) No. 453/2010

7.3. Specific end use(s)

Automotive Care Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Cyclohexane (110-82-7)		
United Kingdom	Local name	Cyclohexane
United Kingdom	WEL TWA (mg/m ³)	350 mg/m ³
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m ³)	1050 mg/m ³
United Kingdom	WEL STEL (ppm)	300 ppm
Methanol (67-56-1)		
United Kingdom	Local name	Methanol
United Kingdom	WEL TWA (mg/m ³)	266 mg/m ³
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (mg/m ³)	333 mg/m ³
United Kingdom	WEL STEL (ppm)	250 ppm
United Kingdom	Remark (WEL)	Sk
2-Methyl-2,4-pentanediol (107-41-5)		
United Kingdom	Local name	2-Methylpentane-2,4-diol
United Kingdom	WEL TWA (mg/m ³)	123 mg/m ³
United Kingdom	WEL TWA (ppm)	25 ppm
United Kingdom	WEL STEL (mg/m ³)	123 mg/m ³
United Kingdom	WEL STEL (ppm)	25 ppm

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Gloves.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Not required for normal conditions of use



Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Green.
Odour	: No data available
Odour threshold	: No data available
pH	: 6.5 - 7.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.94 - 1.04

PF WEATHER GUARD TYRE GEL

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 85 - 110 mm ² /s
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: Oxidising liquids Not applicable.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids. Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Cyclohexane (110-82-7)	
LD50 oral	> 5000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	13900 mg/m ³
Acrylic acid (79-10-7)	
LD50 oral	> 193 mg/kg bodyweight
LD50 dermal	280 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	1202 mg/m ³
2-Amino-2-methylpropanol (124-68-5)	
LD50 oral	2900 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
1,2-Benzisothiazolin-3-one (2634-33-5)	
LD50 oral	1020 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	100 mg/m ³
2-Methyl-2,4-pentanediol (107-41-5)	
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
METHYL ANTHRANILATE (134-20-3)	
LD50 oral	2780 mg/kg bodyweight
THYMOL (89-83-8)	
LD50 oral	980 mg/kg bodyweight
Skin corrosion/irritation	: Not classified pH: 6.5 - 7.5
Serious eye damage/irritation	: Not classified pH: 6.5 - 7.5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

PF WEATHER GUARD TYRE GEL

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

PF WEATHER GUARD TYRE GEL

Viscosity, kinematic	85 - 110 mm ² /s
----------------------	-----------------------------

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Ecology - water	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Cyclohexane (110-82-7)

LC50 fish 1	4.1 mg/l
EC50 other aquatic organisms 1	2.2 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	1.8 mg/l IC50 algea (72 h) mg/l

Acrylic acid (79-10-7)

LC50 fish 1	27 mg/l
EC50 other aquatic organisms 1	95 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	0.06 mg/l IC50 algea (72 h) mg/l

2-Amino-2-methylpropanol (124-68-5)

LC50 fish 1	190 mg/l
-------------	----------

1,2-Benzisothiazolin-3-one (2634-33-5)

LC50 fish 1	> 1.6 mg/l
EC50 other aquatic organisms 1	> 1.35 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 0.07 mg/l IC50 algea (72 h) mg/l

2-Methyl-2;4-pentanediol (107-41-5)

LC50 fish 1	> 1000 mg/l
EC50 other aquatic organisms 1	> 1000 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l

12.2. Persistence and degradability

PF WEATHER GUARD TYRE GEL

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

PF WEATHER GUARD TYRE GEL

Bioaccumulative potential	Not established.
---------------------------	------------------

Cyclohexane (110-82-7)

Log Pow	3.44
---------	------

Acrylic acid (79-10-7)

Log Pow	0.35
---------	------

2-Amino-2-methylpropanol (124-68-5)

Log Pow	-0.74
---------	-------

1,2-Benzisothiazolin-3-one (2634-33-5)

Log Pow	0.64
---------	------

2-Methyl-2;4-pentanediol (107-41-5)

Log Pow	0.58
---------	------

12.4. Mobility in soil

PF WEATHER GUARD TYRE GEL

Ecology - soil	Not established.
----------------	------------------

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects	: None known.
-----------------------	---------------

PF WEATHER GUARD TYRE GEL

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Carriage prohibited (ADN) : No
Not subject to ADN : No

PF WEATHER GUARD TYRE GEL

Safety Data Sheet

according to Regulation (EC) No. 453/2010

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H370	Causes damage to organs

PF WEATHER GUARD TYRE GEL

Safety Data Sheet

according to Regulation (EC) No. 453/2010

H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU TURTLEWAX

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product