



ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 20/08/2015

Revision date:

Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : ESSENTIAL COCKPIT CLEANER MATT
Vaporizer : Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Use of the substance/mixture : Automotive Care Products.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited
4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road
Liverpool, L30 4AB - United Kingdom
T +44 151 530 4740
MSDS@turtlewaxeurope.com

1.4. Emergency telephone number

Emergency number : +44 151 530 4740
Office hours only 08:30 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol 1 H222;H229
Skin Irrit. 2 H315
STOT SE 3 H336
Aquatic Chronic 3 H412

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazardous ingredients :

Hydrocarbons, C3-4 rich, petroleum distillate, petroleum gas, Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics, propan-2-ol

Hazard statements (CLP) :

H222 - Extremely flammable aerosol
H229 - Pressurised container: May burst if heated
H315 - Causes skin irritation
H336 - May cause drowsiness or dizziness
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (CLP) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P211 - Do not spray on an open flame or other ignition source
P251 - Do not pierce or burn, even after use
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray
P264 - Wash ... thoroughly after handling
P271 - Use only outdoors or in a well-ventilated area
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302+P352 - IF ON SKIN: Wash with plenty of water
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

P312 - Call a POISON CENTER/doctor/... if you feel unwell
P321 - Specific treatment (see ... on this label)
P332+P313 - If skin irritation occurs: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

EUH-statements : EUH208 - Contains (L) CITRAL(5392-40-5), (L) LIMONENE(5989-27-5). May produce an allergic reaction

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : Pressurised container: May burst if heated. Extremely flammable aerosol. May cause drowsiness or dizziness. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C3-4 rich, petroleum distillate, petroleum gas	(CAS No) 68512-91-4	50 - 80	Flam. Gas 1, H220 Muta. 1B, H340 Carc. 1A, H350
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	(CAS No) 64742-49-0 (EC no) 920-750-0 (REACH-no) 01-2119475515-33	10 - 30	Skin Irrit. 2, H315 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
White Mineral Oil (Petroleum)	(CAS No) 8042-47-5 (EC no) 232-455-8 (REACH-no) 01-2119487078-27	1 - 30	Asp. Tox. 1, H304
propan-2-ol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 30	Flam. Liq. 2, H225 STOT SE 3, H336 Eye Irrit. 2, H319
BENZYL BENZOATE	(CAS No) 120-51-4 (EC no) 204-402-9 (EC index no) 607-085-00-9	0.1 - 1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
(L) CITRAL	(CAS No) 5392-40-5 (EC no) 226-394-6 (EC index no) 605-019-00-3 (REACH-no) 01-2119462829-23	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317
(L) LIMONENE	(CAS No) 5989-27-5 (EC no) 227-813-5 (EC index no) 601-029-00-7	0.1 - 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2;6-DIMETHYL-7-OCTEN-2-OL	(CAS No) 18479-58-8 (EC no) 242-362-4 (REACH-no) 01-2119457274-37	< 0.1	Skin Irrit. 2, H315
DECANAL	(CAS No) 112-31-2 (EC no) 203-957-4	< 0.1	Skin Irrit. 2, H315 Aquatic Chronic 3, H412
LINALYL ACETATE	(CAS No) 115-95-7 (EC no) 204-116-4 (REACH-no) 01-2119454789-19	< 0.1	Skin Irrit. 2, H315
TERPINEOL	(CAS No) 8000-41-7 (EC no) 232-268-1 (REACH-no) 01-2119553062-49	< 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319
(L) CINNAMYL ALCOHOL	(CAS No) 104-54-1 (EC no) 203-212-3 (REACH-no) 01-2119934496-29	< 0.1	Skin Sens. 1, H317
CITRONELLYL ACETATE	(CAS No) 150-84-5 (EC no) 205-775-0	< 0.1	Skin Irrit. 2, H315 Aquatic Chronic 2, H411
butylated hydroxy toluene	(CAS No) 128-37-0 (EC no) 204-881-4	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319

ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

BETA-IONONE	(CAS No) 14901-07-6 (EC no) 238-969-9 (REACH-no) 01-2119937833-30	< 0.1	Aquatic Chronic 2, H411
CYCLAMEN ALDEHYDE	(CAS No) 103-95-7 (EC no) 203-161-7	< 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
(L) BETA PINENE	(CAS No) 127-91-3 (EC no) 204-872-5 (REACH-no) 01-2119519230-54	< 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Geranyl Acetate	(CAS No) 105-87-3 (EC no) 203-341-5 (REACH-no) 01-2119973480-35	< 0.1	Aquatic Chronic 2, H411
Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified)	(CAS No) 27939-60-2 (EC no) 248-742-6	< 0.1	Aquatic Chronic 3, H412 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319
p-CYMENE	(CAS No) 99-87-6 (EC no) 202-796-7 (REACH-no) 01-2119881770-31	< 0.1	Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: May cause drowsiness or dizziness.
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness. May cause respiratory irritation.
Symptoms/injuries after skin contact	: Irritation.
Symptoms/injuries after eye contact	: Eye irritation.
Symptoms/injuries after ingestion	: May cause slight irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Pressurised container: May burst if heated.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire	: Evacuate area. Stop leak if safe to do so.
Firefighting instructions	: Eliminate all ignition sources if safe to do so.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Absorb spillage to prevent material damage. No flames, no sparks. Eliminate all sources of ignition.
------------------	--

6.1.1. For non-emergency personnel

Protective equipment	: Wear suitable protective clothing, gloves and eye or face protection.
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Use only non-sparking tools.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect all waste in suitable and labelled containers and dispose according to local legislation.
- Methods for cleaning up : Recover mechanically the product.
- Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Additional hazards when processed : Flammable gas. Pressurized container: Do not pierce or burn, even after use.
- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Take precautionary measures against static discharge.
- Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.
- Incompatible products : Oxidizing agent. Strong acids. Strong bases.
- Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

Automotive Care Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propan-2-ol (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m ³)	999 mg/m ³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³
United Kingdom	WEL STEL (ppm)	500 ppm
butylated hydroxy toluene (128-37-0)		
United Kingdom	Local name	2,6-Di-tert-butyl-p-cresol
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³

8.2. Exposure controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Hand protection : Protective gloves. Butyl rubber
- Eye protection : Safety glasses
- Skin and body protection : Wear suitable protective clothing
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment
- Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Gas
- Colour : No data available
- Odour : characteristic.
- Odour threshold : No data available

ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Extremely flammable gas,Extremely flammable aerosol
Vapour pressure	: 3.2 - 5.2 bar
Relative vapour density at 20 °C	: No data available
Relative density	: 0.6 - 0.7
Solubility	: immiscible and insoluble.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: Oxidising liquids Not applicable.
Explosive limits	: No data available

9.2. Other information

VOC content : 93.8

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)	
LD50 oral	> 5840 mg/kg bodyweight
LD50 dermal	> 2920 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 23300 mg/m ³
propan-2-ol (67-63-0)	
LD50 oral	4396 mg/kg bodyweight
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/m ³
BENZYL BENZOATE (120-51-4)	
LD50 oral	1500 mg/kg bodyweight
LD50 dermal	4000 mg/kg bodyweight
2,6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)	
LD50 oral	3600 mg/kg bodyweight
(L) CITRAL (5392-40-5)	
LD50 oral	4950 mg/kg bodyweight
LD50 dermal	2250 mg/kg bodyweight

ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

DECANAL (112-31-2)	
LD50 oral	3750 mg/kg bodyweight
TERPINEOL (8000-41-7)	
LD50 oral	4300 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 4760 mg/m ³
(L) CINNAMYL ALCOHOL (104-54-1)	
LD50 oral	2500 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight
CYCLAMEN ALDEHYDE (103-95-7)	
LD50 oral	3810 mg/kg bodyweight
Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified) (27939-60-2)	
LD50 oral	2500 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
p-CYMENE (99-87-6)	
LD50 oral	4750 mg/kg bodyweight

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified

ESSENTIAL COCKPIT CLEANER MATT	
Vaporizer	Aerosol

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (64742-49-0)	
LC50 fish 1	> 3 mg/l
EC50 other aquatic organisms 1	4.6 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	10 mg/l IC50 algea (72 h) mg/l
propan-2-ol (67-63-0)	
LC50 fish 1	9640 mg/l
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 algea (72 h) mg/l
(L) CITRAL (5392-40-5)	
LC50 fish 1	4.1 mg/l
EC50 other aquatic organisms 1	7 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	5 mg/l IC50 algea (72 h) mg/l
TERPINEOL (8000-41-7)	
LC50 fish 1	62 mg/l
EC50 other aquatic organisms 1	73 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	68 mg/l IC50 algea (72 h) mg/l
(L) CINNAMYL ALCOHOL (104-54-1)	
EC50 other aquatic organisms 1	> 10 mg/l
EC50 other aquatic organisms 2	IC50 algea (72 h) mg/l

12.2. Persistence and degradability

ESSENTIAL COCKPIT CLEANER MATT	
Persistence and degradability	Not established.

ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

12.3. Bioaccumulative potential

ESSENTIAL COCKPIT CLEANER MATT

Bioaccumulative potential : Not established.

propan-2-ol (67-63-0)

Log Pow : 0.14

BENZYL BENZOATE (120-51-4)

Log Pow : 3.97

(L) CITRAL (5392-40-5)

Log Pow : 3.45

TERPINEOL (8000-41-7)

Log Pow : 3.33

(L) CINNAMYL ALCOHOL (104-54-1)

Log Pow : 1.95

Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified) (27939-60-2)

Log Pow : 2.85

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1950

UN-No. (IMDG) : 1950

UN-No. (IATA) : 1950

UN-No. (ADN) : 1950

UN-No. (RID) : 1950

14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS

Proper Shipping Name (IMDG) : AEROSOLS

Proper Shipping Name (IATA) : Aerosols, flammable

Proper Shipping Name (ADN) : AEROSOLS

Proper Shipping Name (RID) : AEROSOLS

Transport document description (ADR) : UN 1950 AEROSOLS, 2.1, (D)

Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 2.1

Danger labels (ADR) : 2.1



IMDG

Transport hazard class(es) (IMDG) : 2.1

ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Danger labels (IMDG) : 2.1



IATA

Transport hazard class(es) (IATA) : 2.1

Hazard labels (IATA) : 2.1



ADN

Transport hazard class(es) (ADN) : 2.1

Danger labels (ADN) : 2.1



RID

Transport hazard class(es) (RID) : 2.1

Danger labels (RID) : 2.1



14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : 5F

Special provisions (ADR) : 190, 327, 344, 625

Limited quantities (ADR) : 1I

Excepted quantities (ADR) : E0

Packing instructions (ADR) : P207, LP02

Special packing provisions (ADR) : PP87, RR6, L2

Mixed packing provisions (ADR) : MP9

Transport category (ADR) : 2

ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D

- Transport by sea

Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and segregation (IMDG)	: Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.

- Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

- Inland waterway transport

Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Carriage prohibited (ADN)	: No
Not subject to ADN	: No

- Rail transport

Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
Carriage prohibited (RID)	: No

ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 93.8

Allergenic fragrances > 0,01%:

BENZYL BENZOATE
CITRAL
CINNAMYL ALCOHOL

Detergent Regulation : Ingredient data sheet:

Component	CAS No	%
Hydrocarbons, C3-4 rich, petroleum distillate, petroleum gas	68512-91-4	>=10%
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics	64742-49-0	>=10%
White Mineral Oil (Petroleum)	8042-47-5	1 - 10%
ISOPROPYL ALCOHOL	67-63-0	1 - 10%
BENZYL BENZOATE	120-51-4	0.1 - 1%
CITRAL	5392-40-5	0.1 - 1%
(L) LIMONENE	5989-27-5	0.1 - 1%
2,6-DIMETHYL-7-OCTEN-2-OL	18479-58-8	<0.1%
DECANAL	112-31-2	<0.1%
LINALYL ACETATE	115-95-7	<0.1%
TERPINEOL	8000-41-7	<0.1%
CINNAMYL ALCOHOL	104-54-1	<0.1%
CITRONELLYL ACETATE	150-84-5	<0.1%
butylated hydroxy toluene	128-37-0	<0.1%
BETA-IONONE	14901-07-6	<0.1%
CYCLAMEN ALDEHYDE	103-95-7	<0.1%
(L) BETA PINENE	127-91-3	<0.1%
Geranyl Acetate	105-87-3	<0.1%
DIMETHYL-3-CYCLOHEXENE-1-CARBALDEHYDE	27939-60-2	<0.1%
p-CYMENE	99-87-6	<0.1%

Detergent Regulation : Labelling of contents:

Component	%
aliphatic hydrocarbons	15-30%
Parfum	
BENZYL BENZOATE	
CITRAL	
CINNAMYL ALCOHOL	

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2

ESSENTIAL COCKPIT CLEANER MATT

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Carc. 1B	Carcinogenicity, Category 1B
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Gas 1	Flammable gases, Category 1
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 1B	Germ cell mutagenicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
Skin Sens. 1B	Sensitisation — Skin, category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H229	Pressurised container: May burst if heated
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H350	May cause cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU TURTLEWAX

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product