



PF FINISHING TOUCH DETAILER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 20/08/2015

Revision date:

Version: 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : PF FINISHING TOUCH DETAILER

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Use of the substance/mixture : Automotive Care Products.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited
4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road
Liverpool, L30 4AB - United Kingdom
T +44 151 530 4740
MSDS@turtlewaxeurope.com

1.4. Emergency telephone number

Emergency number : +44 151 530 4740
Office hours only 08:30 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

Other hazards not contributing to the classification : None under normal conditions.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 STOT SE 3, H336 Eye Irrit. 2, H319
didecyltrimethylammonium chloride	(CAS No) 7173-51-5 (EC no) 230-525-2 (EC index no) 612-131-00-6 (REACH-no) 01-2119945987-15	0.1 - 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
Siloxanes and Silicones; 3-[(2-aminoethyl)amino]propyl Me; di-Me	(CAS No) 71750-79-3	< 0.1	Skin Irrit. 2, H315 Eye Dam. 1, H318
Trideceth-3	(CAS No) 4430-18-6	< 0.1	Not classified

PF FINISHING TOUCH DETAILER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Trideceth-6	(CAS No) 9067-13-4	< 0.1	Not classified
Distillates (petroleum); hydrotreated light	(CAS No) 64742-47-8 (EC no) 265-149-8 (EC index no) 649-422-00-2 (REACH-no) 01-2119484819-18	< 0.1	Asp. Tox. 1, H304
Quaternary Ammonium Compounds; DiCocoalkyl; Dimethyl; Chlorides	(CAS No) 61789-77-3 (EC no) 263-087-6	< 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
2-BUTOXYETHANOL	(CAS No) 111-76-2 (EC no) 203-905-0 (EC index no) 603-014-00-0 (REACH-no) 01-2119475108-36	< 0.1	Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 Skin Irrit. 2, H315
Methanol	(CAS No) 67-56-1 (EC no) 200-659-6;200-659	< 0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 STOT SE 1, H370
White Mineral Oil (Petroleum)	(CAS No) 8042-47-5 (EC no) 232-455-8 (REACH-no) 01-2119487078-27	< 0.1	Asp. Tox. 1, H304
Aliphatic alcohol ethoxylate	(CAS No) 68131-40-8 (EC no) 614-295-4 (REACH-no) 01-2119560577-29	< 0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Amines; C14-18;C16-18-unsat.;Alkyl; Ethoxylated	(CAS No) 68155-39-5	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
BENZYL BENZOATE	(CAS No) 120-51-4 (EC no) 204-402-9 (EC index no) 607-085-00-9	< 0.1	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Fatty acids; coco reaction products with diethylenetriamine and soya fatty acids; ethoxylated chloromethane-quaternized	(CAS No) 68604-75-1	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Amines; N-tallowalkyltrimethylenedi-propoxylated	(CAS No) 68603-75-8	< 0.1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-Methyl-2;4-pentanediol	(CAS No) 107-41-5 (EC no) 203-489-0 (EC index no) 603-053-00-3 (REACH-no) 01-2119539582-35	< 0.1	Eye Irrit. 2, H319 Skin Irrit. 2, H315
Glycerine	(CAS No) 56-81-5 (EC no) 200-289-5	< 0.1	Not classified
2-(2-Hydroxy-5-t-octylphenyl) benzotriazole	(CAS No) 3147-75-9 (EC no) 221-573-5	< 0.1	Aquatic Chronic 3, H412
BETA-IONONE	(CAS No) 14901-07-6 (EC no) 238-969-9 (REACH-no) 01-2119937833-30	< 0.1	Aquatic Chronic 2, H411
HEXYL ACETATE	(CAS No) 142-92-7 (EC no) 205-572-7 (REACH-no) 01-2119976337-25	< 0.1	Flam. Liq. 3, H226
Ethylene brassylate	(CAS No) 105-95-3 (EC no) 203-347-8 (REACH-no) 01-2119976314-33	< 0.1	Aquatic Chronic 2, H411

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Not expected to present a significant hazard under anticipated conditions of normal use.
- First-aid measures after skin contact : Wash skin with plenty of water.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Not expected to present a significant hazard under anticipated conditions of normal use. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.
- Symptoms/injuries after inhalation : None under normal use.
- Symptoms/injuries after skin contact : May cause slight irritation.
- Symptoms/injuries after eye contact : May cause slight irritation.
- Symptoms/injuries after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of normal use.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

PF FINISHING TOUCH DETAILER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : The product is not flammable.
Explosion hazard : Product is not explosive.
Reactivity in case of fire : Not known.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Not applicable.
Firefighting instructions : Use extinguishing media appropriate for surrounding fire.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid release to the environment.

6.1.1. For non-emergency personnel

Protective equipment : Not required for normal conditions of use.
Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Not required for normal conditions of use. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Ventilate area. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material. Shovel into suitable and closed container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store in original container.
Packaging materials : Keep only in original container.

7.3. Specific end use(s)

Automotive Care Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-Methyl-2,4-pentanediol (107-41-5)		
United Kingdom	Local name	2-Methylpentane-2,4-diol
United Kingdom	WEL TWA (mg/m ³)	123 mg/m ³
United Kingdom	WEL TWA (ppm)	25 ppm
United Kingdom	WEL STEL (mg/m ³)	123 mg/m ³
United Kingdom	WEL STEL (ppm)	25 ppm

PF FINISHING TOUCH DETAILER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Glycerine (56-81-5)		
United Kingdom	Local name	Glycerol, mist
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³
2-BUTOXYETHANOL (111-76-2)		
United Kingdom	Local name	2-Butoxyethanol
United Kingdom	WEL TWA (mg/m ³)	123 mg/m ³
United Kingdom	WEL TWA (ppm)	25 ppm
United Kingdom	WEL STEL (mg/m ³)	246 mg/m ³
United Kingdom	WEL STEL (ppm)	50 ppm
United Kingdom	Remark (WEL)	Sk, BMGV
Methanol (67-56-1)		
United Kingdom	Local name	Methanol
United Kingdom	WEL TWA (mg/m ³)	266 mg/m ³
United Kingdom	WEL TWA (ppm)	200 ppm
United Kingdom	WEL STEL (mg/m ³)	333 mg/m ³
United Kingdom	WEL STEL (ppm)	250 ppm
United Kingdom	Remark (WEL)	Sk
propan-2-ol (67-63-0)		
United Kingdom	Local name	Propan-2-ol
United Kingdom	WEL TWA (mg/m ³)	999 mg/m ³
United Kingdom	WEL TWA (ppm)	400 ppm
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³
United Kingdom	WEL STEL (ppm)	500 ppm

8.2. Exposure controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Personal protective equipment	: Not required for normal conditions of use.
Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: Not required for normal conditions of use
Environmental exposure controls	: Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: white.
Odour	: characteristic.
Odour threshold	: No data available
pH	: 4 - 5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 95 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.994 - 1.004
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.

PF FINISHING TOUCH DETAILER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Oxidising properties : Oxidising liquids Not applicable.
Explosive limits : No data available

9.2. Other information

Refractive index : 1.3352 - 1.3364

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids. Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

didecyldimethylammonium chloride (7173-51-5)	
LD50 oral	329 mg/kg bodyweight
LD50 dermal	3342 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	70 mg/m ³
Quaternary Ammonium Compounds; DiCocoalkyl; Dimethyl; Chlorides (61789-77-3)	
LD50 oral	> 200 mg/kg bodyweight
2-Methyl-2,4-pentanediol (107-41-5)	
LD50 oral	> 2000 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
2-BUTOXYETHANOL (111-76-2)	
LD50 oral	1746 mg/kg bodyweight
LD50 dermal	435 mg/kg bodyweight
LC50 inhalation rat (mg/l)	11 ppm/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	2200 mg/m ³
BENZYL BENZOATE (120-51-4)	
LD50 oral	1500 mg/kg bodyweight
LD50 dermal	4000 mg/kg bodyweight
propan-2-ol (67-63-0)	
LD50 oral	4396 mg/kg bodyweight
LD50 dermal	12800 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600 mg/m ³

Skin corrosion/irritation : Not classified
pH: 4 - 5

Serious eye damage/irritation : Not classified
pH: 4 - 5

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

PF FINISHING TOUCH DETAILER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 12: Ecological information

12.1. Toxicity

- Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
- Ecology - water : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

didecyldimethylammonium chloride (7173-51-5)	
LC50 fish 1	0.49 mg/l
EC50 other aquatic organisms 1	0.094 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	0.026 mg/l IC50 alga (72 h) mg/l
Quaternary Ammonium Compounds; DiCocoalkyl; Dimethyl; Chlorides (61789-77-3)	
LC50 fish 1	1 mg/l
EC50 other aquatic organisms 1	1 mg/l
EC50 other aquatic organisms 2	IC50 alga (72 h) mg/l
2-Methyl-2;4-pentanediol (107-41-5)	
LC50 fish 1	> 1000 mg/l
EC50 other aquatic organisms 1	> 1000 mg/l
EC50 other aquatic organisms 2	IC50 alga (72 h) mg/l
2-BUTOXYETHANOL (111-76-2)	
LC50 fish 1	1474 mg/l
EC50 other aquatic organisms 1	1550 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	911 mg/l IC50 alga (72 h) mg/l
propan-2-ol (67-63-0)	
LC50 fish 1	9640 mg/l
EC50 other aquatic organisms 1	13299 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 alga (72 h) mg/l

12.2. Persistence and degradability

PF FINISHING TOUCH DETAILER	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

PF FINISHING TOUCH DETAILER	
Bioaccumulative potential	Not established.

didecyldimethylammonium chloride (7173-51-5)	
Log Pow	0.38
2-Methyl-2;4-pentanediol (107-41-5)	
Log Pow	0.58
Glycerine (56-81-5)	
Log Pow	-1.76
2-BUTOXYETHANOL (111-76-2)	
Log Pow	0.83
BENZYL BENZOATE (120-51-4)	
Log Pow	3.97
propan-2-ol (67-63-0)	
Log Pow	0.14

12.4. Mobility in soil

PF FINISHING TOUCH DETAILER	
Ecology - soil	Not established.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

- Other adverse effects : None known.
- Additional information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Regional legislation (waste) : Disposal must be done according to official regulations.

PF FINISHING TOUCH DETAILER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

- Overland transport

No data available

- Transport by sea

No data available

- Air transport

No data available

- Inland waterway transport

Carriage prohibited (ADN) : No
Not subject to ADN : No

- Rail transport

Carriage prohibited (RID) : No

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

PF FINISHING TOUCH DETAILER

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 1	Specific target organ toxicity — single exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H370	Causes damage to organs
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

SDS EU TURTLEWAX

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product