



# Green Line - ALL METAL POLISH

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Date of issue: 12/08/2015

Revision date:

Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : Green Line - ALL METAL POLISH

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Consumer use  
Use of the substance/mixture : Automotive Care Products.

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited  
4th Floor Alaska House, Atlantic Park, Dunnings Bridge Road  
Liverpool, L30 4AB - United Kingdom  
T +44 151 530 4740  
[MSDS@turtlewaxeurope.com](mailto:MSDS@turtlewaxeurope.com)

#### 1.4. Emergency telephone number

Emergency number : +44 151 530 4740  
Office hours only 08:30 - 17:00

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture


##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2 H319  
STOT SE 3 H336

Full text of H-statements: see section 16

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :   
GHS07

Signal word (CLP) : Warning  
Hazardous ingredients : Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics  
Hazard statements (CLP) : H319 - Causes serious eye irritation  
H336 - May cause drowsiness or dizziness  
Precautionary statements (CLP) : P271 - Use only outdoors or in a well-ventilated area  
P280 - Wear eye protection, protective clothing, protective gloves  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects : May cause drowsiness or dizziness. Causes serious eye irritation.  
Other hazards not contributing to the classification : None under normal conditions.

# Green Line - ALL METAL POLISH

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS No) 64742-48-9 (EC no) 919-857-5 (REACH-no) 01-2119463258-33	30 - 50	STOT SE 3, H336 Asp. Tox. 1, H304
Silicon dioxide	(CAS No) 7631-86-9 (EC no) 231-545-4 (REACH-no) 01-2119379499-16	1 - 10	Not classified
ISOTRIDECANOL ETHOXYLATE (EO 3-5)	(CAS No) 24938-91-8	1 - 10	Eye Dam. 1, H318
C9-11 ALCOHOL ETHOXYLATE 6-8 MOLES OF EO	(CAS No) 68439-46-3	1 - 10	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Oxidized polyethylene	(CAS No) 68441-17-8	< 0.1	Not classified
Cryptocrystalline Silica (A-dust)	(CAS No) 7631-86-9 (EC no) 231-545-4 (REACH-no) 01-2119379499-16	< 0.1	STOT RE 1, H372
(L) LIMONENE	(CAS No) 5989-27-5 (EC no) 227-813-5 (EC index no) 601-029-00-7	< 0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Morpholine Oleate	(CAS No) 1095-66-5	< 0.1	Skin Irrit. 2, H315 Eye Dam. 1, H318
2-Amino-2-methylpropanol	(CAS No) 124-68-5 (EC no) 204-709-8 (EC index no) 603-070-00-6 (REACH-no) 01-2119475788-16	< 0.1	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Aquatic Chronic 3, H412
Pyrithione Zinc	(CAS No) 13463-41-7	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Aquatic Acute 1, H400
2-methylisothiazol-3(2H)-one	(CAS No) 2682-20-4	< 0.1	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Inhalation:dust,mist), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400
1,2-Benzisothiazolin-3-one	(CAS No) 2634-33-5 (EC no) 220-120-9 (EC index no) 613-088-00-6	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
Benzyl Sallcylate	(CAS No) 118-58-1 (EC no) 204-262-9 (REACH-no) 01-2119969442-31	< 0.1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
BUTYLPHENYL METHYLPROPIONAL	(CAS No) 80-54-6 (EC no) 201-289-8 (REACH-no) 01-2119485965-18	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361f Aquatic Chronic 2, H411
LINALYL ACETATE	(CAS No) 115-95-7 (EC no) 204-116-4 (REACH-no) 01-2119454789-19	< 0.1	Skin Irrit. 2, H315
(L) CITRAL	(CAS No) 5392-40-5 (EC no) 226-394-6 (EC index no) 605-019-00-3 (REACH-no) 01-2119462829-23	< 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317
ACETYL CEDRENE	(CAS No) 32388-55-9 (EC no) 251-020-3 (REACH-no) 01-2119969651-28	< 0.1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2;6-DIMETHYL-7-OCTEN-2-OL	(CAS No) 18479-58-8 (EC no) 242-362-4 (REACH-no) 01-2119457274-37	< 0.1	Skin Irrit. 2, H315
PHENETHYL ALCOHOL	(CAS No) 60-12-8 (EC no) 200-456-2	< 0.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319

# Green Line - ALL METAL POLISH

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

(L) TURPENTINE	(CAS No) 8006-64-2 (EC no) 232-350-7 (EC index no) 650-002-00-6 (REACH-no) 01-2119502456-45	< 0.1	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 Asp. Tox. 1, H304 Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	(CAS No) 78-70-6 (EC no) 201-134-4 (REACH-no) 01-2119474016-42	< 0.1	Skin Irrit. 2, H315
CITRONELLYL NITRILE	(CAS No) 51566-62-2 (EC no) 257-288-8 (REACH-no) 01-2119956151-43	< 0.1	Aquatic Chronic 3, H412
p-CYMENE	(CAS No) 99-87-6 (EC no) 202-796-7 (REACH-no) 01-2119881770-31	< 0.1	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
CAMPHENE	(CAS No) 79-92-5 (EC no) 201-234-8	< 0.1	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
TERPINOLENE	(CAS No) 586-62-9 (EC no) 209-578-0	< 0.1	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
CITRONELLOL	(CAS No) 106-22-9 (EC no) 203-375-0 (REACH-no) 01-2119453995-23	< 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Geranyl Acetate	(CAS No) 105-87-3 (EC no) 203-341-5 (REACH-no) 01-2119973480-35	< 0.1	Aquatic Chronic 2, H411
CITRONELLAL	(CAS No) 106-23-0 (EC no) 203-376-6 (REACH-no) 01-2119474900-37	< 0.1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
CITRONELLYL ACETATE	(CAS No) 150-84-5 (EC no) 205-775-0	< 0.1	Skin Irrit. 2, H315 Aquatic Chronic 2, H411

### Specific concentration limits:

Name	Product identifier	Specific concentration limits
1,2-Benzisothiazolin-3-one	(CAS No) 2634-33-5 (EC no) 220-120-9 (EC index no) 613-088-00-6	(C >= 0.05) Skin Sens. 1, H317

Full text of H-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.
First-aid measures after skin contact	: Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Not expected to present a significant hazard under anticipated conditions of normal use. Rinse mouth. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: May cause drowsiness or dizziness.
Symptoms/injuries after inhalation	: May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	: May cause slight irritation.
Symptoms/injuries after eye contact	: Eye irritation.
Symptoms/injuries after ingestion	: May cause slight irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: The product is not flammable.
Explosion hazard	: Product is not explosive.
Reactivity in case of fire	: Not known.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

# Green Line - ALL METAL POLISH

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### 5.3. Advice for firefighters

- Precautionary measures fire : Not applicable.
- Firefighting instructions : Use extinguishing media appropriate for surrounding fire.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid release to the environment.

#### 6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing, gloves and eye or face protection.
- Emergency procedures : Ventilate spillage area. Do not breathe vapours. Avoid contact with skin and eyes. Mark out the contaminated area with signs and prevent access to unauthorized personnel.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. Respiratory protection. Safety glasses. For further information refer to section 8: "Exposure controls/personal protection". Avoid contact with skin and eyes.
- Emergency procedures : Ventilate area. Stop leak if safe to do so. Mark out the contaminated area with signs and prevent access to unauthorized personnel.

### 6.2. Environmental precautions

- Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Take up liquid spill into absorbent material. Shovel into suitable and closed container for disposal. This material and its container must be disposed of in a safe way, and as per local legislation.
- Other information : This material and its container must be disposed of as hazardous waste.

### 6.4. Reference to other sections

- For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing vapours, spray, mist, fume. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store in original container. Store locked up.
- Packaging materials : Keep only in original container.

### 7.3. Specific end use(s)

- Automotive Care Products.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

(L) TURPENTINE (8006-64-2)		
United Kingdom	Local name	Turpentine
United Kingdom	WEL TWA (mg/m <sup>3</sup> )	566 mg/m <sup>3</sup>
United Kingdom	WEL TWA (ppm)	100 ppm
United Kingdom	WEL STEL (mg/m <sup>3</sup> )	850 mg/m <sup>3</sup>
United Kingdom	WEL STEL (ppm)	150 ppm

### 8.2. Exposure controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Personal protective equipment : In case of splash hazard: safety glasses.

# Green Line - ALL METAL POLISH

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

Hand protection	: Protective gloves
Eye protection	: Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment



Environmental exposure controls : Avoid release to the environment.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Light grey.
Odour	: characteristic.
Odour threshold	: No data available
pH	: 8.8 - 9.6
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 61 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.998 - 1.0221
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: 20 - 50 mm <sup>2</sup> /s
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: Oxidising liquids Not applicable.
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Acids. Oxidizing agent.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Green Line - ALL METAL POLISH

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

<b>1,2-Benzisothiazolin-3-one (2634-33-5)</b>	
LD50 oral	1020 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	100 mg/m <sup>3</sup>
<b>2;6-DIMETHYL-7-OCTEN-2-OL (18479-58-8)</b>	
LD50 oral	3600 mg/kg bodyweight
<b>Benzyl Salicylate (118-58-1)</b>	
LD50 oral	2200 mg/kg bodyweight
<b>BUTYLPHENYL METHYLPROPIONAL (80-54-6)</b>	
LD50 oral	1390 mg/kg bodyweight
LD50 dermal	> 5000 mg/kg bodyweight
<b>(L) CITRAL (5392-40-5)</b>	
LD50 oral	4950 mg/kg bodyweight
LD50 dermal	2250 mg/kg bodyweight
<b>CITRONELLAL (106-23-0)</b>	
LD50 oral	2500 mg/kg bodyweight
<b>CITRONELLOL (106-22-9)</b>	
LD50 oral	3450 mg/kg bodyweight
LD50 dermal	2650 mg/kg bodyweight
<b>CITRONELLYL NITRILE (51566-62-2)</b>	
LD50 oral	4490 mg/kg bodyweight
<b>Linalool (78-70-6)</b>	
LD50 oral	2780 mg/kg bodyweight
LD50 dermal	5610 mg/kg bodyweight
<b>p-CYMENE (99-87-6)</b>	
LD50 oral	4750 mg/kg bodyweight
<b>PHENETHYL ALCOHOL (60-12-8)</b>	
LD50 oral	1610 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
<b>TERPINOLENE (586-62-9)</b>	
LD50 oral	3850 mg/kg bodyweight
<b>(L) TURPENTINE (8006-64-2)</b>	
LD50 oral	500 mg/kg bodyweight
LD50 dermal	1100 mg/kg bodyweight
LC50 inhalation rat (Dust/Mist - mg/l/4h)	12000 mg/m <sup>3</sup>
LC50 inhalation rat (Vapours - mg/l/4h)	11 mg/l/4h
<b>2-Amino-2-methylpropanol (124-68-5)</b>	
LD50 oral	2900 mg/kg bodyweight
LD50 dermal	> 2000 mg/kg bodyweight

Skin corrosion/irritation : Not classified  
pH: 8.8 - 9.6

Serious eye damage/irritation : Causes serious eye irritation.  
pH: 8.8 - 9.6

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

<b>Green Line - ALL METAL POLISH</b>	
Viscosity, kinematic	20 - 50 mm <sup>2</sup> /s

# Green Line - ALL METAL POLISH

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Ecology - water	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

<b>Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, &lt; 2% aromatics (64742-48-9)</b>	
LC50 fish 1	> 1000 mg/l
EC50 other aquatic organisms 1	> 1000 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 1000 mg/l IC50 alga (72 h) mg/l
<b>1,2-Benzisothiazolin-3-one (2634-33-5)</b>	
LC50 fish 1	> 1.6 mg/l
EC50 other aquatic organisms 1	> 1.35 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	> 0.07 mg/l IC50 alga (72 h) mg/l
<b>BUTYLPHENYL METHYLPROPIONAL (80-54-6)</b>	
LC50 fish 1	2.2 mg/l
EC50 other aquatic organisms 1	10.7 mg/l
EC50 other aquatic organisms 2	IC50 alga (72 h) mg/l
<b>(L) CITRAL (5392-40-5)</b>	
LC50 fish 1	4.1 mg/l
EC50 other aquatic organisms 1	7 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	5 mg/l IC50 alga (72 h) mg/l
<b>CITRONELLOL (106-22-9)</b>	
LC50 fish 1	10 mg/l
EC50 other aquatic organisms 1	17.48 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	2.38 mg/l IC50 alga (72 h) mg/l
<b>Linalool (78-70-6)</b>	
LC50 fish 1	27.8 mg/l
EC50 other aquatic organisms 1	20 mg/l EC50 waterflea (48 h)
EC50 other aquatic organisms 2	88.3 mg/l IC50 alga (72 h) mg/l
<b>2-Amino-2-methylpropanol (124-68-5)</b>	
LC50 fish 1	190 mg/l

#### 12.2. Persistence and degradability

<b>Green Line - ALL METAL POLISH</b>	
Persistence and degradability	Not established.

#### 12.3. Bioaccumulative potential

<b>Green Line - ALL METAL POLISH</b>	
Bioaccumulative potential	Not established.
<b>1,2-Benzisothiazolin-3-one (2634-33-5)</b>	
Log Pow	0.64
<b>(L) CITRAL (5392-40-5)</b>	
Log Pow	3.45
<b>CITRONELLOL (106-22-9)</b>	
Log Pow	3.91
<b>Linalool (78-70-6)</b>	
Log Pow	2.97
<b>2-Amino-2-methylpropanol (124-68-5)</b>	
Log Pow	-0.74

#### 12.4. Mobility in soil

<b>Green Line - ALL METAL POLISH</b>	
Ecology - soil	Not established.

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Other adverse effects	: None known.
Additional information	: Avoid release to the environment

# Green Line - ALL METAL POLISH

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Waste disposal recommendations	: Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

#### 14.3. Transport hazard class(es)

##### ADR

Transport hazard class(es) (ADR) : Not applicable

##### IMDG

Transport hazard class(es) (IMDG) : Not applicable

##### IATA

Transport hazard class(es) (IATA) : Not applicable

##### ADN

Transport hazard class(es) (ADN) : Not applicable

##### RID

Transport hazard class(es) (RID) : Not applicable

#### 14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

#### 14.6. Special precautions for user

##### - Overland transport

No data available

##### - Transport by sea

No data available

##### - Air transport

No data available

##### - Inland waterway transport

Carriage prohibited (ADN)	: No
Not subject to ADN	: No



# Green Line - ALL METAL POLISH

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

### - Rail transport

Carriage prohibited (RID) : No

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H361f	Suspected of damaging fertility
H372	Causes damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

# Green Line - ALL METAL POLISH

## Safety Data Sheet

according to Regulation (EC) No. 453/2010

---

SDS EU TURTLEWAX

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*