

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1. Product identifier**

Product name : VALMA HARSVERWIJDERAAR  
Product code : A64A

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : Consumer product (SU21). Cleaning agent (PC35). Car maintenance.

**1.3. Details of the supplier of the safety data sheet**

Supplier : Service Best International B.V.  
De Run 4271  
5503LM Veldhoven, The Netherlands  
E-mail : info@servicebest.com  
Website : www.servicebest.com

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:  
NL - Telephone : 040-2302300 (During office hours only)

EMERGENCY TELEPHONE NUMBER (in the UK and Ireland for healthcare professionals only):  
(24/7)

**SECTION 2 HAZARDS IDENTIFICATION**

\*

**2.1. Classification of the substance or mixture**

CLP classification (1272/2008/EC) : Flammable liquid, category 2. Eye irritation, category 2. Specific target organ toxicity after single exposure, category 3.  
Human health hazards : Causes serious eye irritation. May cause drowsiness or dizziness.  
Physical/chemical hazards : Highly flammable. Keep away from sources of ignition — No smoking.  
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.  
Other information : Keep out of the reach of children. If swallowed, seek medical advice immediately and show this container or label.

**2.2. Label elements**

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.



# SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

P261 vapour	Avoid breathing vapours.
P271	Use only outdoors or in a well-ventilated area.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to an approved waste disposal plant.

Additional labelling

: Contains: Propan-2-ol

Ingredient declaration according to Regulation 648/2004:

Contains:	Concentration (%)
2-Bromo-2-nitropropane-1,3-diol; Octylisothiazolinone	

Other information : According to Regulation (EC) No 1272/2008, the packaging of this product shall carry a tactile warning of danger.

## 2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

\*

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	REACH nr.	OEL
Propan-2-ol Flam. Liq. 2; Eye Irrit. 2; STOT SE 3 H225; H319; H336	> 75	67-63-0	200-661-7	01-2119457558-25	#
Ethane-1,2-diol Acute Tox. 4; STOT RE 2 H302; H373	5 - < 10	107-21-1	203-473-3	01-2119456816-28	#

Reference is made to chapter 16 for full text of each relevant H phrase. Substance(s) with an Occupational Exposure Limit are marked with #. Occupational exposure limit(s) are listed in section 8.

## SECTION 4 FIRST AID MEASURES

### 4.1. Description of first aid measures

First aid measures

Inhalation	: Move victim into fresh air. Consult a doctor if victim feels unwell.
Skin contact	: Take off contaminated clothing. Wash off skin with plenty of water before product dries up.
Eye contact	: Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor.
Ingestion	: Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Consult a doctor immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

Inhalation	: May cause headache, drowsiness, dizziness and a feeling of sickness.
Skin contact	: May cause dry skin.
Eye contact	: Irritant. May cause redness and pain.
Ingestion	: May cause a feeling of sickness, vomiting and diarrhoea.



# SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

## 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians :  
General : Risk of metabolic acidosis.

## SECTION 5 FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media  
Suitable : Carbondioxide (CO<sub>2</sub>). Alcohol resistant foam. Dry chemical. Water fog.  
Not suitable : Water jet.

### 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : None known.  
Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

### 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Keep away from sources of ignition — No smoking. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

### 6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. Large spills: contain with dike.  
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

### 6.4. Reference to other sections

Reference to other sections : For guidance on selection of personal protective equipment see section 8. For guidance on disposal of spilled material see section 13.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities



# SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

Storage : Keep in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents. Protect from sunlight.  
 Recommended packaging : Keep only in the original container.  
 Non recommended packaging : Steel (except stainless steel).

### 7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

<b>SECTION 8</b>	<b>EXPOSURE CONTROLS/PERSONAL PROTECTION</b>	*
------------------	--	---

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Occupational exposure limits (mg/m<sup>3</sup>):

Chemical name	Country	TWA 8 hour (mg/m <sup>3</sup> )	STEL 15 min (mg/m <sup>3</sup> )	Comments
Propan-2-ol	GB	999	1250	-
Ethane-1,2-diol	GB	52	104	Skin
Ethane-1,2-diol	EC	52	104	Skin

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Propan-2-ol	Dermal Inhalation				888 mg/kg bw/day 500 mg/m <sup>3</sup>
Ethane-1,2-diol	Dermal Inhalation			35 mg/m <sup>3</sup>	106 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Propan-2-ol	Dermal Inhalation Oral				319 mg/kg bw/day 89 mg/m <sup>3</sup> 26 mg/kg bw/day
Ethane-1,2-diol	Dermal Inhalation			7 mg/m <sup>3</sup>	53 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Propan-2-ol	Water	140,9 mg/l	140,9 mg/l	
	Sediment	552 mg/kg	552 mg/kg	
	Intermittent water			140,9 mg/l
	STP			2251 mg/l
Ethane-1,2-diol	Soil			28 mg/kg
	Oral			160 mg/kg food
	Water	10 mg/l	1 mg/l	
	Sediment	20,9 mg/kg		
	Intermittent water			10 mg/l
	STP			199,5 mg/l
	Soil			1,53 mg/kg



# SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

## 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.  
Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.  
Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure.  
Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.  
Hand protection : Under normal conditions of use specific gloves are not required.  
Eye protection : Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

\*

### 9.1. Information on basic physical and chemical properties

Appearance : Liquid.  
Colour : Colourless.  
Odour : Characteristic.  
Odour threshold : Not known.  
pH : Not applicable. Almost waterfree product.  
Solubility in water : Soluble.  
Partition coefficient (n-octanol/water) : Not applicable. Contains surfactants. The O/W system emulsifies.  
Flash point : 13 °C  
Flammability (solid, gas) : Not applicable. Liquid. See flashpoint.  
Auto ignition temperature : 400 °C  
Boiling point/boiling range : 82 °C  
Melting point/melting range : < -20 °C  
Explosive properties : None known. Does not contain explosives.  
Explosion limits (in air) : Not known. Lower explosion limit in air (%): 2 ( Propan-2-ol )  
Upper explosion limit in air (%): 15,3 Ethane-1,2-diol  
Oxidising properties : Not applicable. Does not contain oxidizing substances.  
Decomposition temperature : Not applicable.  
Viscosity (20°C) : 1 mm<sup>2</sup>/sec (1 mm<sup>2</sup>/sec = 1cSt)  
Viscosity (40°C) : < 7 mm<sup>2</sup>/sec  
Vapour pressure (20°C) : > 2300 Pa  
Vapour density (20°C) : > 1 (air = 1)  
Relative density (20°C) : 0,9 g/ml  
Evaporation rate : > 1 (n-butyl acetate = 1)

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.



# SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

## 10.4. Conditions to avoid

Conditions to avoid : See section 7.

## 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

## 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

\*

### 11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

#### Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause damage to organs. Target organ(s): Central nervous system. Effect(s): Breathing of high vapour concentrations may cause central nervous system (CNS) depression resulting in dizziness, lightheadedness, headache, nausea and loss of coordination. Continued inhalation may result in unconsciousness and death.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

#### Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

#### Eye contact

- Corrosion/irritation : Irritant.

#### Ingestion

- Acute toxicity : Calculated LD50: > 4538 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, vomiting and diarrhoea. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

#### Toxicological information:

Chemical name	Property		Method	Test animal
Propan-2-ol	LD50 (oral)	4396 mg/kg bw	-----	Rat
	LD50 (dermal)	12800 mg/kg bw	-----	Rat
	LC50 (inhalation)	46600 mg/m3	-----	Rat
	Skin irritation	Slightly irritant	OECD 404	Rabbit
	Eye irritation	Irritant	OECD 405	Rabbit
	NOAEL (fertility, oral)	407 mg/kg bw/d		Rat



# SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

NOAEL (development, oral)	400 mg/kg bw/d		Rat
NOEL (carcinogenicity, oral)	Not carcinogenic	OECD 416	Rat
Skin sensitisation	Not sensitizing	OECD 406	Guinea pig
Mutagenicity	Negative	OECD 471	
NOAEL (inhalation)	12500 mg/m <sup>3</sup>	OECD 451	Rat
Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
NOEL (carcinogenicity, inh.)	12500 mg/m <sup>3</sup>		Mouse
Genotoxicity - in vitro	Not genotoxic	OECD 476	
NOAEL (oral)	870 mg/kg bw/d	-----	Rat

Other information : Ethane-1,2-diol There is a marked difference in acute oral toxicity between rodents and man, man being more susceptible than rodents. The estimated fatal dose for man is 100 millilitres (1/2 cup).

## SECTION 12 ECOLOGICAL INFORMATION

\*

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 4075 mg/l. Calculated EC50 (waterflea): 1153 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

### 12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

### 12.6. Other adverse effects

Other information : Not applicable.

## SECTION 13 DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

**SECTION 14 TRANSPORT INFORMATION**

\*

**14.1. UN number**

UN nr. : UN 1219

**14.2. UN proper shipping name**

Transport name : ISOPROPANOL (ISOPROPYL ALCOHOL)

Transport name (IMDG, IATA) : ISOPROPANOL (ISOPROPYL ALCOHOL)

**14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards**

ADR/RID/ADN (road/railway/inland waterways)

Class : 3

Classification code : F1

Packaging group : II

Danger label : 3



Other information : Not intended for carriage by inland waterways in tank-vessels.

IMDG (sea)

Class : 3

Packaging group : II

EmS (fire / spill) : F - E / S - D

Marine pollutant : No

IATA (air)

Class : 3

**14.6. Special precautions for user**

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments.

**SECTION 15 REGULATORY INFORMATION**

\*

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Community regulations : Regulation (EC) No 830/2015 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

:

**15.2. Chemical safety assessment**

Chemical safety assessment : Not applicable.

**SECTION 16 OTHER INFORMATION**

\*



**16.1. Other information**

The information in this safety data sheet is compiled in compliance with Regulation (EC) No 830/2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

Full text of H-phrases mentioned in section 3:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 2	: Flammable liquid, category 2.
Acute Tox. 4	: Acute toxicity, category 4.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
STOT RE 2	: Specific target organ toxicity — repeated exposure, category 2.

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
DNEL	Derived no-effect level
ECETOC TRA	European centre for ecotoxicology and toxicology of chemicals. Targeted risk assessment
EU	European Union
EUSES	European Union System for the Evaluation of Substances
IBC code	Intermediate Bulk Container
LD50 LC50	Lethal Dose/Concentration for 50% of a population
NOAEL	No Observed (Adverse) Effect Level
NOEC	No observed effect concentration
OEL	Occupational exposure limit
PBT	Persistent, Bioaccumulative and Toxic
PC	Chemical product category
PNEC	Predicted no-effect concentration
STP	Sewage Treatment Plant
SU	Sector of Use
SVHC	Substance of very high concern
TWA/STEL	Time-Weighted Average/Short Term Exposure Limit
vPvB	Very Persistent and Very Bioaccumulative

Number format : "," used as decimal separator.