

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2018

Version: 8.00

Revision: 16.07.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **SONAX DRY S**

Article number: 06025000.02, 06026000.07, 06027050.08, 06028000.06

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Application of the substance / the mixture Car care product

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + 49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

GB

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.12.2018

Version: 8.00

Revision: 16.07.2018

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Tensides, care additives, alcohol in aqueous solution.

Dangerous components:

EC No 931-216-1 Reg.nr.: 01-2119472309-33-xxx	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized ⚠ Skin Irrit. 2, H315; ⚠ Eye Irrit. 2, H319	5-<10%
CAS: 5131-66-8 EINECS: 225-878-4 Reg.nr.: 01-2119475527-28-xxxx	3-butoxypropan-2-ol ⚠ Flam. Liq. 3, H226; ⚠ Skin Irrit. 2, H315; ⚠ Eye Irrit. 2, H319	5-<10%
CAS: 9004-78-8 NLP: 500-013-6	Phenol polyethoxilate ⚠ Acute Tox. 4, H302	5-<10%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	1-<3%
CAS: 25307-17-9 EINECS: 246-807-3 Reg.nr.: 01-2119510876-35-xxxx	2,2'-(9-octadecenyylimino)bisethanol ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400; ⚠ Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	<1%

Additional information:

Any entry in the EC-column that begins with the number "9" is a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. See Section 15 for additional CAS number information for the substance.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If symptoms persist consult doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation

Skin irritation

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: The normal measures for firefighting are to be taken.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

(Contd. on page 3)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2018

Version: 8.00

Revision: 16.07.2018

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling** No special precautions are necessary if used correctly.**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.**Information about storage in one common storage facility:** Store away from foodstuffs.**Further information about storage conditions:**

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:****CAS: 67-63-0 propan-2-ol**WEL (Great Britain) Short-term value: 1250 mg/m³, 500 ppm
Long-term value: 999 mg/m³, 400 ppm**Regulatory information** WEL (Great Britain): EH40/2011**DNELs****Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized**

Oral	DNEL	7.5 mg/kg bw/day (consumer) (Long term exposure)
Dermal	DNEL	187.5 mg/kg bw/day (consumer) (Long term exposure)
		312.5 mg/kg bw/day (worker) (Long term exposure)
Inhalative	DNEL	13 mg/m ³ (consumer) (Long term exposure)
		44 mg/m ³ (worker) (Long term exposure)

CAS: 5131-66-8 3-butoxypropan-2-ol

Oral	DNEL	8.75 mg/kg bw/day (human)
Dermal	DNEL	16 mg/kg bw/day (human)
		44 mg/kg bw/day (worker)
Inhalative	DNEL	33.8 mg/m ³ (human)
		270.5 mg/m ³ (worker)

CAS: 67-63-0 propan-2-ol

Oral	DNEL	26 mg/kg (consumer) (chronic effects (1d))
Dermal	DNEL	319 mg/kg (consumer) (chronic effects (1d))
		888 mg/kg (worker) (chronic effects (1d))
Inhalative	DNEL	89 mg/m ³ (consumer) (chronic effects)
		500 mg/m ³ (worker) (chronic effects)

CAS: 25307-17-9 2,2'-(9-octadecenylimino)bisethanol

Oral	DNEL	0.179 mg/kg bw/day (consumer) (long-term exposure - systemic effects)
Dermal	DNEL	0.179 mg/kg bw/day (consumer) (long-term exposure - systemic effects)
		0.25 mg/kg bw/day (worker) (long-term exposure - systemic effects)
Inhalative	DNEL	0.621 mg/m ³ (consumer) (long-term exposure - systemic effects)
		1.76 mg/m ³ (worker) (long-term exposure - systemic effects)

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2018

Version: 8.00

Revision: 16.07.2018

(Contd. of page 3)

PNECs**Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized**

PNEC	0.002 mg/l (water (fresh water)) 0 mg/l (water (sea water))
PNEC	0.58 mg/kg (sediment (fresh water)) 0.058 mg/kg (sediment (sea water)) 0.115 mg/kg (soil)

CAS: 5131-66-8 3-butoxypropan-2-ol

PNEC	10 mg/l (sewage plant) 5.25 mg/l (sporadic release) 0.525 mg/l (water (fresh water)) 0.0525 mg/l (water (sea water))
PNEC	2.36 mg/kg (sediment (fresh water)) 0.236 mg/kg (sediment (sea water)) 0.16 mg/kg (soil)

CAS: 67-63-0 propan-2-ol

PNEC	140.9 mg/l (sporadic release) 2,251 mg/l (STP) 140.9 mg/l (water (fresh water)) 140.9 mg/l (water (sea water))
PNEC	28 mg/kg (gro) 552 mg/kg (sediment)

CAS: 25307-17-9 2,2'-(9-octadecenyylimino)bisethanol

PNEC	1.5 mg/l (sewage plant) 0.000214 mg/l (water (fresh water)) 0.000021 mg/l (water (sea water))
PNEC	1.692 mg/kg (sediment (fresh water)) 0.1692 mg/kg (sediment (sea water)) 5 mg/kg (soil)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls**Personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Protection of hands: Protective gloves

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

[EN 374]

Penetration time of glove material Value for the permeation: Level 6 (≥ 480 min)

Eye protection:

Safety glasses

[EN 166]

-GB-

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2018

Version: 8.00

Revision: 16.07.2018

(Contd. of page 4)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Fluid
Colour:	Blue
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value at 20 °C: 4.5 - 5.5

Change in condition

Melting point/freezing point: Undetermined.
Initial boiling point and boiling range: 80 - 175 °C

Flash point: Not applicable.

Flammability (solid, gas): Not applicable.

Decomposition temperature: Not determined.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.
Upper: Not determined.

Vapour pressure: Not determined.

Density at 20 °C: 0.98 - 1.00 g/cm³

Relative density: Not determined.

Vapour density: Not determined.

Evaporation rate: Not determined.

Solubility in / Miscibility with water: Partly miscible.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

Flow time at 20 °C: 12 - 16 s (DIN EN ISO 2431/4mm)

9.2 Other information: No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity: No dangerous reactions known.

10.2 Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions: No dangerous reactions known.

10.4 Conditions to avoid: See Section 7 for information on safe handling.

10.5 Incompatible materials: strong oxidizing agents

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects: There are no toxicological findings on this mixture.

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized

Oral	LD50	>2,000 mg/kg
Dermal	LD50	>2,000 mg/kg (rat)

CAS: 5131-66-8 3-butoxypropan-2-ol

Oral	LD50	3,300 mg/kg (rat) (OECD 401)
Dermal	LD50	>2,000 mg/kg (rat) (OECD 402)

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2018

Version: 8.00

Revision: 16.07.2018

(Contd. of page 5)

Inhalative	LC50 / 4h	>651 ppm (rat)
	LC50 / 4h	>3.4 mg/l (rat)
CAS: 9004-78-8 Phenol polyethoxilate		
Oral	LD50	500-2,000 mg/kg (rat) (OECD 423)
Dermal	LD50	2,140 mg/kg (rabbit)
CAS: 67-63-0 propan-2-ol		
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	13,900 mg/kg (rabbit)
Inhalative	LC50 / 6 h	>25 mg/l (rat) (OECD 403)
CAS: 25307-17-9 2,2'-(9-octadecenylimino)bisethanol		
Oral	LD50	>300-2,000 mg/kg (rat) (OECD 401)

Primary irritant effect:**Skin corrosion/irritation**

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity**

Product is considered to be harmful to aquatic organisms. May have long-term harmful effects in aquatic environments.

Aquatic toxicity:**Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized**

LC50 / 96h 1.91 mg/l (Oncorhynchus mykiss)

EC50 / 48h 2.23 mg/l (Daphnia magna)

EC50 / 72h 5.8 mg/l (algae)

CAS: 5131-66-8 3-butoxypropan-2-ol

LC50 / 96h >560-1,000 mg/l (Gp)

EC50/3h >1,000 mg/l (bacteria)

EC50 / 48h >1,000 mg/l (Daphnia magna) (OECD 202 (Teil I))

EC50 / 96 h >1,000 mg/l (Grünalge Pseudokirchneriella subcapitata)

CAS: 9004-78-8 Phenol polyethoxilate

LC50 / 96h >100 mg/l (fish) (OECD 203)

EC50 >128 mg/kg (Daphnia magna) (OECD 202)

CAS: 67-63-0 propan-2-ol

LC50 / 96h 9,640 mg/l (Pimephales promelas)

LC50 / 24h 9,714 mg/l (daphnia)

EC50 >100 mg/l (bacteria)

EC50 / 72h >100 mg/l (algae)

CAS: 25307-17-9 2,2'-(9-octadecenylimino)bisethanol

LC50 / 96h >0.1-1 mg/l (fish)

EC50 / 48h >0.01-0.1 mg/l (daphnia)

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2018

Version: 8.00

Revision: 16.07.2018

(Contd. of page 6)

EC50 / 72h	>0.01-0.1 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
EC10 / 21 d	>0.001-0.01 mg/l (Daphnia magna) (OECD 211)
EC10 / 72 h	>0.01-0.1 mg/l (Pseudokirchneriella subcapitata) (OECD 201)

12.2 Persistence and degradability**CAS: 5131-66-8 3-butoxypropan-2-ol**

Biodegradation 90 % (OECD301E/92/69/EWG, C4.-B)

CAS: 9004-78-8 Phenol polyethoxilate

Biodegradation 40-50 % (OECD 311)

CAS: 67-63-0 propan-2-ol

Biodegradation 53 %

CAS: 25307-17-9 2,2'-(9-octadecenylimino)bisethanol

CSB 3,880 mg/g

Biodegradation >60 % (OECD 301 D)

12.3 Bioaccumulative potential No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

The product may not be released into the environment without control.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation** Waste must be disposed of while observing the local, official regulations.**European waste catalogue**

07 06 04* other organic solvents, washing liquids and mother liquors

Uncleaned packaging:

15 01 10*: packaging containing residues of or contaminated by dangerous substances

Recommendation:

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

Recommended cleansing agents: Water**SECTION 14: Transport information****14.1 UN-Number**

ADR, IMDG, IATA Void

14.2 UN proper shipping name

ADR, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group

ADR, IMDG, IATA Void

14.5 Environmental hazards:**Marine pollutant:** No**14.6 Special precautions for user** Not applicable.

(Contd. on page 8)

-GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2018

Version: 8.00

Revision: 16.07.2018

(Contd. of page 7)

UN "Model Regulation":	Void
-------------------------------	------

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

The following substance(s) in this product is (are) identified by CAS number either in countries not subject to the REACH regulation.

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized: CAS 157905-74-3

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = Lethal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**