

Printing date 01.06.2017 Version: 7 Revision: 05.09.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX BRILLIANT DRYER

Article number: 06025000.01, 06026000.05, 06027050.07, 06028000.05

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Application of the substance / the mixture Car care product

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.



Printing date 01.06.2017 Version: 7 Revision: 05.09.2016

Trade name: SONAX BRILLIANT DRYER

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Tensides, care additives, alcohol in aqueous solution.

Dangerous components:		
EC No 931-216-1 Reg.nr.: 01-2119472309-33-xxx	Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized Skin Irrit. 2, H315; Eye Irrit. 2, H319	5 - <10%
CAS: 5131-66-8 EINECS: 225-878-4 Reg.nr.: 01-2119475527-28-xxxx	3-butoxypropan-2-ol ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319	5 - <10%
CAS: 9004-78-8 NLP: 500-013-6	Phenol polyethoxilate • Acute Tox. 4, H302	5 - <10%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol ♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	1 - <3%
CAS: 25307-17-9 EINECS: 246-807-3 Reg.nr.: 01-2119510876-35-xxxx	2,2'-(Octadec-9-enylimino)bisethanol Skin Corr. 1B, H314; Squatic Acute 1, H400; Aquatic Chronic 1, H410; Squatic Tox. 4, H302	< 1.00%

Additional information:

Any entry in the EC-column that begins with the number "9" is a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. See Section 15 for additional CAS number information for the substance.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If symptoms persist consult doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation Skin irritation

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: The normal measures for firefighting are to be taken.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)



Printing date 01.06.2017 Version: 7 Revision: 05.09.2016

Trade name: SONAX BRILLIANT DRYER

(Contd. of page 2)

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with lin	Ingredients with limit values that require monitoring at the workplace:		
CAS: 67-63-0 propa	nn-2-ol		
	Short-term value: 1250 mg/m³, 500 ppm		
	Long-term value: 999 mg/m³, 400 ppm		
Regulatory informa	tion WFL (Great Britain): FH40/2011		

DNELs		
Fatty acid	ls, C18	unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
Oral	DNEL	7.5 mg/kg bw/day (consumer) (Long term exposure)
Dermal	DNEL	187.5 mg/kg bw/day (consumer) (Long term exposure)
		312.5 mg/kg bw/day (worker) (Long term exposure)
Inhalative	DNEL	13 mg/m³ (consumer) (Long term exposure)
		44 mg/m³ (worker) (Long term exposure)
CAS: 513	1-66-8	3-butoxypropan-2-ol
Oral	DNEL	8.75 mg/kg bw/day (human)
Dermal	DNEL	16 mg/kg bw/day (human)
		44 mg/kg bw/day (worker)
Inhalative	DNEL	33.8 mg/m³ (human)
		270.5 mg/m³ (worker)
CAS: 67-6	3-0 pro	ppan-2-ol
Oral	DNEL	26 mg/kg (consumer) (chornic effects (1d))
Dermal	DNEL	319 mg/kg (consumer) (chronic effects (1d))
		888 mg/kg (worker) (chronic effects (1d))
Inhalative	DNEL	89 mg/m³ (consumer) (chronic effects)
		500 mg/m³ (worker) (chronic effects)
CAS: 253	07-17-9	2,2'-(Octadec-9-enylimino)bisethanol
Oral	DNEL	0.179 mg/kg bw/day (consumer) (long-term exposure - systemic effects)
Dermal	DNFI	0.179 mg/kg bw/day (consumer) (long-term exposure - systemic effects)

(Contd. on page 4)



Printing date 01.06.2017 Version: 7 Revision: 05.09.2016

Trade name: SONAX BRILLIANT DRYER

(Contd. of page 3) 0.25 mg/kg bw/day (worker) (long-term exposure - systemic effects) Inhalative DNEL 0.621 mg/m³ (consumer) (long-term exposure - systemic effects) 1.76 mg/m³ (worker) (long-term exposure - systemic effects) **PNECs** Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized PNEC 0.002 mg/l (water (fresh water)) 0 mg/l (water (sea water)) PNEC 0.58 mg/kg (sediment (fresh water)) 0.058 mg/kg (sediment (sea water)) 0.115 mg/kg (soil) CAS: 5131-66-8 3-butoxypropan-2-ol PNEC 10 mg/l (PF) 10 mg/l (STP) 0.525 mg/l (water (fresh water)) 0.0525 mg/l (water (sea water)) PNEC 2.36 mg/kg (sediment (fresh water)) 0.236 mg/kg (sediment (sea water)) 0.16 mg/kg (soil) CAS: 67-63-0 propan-2-ol PNEC 140.9 mg/l (sporadic release) 2251 mg/l (STP) 140.9 mg/l (water (fresh water)) 140.9 mg/l (water (sea water)) PNEC 28 mg/kg (gro) 552 mg/kg (sediment) CAS: 25307-17-9 2,2'-(Octadec-9-enylimino)bisethanol PNEC 1.5 mg/l (sewage plant) 0.000214 mg/l (water (fresh water)) 0.000021 mg/l (water (sea water)) PNEC 1.692 mg/kg (sediment (fresh water)) 0.1692 mg/kg (sediment (sea water)) 5 mg/kg (soil)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Protection of hands:

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.4 \text{ mm}$

[EN 374]

Penetration time of glove material Value for the permeation: Level 6 (≥480min)

Eye protection:

Safety glasses

(Contd. on page 5)



Printing date 01.06.2017 Version: 7 Revision: 05.09.2016

Trade name: SONAX BRILLIANT DRYER

[EN 166]

(Contd. of page 4)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Fluid Form: Colour: Blue

Odour: Characteristic Odour threshold: Not determined.

pH-value at 20 °C: 4.5 - 5.5

Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 80 - 175 °C

Flash point: Not applicable. Flammability (solid, gas): Not applicable.

Ignition temperature:

Decomposition temperature: Not determined.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined. Upper: Not determined. Vapour pressure: Not determined.

Density at 20 °C: 0.98 - 1.00 g/cm3 Relative density Not determined. Vapour density Not determined. Evaporation rate Not determined.

Solubility in / Miscibility with

Partly miscible.

Partition coefficient: n-octanol/water: Not determined.

Viscosity:

water:

Flow time at 20 °C 12 - 16 s (DIN EN ISO 2431/4mm)

Dynamic: Not determined. Kinematic: Not determined.

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture. Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



Trade name: SONAX BRILLIANT DRYER

		(Contd. of p
LD/LC50	values rele	vant for classification:
Fatty acid	ls, C18 uns	atd., reaction products with triethanolamine, di-Me sulfate-quaternized
Oral	LD50	>2000 mg/kg
Dermal	LD50	>2000 mg/kg (rat)
CAS: 513	1-66-8 3-bu	toxypropan-2-ol
Oral	LD50	>2000 mg/kg (rat) (OECD 423)
Dermal	LD50	>2000 mg/kg (rat) (OECD 402)
CAS: 900	4-78-8 Pher	nol polyethoxilate
Oral	LD50	500-2000 mg/kg (rat) (OECD 423)
Dermal	LD50	2140 mg/kg (rabbit)
CAS: 67-6	3-0 propan	n-2-ol
Oral	LD50	5840 mg/kg (rat)
Dermal	LD50	13900 mg/kg (rabbit)
Inhalative	LC50 / 6 h	>25 mg/l (rat) (OECD 403)
CAS: 253	07-17-9 2,2	-(Octadec-9-enylimino)bisethanol
Oral	LD50	> 300 - 2000 mg/kg (rat) (OECD 401)
Primary ii	rritant effec	t:
	osion/irrita kin irritation.	tion
	eye damage erious eye ir	
		sensitisation railable data, the classification criteria are not complied with (Conventional Method).
Germ cell Carcinoge	l mutagenio enicity Base	ogenity, mutagenicity and toxicity for reproduction) city Based on available data, the classification criteria are not met. ed on available data, the classification criteria are not met. y Based on available data, the classification criteria are not met.
STOT-sin	gle exposu	re Based on available data, the classification criteria are not met.
STOT-rep	eated expo	esure Based on available data, the classification criteria are not met.
	.*	

SECTION 12: Ecological information

12.1 Toxicity

Product is considered to be harmful to aquatic organisms. May have long-term harmful effects in aquatic environments

Aspiration hazard Based on available data, the classification criteria are not met.

Aquatic tox	icity:
Fatty acids,	C18 unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized
LC50 / 96h	1.91 mg/l (Oncorhynchus mykiss)
EC50 / 48h	2.23 mg/l (Daphnia magna)
EC50 / 72h	5.8 mg/l (algae)
CAS: 5131-0	66-8 3-butoxypropan-2-ol
LC50 / 96h	>560 -1000 mg/l (Gp)
	>100 mg/l (Pimephales promelas)
EC20	>1000 mg/l (activated sludge) (DIN EN ISO 9192-OECD 20-88/302/EWG, T.C, aerob))
EC50/3h	>1000 mg/l (bacteria)
EC50 / 48h	>100 mg/l (Daphnia magna) (OECD 202 (Teil I))
EC50 / 96 h	>1000 mg/l (Grünalge Pseudokirchneriella subcapitata)
NOEC 96h	560 mg/l (Grünalge Pseudokirchneriella subcapitata)



Printing date 01.06.2017 Version: 7 Revision: 05.09.2016

Trade name: SONAX BRILLIANT DRYER

	(Contd. of	ра
CAS: 9004-	-78-8 Phenol polyethoxilate	
LC50 / 96h	>100 mg/l (fish) (OECD 203)	
EC50	>128 mg/kg (Daphnia magna) (OECD 202)	
CAS: 67-63	3-0 propan-2-ol	
LC50 / 96h	9640 mg/l (Pimephales promelas)	
LC50 / 24h	9714 mg/l (daphnia)	
EC50	>100 mg/l (bacteria)	
EC50 / 72h	>100 mg/l (algae)	
CAS: 25307	7-17-9 2,2'-(Octadec-9-enylimino)bisethanol	
LC50 / 96h	> 0.1 - 1 mg/l (fish)	
EC50 / 48h	> 0.01 -0.1 mg/l (daphnia)	
EC50 / 72h	> 0.01 - 0.1 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
EC10/21 d	d > 0.001 - 0.01 mg/l (Daphnia magna) (OECD 211)	
EC10 / 72 h	> 0.01 - 0.1 mg/l (Pseudokirchneriella subcapitata) (OECD 201)	
12.2 Persis	tence and degradability	
CAS: 5131-	-66-8 3-butoxypropan-2-ol	
Biodegradia	ation 80 - 90 % (ISO 14593)	
CAS: 9004-	-78-8 Phenol polyethoxilate	
Biodegradia	ation 40 - 50 % (OECD 311)	
CAS: 67-63	3-0 propan-2-ol	
Biodegradia	ation 53 %	
CAS: 25307	7-17-9 2,2'-(Octadec-9-enylimino)bisethanol	
CSB	3880 mg/g	
Biodegradia	ation > 60 % (OECD 301 D)	

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

The product may not be released into the environment without control. The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

07 06 04* other organic solvents, washing liquids and mother liquors

Uncleaned packaging:

15 01 10*: packaging containing residues of or contaminated by dangerous substances

Recommendation:

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

Recommended cleansing agents: Water

GB



Printing date 01.06.2017 Version: 7 Revision: 05.09.2016

Trade name: SONAX BRILLIANT DRYER

(Contd. of page 7)

14.1 UN-Number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for use	r Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture The following substance(s) in this product is (are) identified by CAS number either in countries not subject to the REACH regulation.

Fatty acids, C18 unsatd., reaction products with triethanolamine, di-Me sulfate-guaternized: CAS 157905-74-3

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Conentration EC50 = half maximal effective conentraion

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

(Contd. on page 9)



Printing date 01.06.2017 Revision: 05.09.2016 Version: 7

Trade name: SONAX BRILLIANT DRYER

(Contd. of page 8)

Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
* Pata compared to the previous version altered

* Data compared to the previous version altered.