

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.06.2018

Version: 5

Revision: 08.02.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SONAX ACTIVE CLEANING FOAM ENERGY

Article number: 06185000.02, 06186000.04, 06187050.05, 06188000.03, 06189410.01

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Product category PC35 Washing and cleaning products (including solvent based products)

Application of the substance / the mixture Car care product

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH

Münchener Straße 75

D-86633 Neuburg (Donau)

Tel.: ++49 (0)8431/53-0

Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

1.4 Emergency telephone number: Emergency Phone Munich Tel.: +49 (0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

Sodium Laureth Sulfate

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/eye protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

GB

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.06.2018

Version: 5

Revision: 08.02.2018

Trade name: SONAX ACTIVE CLEANING FOAM ENERGY

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Aqueous tenside solution.

Dangerous components:

CAS: 68891-38-3 NLP: 500-234-8 Reg.nr.: 01-2119488639-16-xxxx	alcohols, C12-14, ethoxylated, sulfates, sodium salts ☠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Aquatic Chronic 3, H412	15-<20%
CAS: 111-76-2 EINECS: 203-905-0 Reg.nr.: 01-2119475108-36-xxxx	2-butoxyethanol ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319	5-<10%
CAS: 308062-28-4 Reg.nr.: 01-2119490061-47-xxxx	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides ☠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315	<1%

Regulation (EC) No 648/2004 on detergents / Labelling for contents

anionic surfactants	≥15 - <30%
non-ionic surfactants	<5%
perfumes, linalool, citronellol, methylisothiazolinone, benzisothiazolinone, sodium pyrrhione	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact:

Wash the areas of skin affected with water and a mild detergent.

If skin irritation continues, consult a doctor.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation / Eye damage

Skin irritation

4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: The normal measures for firefighting are to be taken.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.06.2018

Version: 5

Revision: 08.02.2018

Trade name: SONAX ACTIVE CLEANING FOAM ENERGY

(Contd. of page 2)

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Use only in well ventilated areas.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store receptacle in a well ventilated area.

Keep container tightly sealed.

Protect from frost.

Recommended storage temperature: 20 °C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 111-76-2 2-butoxyethanol

WEL (Great Britain) Short-term value: 246 mg/m³, 50 ppm
Long-term value: 123 mg/m³, 25 ppm
Sk, BMGV

IOELV (EU) Short-term value: 246 mg/m³, 50 ppm
Long-term value: 98 mg/m³, 20 ppm
Skin

Regulatory information

WEL (Great Britain): EH40/2011

IOELV (EU): (EU) 2017/164

DNELs

CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral	DNEL	15 mg/kg (VL)
Dermal	DNEL	1,650 mg/kg (VL)
		2,750 mg/kg (worker long-term)
Inhalative	DNEL	52 mg/m ³ (VL)
	DNEL	175 mg/m ³ (worker long-term)

CAS: 111-76-2 2-butoxyethanol

Oral	DNEL	13.4 mg/kg (consumer) (acute effect)
	DNEL	3.2 mg/kg (consumer) (chronic effect (24h))
Dermal	DNEL	44.5 mg/kg (consumer) (acute effects (24h))
		89 mg/kg (worker) (acute effect (24h))
Inhalative	DNEL	38 mg/kg (consumer) (chronic effect (24h))
		75 mg/kg (worker) (chronic effects (24h))
	DNEL	426 mg/m ³ (consumer) (acute effects)
		663 mg/m ³ (worker) (acute Effect)
	DNEL	123 mg/m ³ (consumer) (acute effect, local effects)

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.06.2018

Version: 5

Revision: 08.02.2018

Trade name: SONAX ACTIVE CLEANING FOAM ENERGY

(Contd. of page 3)

	DNEL	246 mg/m ³ (worker) (acute effect, local effects) 49 mg/m ³ (consumer) (chronic effect) 98 mg/m ³ (worker) (chronic effects)
--	------	---

CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

Oral	DNEL	0.44 mg/kg bw/day (consumer) (longterm / systemic effects)
Dermal	DNEL	5.5 mg/kg bw/day (consumer) (longterm / systemic effects) 11 mg/kg bw/day (worker) (longtime / systemic effects)
Inhalative	DNEL	1.53 mg/m ³ (consumer) (longterm / systemic effects) 6.2 mg/m ³ (worker) (longterm / systemic effects)

PNECs

CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts

PNEC	10,000 mg/l (sewage plant) 0.071 mg/l (sporadic release) 0.24 mg/l (water (fresh water)) 0.024 mg/l (water (sea water))
PNEC	7.5 mg/kg (gro) 0.9168 mg/kg (sediment (fresh water)) 0.09168 mg/kg (sediment (sea water))

CAS: 111-76-2 2-butoxyethanol

PNEC	9.1 mg/l (sporadic release) 463 mg/l (STP) 8.8 mg/l (water (fresh water)) 0.88 mg/l (water (sea water))
PNEC	34.6 mg/kg (sediment (fresh water)) 3.46 mg/kg (sediment (sea water)) 2.8 mg/kg (soil)

CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

PNEC	0.0335 mg/l (water (intermittent release)) 0.0335 mg/l (water (fresh water)) 0.00335 mg/l (water (sea water))
PNEC	24 mg/kg (STP) 5.24 mg/kg (sediment (fresh water)) 0.524 mg/kg (sediment (sea water)) 1.02 mg/kg (soil)

Ingredients with biological limit values:

CAS: 111-76-2 2-butoxyethanol

BMGV (Great Britain)	240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid
----------------------	---

Regulatory information BMGV (Great Britain): EH40/2011

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to be worn.

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.06.2018

Version: 5

Revision: 08.02.2018

Trade name: SONAX ACTIVE CLEANING FOAM ENERGY

(Contd. of page 4)

Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Protection of hands: Protective gloves**Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

[EN 374]

Penetration time of glove material Value for the permeation: Level 6 (≥ 480 min)**Eye protection:**

Safety glasses

[EN 166]

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Fluid
Colour:	Brown
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value at 20 °C: 6,5 - 7,5**Change in condition**

Melting point/freezing point: Undetermined.
Initial boiling point and boiling range: 100 - 172 °C

Flash point: Not applicable.**Flammability (solid, gas):** Not applicable.**Decomposition temperature:** Not determined.**Auto-ignition temperature:** Not determined.**Explosive properties:** Product does not present an explosion hazard.**Explosion limits:**

Lower: Not determined.
Upper: Not determined.

Vapour pressure: Not determined.**Density at 20 °C:** 1,04 - 1,05 g/cm³**Relative density** Not determined.**Vapour density** Not determined.**Evaporation rate** Not determined.**Solubility in / Miscibility with water:**

Fully miscible.

Partition coefficient: n-octanol/water: Not determined.**Viscosity:****Flow time at 20 °C** 13 - 20 s (DIN ES ISO 2431/4mm)**9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity** No dangerous reactions known.**10.2 Chemical stability** Stable under normal conditions.**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** See Section 7 for information on safe handling.**10.5 Incompatible materials:** No known incompatible materials.

(Contd. on page 6)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.06.2018

Version: 5

Revision: 08.02.2018

Trade name: SONAX ACTIVE CLEANING FOAM ENERGY

(Contd. of page 5)

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects There are no toxicological findings on this mixture.

Acute toxicity Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts**

Oral LD50 >5,000 mg/kg (rat) (OECD 401)

Dermal LD50 >5,000 mg/kg (rat) (OECD 402)

CAS: 111-76-2 2-butoxyethanol

Oral LD0 1,414 mg/kg (Gp)

LD50 1,746 mg/kg (rat)

CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

Oral LD50 1,064 mg/kg (rat)

Primary irritant effect:**Skin corrosion/irritation**

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Values relevant for classification:**68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO):**

Specific concentration limits [SCL] (ECHA)

≥ 5.0% < 10.0% Eye Irrit. 2 | ≥ 10.0% Eye Damage 1

Respiratory or skin sensitisation

On the basis of the available data, the classification criteria are not complied with (Conventional Method).

Repeated dose toxicity**CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides**

Oral NOAEL 88 mg/kg (rat) (subchronic effects)

Dermal LOAEL 0.045 mg/cm² (mouse) (subchronic effects)**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

None of the ingredients are known to have effects which are carcinogenic, mutagenic or harmful to reproduction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic toxicity:**CAS: 68891-38-3 alcohols, C12-14, ethoxylated, sulfates, sodium salts**LC 50 >10-≤100 mg/l (*Leuciscus idus*) (DIN EN ISO 7346-2)

EC0 >100 mg/l (bacteria) (OECD 209)

EC50 >100 mg/l (*Scenedesmus subspicatus*) (OECD 201)>10-100 mg/l (*Daphnia magna*) (OECD 202)NOEC >1-10 mg/l (*Leuciscus idus*)

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.06.2018

Version: 5

Revision: 08.02.2018

Trade name: SONAX ACTIVE CLEANING FOAM ENERGY

(Contd. of page 6)

CAS: 111-76-2 2-butoxyethanol

Oral	EC0/16h	700 mg/l (<i>Pseudomonas putida</i>)
	LC0	>3.1 mg/l (Gp)
	LC50 / 96h	1,474 mg/l (<i>Oncorhynchus mykiss</i>)
	EC50 / 48h	1,550 mg/l (<i>daphnia</i>) (OECD 202)
	EC50 / 72h	1,840 mg/l (<i>Pseudokirchneriella subcapitata</i>) (OECD 201)
	NOELR 21d	>100 mg/l (<i>Brachydanio rerio</i>) 100 mg/l (<i>Daphnia magna</i>)

CAS: 308062-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides

	LC50 / 96h	2.67 mg/l (fish)
	EC50	3.1 mg/l (waterflea /Wasserfloh)
	IC 50	0.143 mg/l (seaweed (Seegrass))

12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detergent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

CAS: 111-76-2 2-butoxyethanol

Biodegradation 90.4 % (OECD 301B)

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Waste must be disposed of while observing the local, official regulations.

European waste catalogue

20 01 29* detergents containing dangerous substances

Uncleaned packaging:

15 01 10*: packaging containing residues of or contaminated by dangerous substances

Recommendation:

Packaging may be reused or recycled after cleaning.

15 01 02: plastic packaging

Recommended cleansing agents: Water

SECTION 14: Transport information

14.1 UN-Number

ADR, IMDG, IATA Void

14.2 UN proper shipping name

ADR, IMDG, IATA Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class Void

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.06.2018

Version: 5

Revision: 08.02.2018

Trade name: SONAX ACTIVE CLEANING FOAM ENERGY

(Contd. of page 7)

14.4 Packing group
ADR, IMDG, IATA Void

14.5 Environmental hazards:
Marine pollutant: No

14.6 Special precautions for user Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

Employment restrictions concerning juveniles must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = Lethal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

IOELV = indicative occupational exposure limit values

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.