

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	LeakLock
Identification of the substance	Phenol, isopropylated, phosphate (3:1) [Triphenyl phosphate > 5%]
Registration number (REACH)	01-2119535109-41-xxxx
EC number	273-066-3
CAS number	68937-41-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Rubber anti-leak (sealant)
--------------------------	----------------------------

1.3 Details of the supplier of the safety data sheet

I.P.M. Solutions
Winnemolenlaan 29
7339 CE Ugchelen
Netherlands

Telephone: +31654706080
e-mail: n.stemkens@ipm-solutions.nl
Website: www.ipm-solutions.nl

e-mail (competent person) n.stemkens@ipm-solutions.nl

1.4 Emergency telephone number

Poison centre		
Country	Name	Telephone
United Kingdom	National Poisons Information Service (NPIS) (medical professionals only)	0344-8920111

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.7	reproductive toxicity	2	Repr. 2	H361
3.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- signal word warning

- pictograms

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

GHS08, GHS09



- hazard statements

H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs (adrenal gland) through prolonged or repeated exposure (if swallowed).
H410	Very toxic to aquatic life with long lasting effects.

- precautionary statements

P273	Avoid release to the environment.
P281	Use personal protective equipment as required.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container to hazardous or special waste collection point.

2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Phenol, isopropylated, phosphate (3:1) [Triphenyl phosphate > 5%]
Identifiers	
REACH Reg. No	01-2119535109-41-xxxx
CAS No	68937-41-7
EC No	273-066-3

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Wash with plenty of soap and water. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Call a doctor.

Following ingestion

Rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. IF SWALLOWED: Immediately call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Suspected of damaging fertility or the unborn child. May cause damage to organs (adrenal gland) through prolonged or repeated exposure (if swallowed).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry extinguishing powder; Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced. Carbon monoxide (CO). Carbon dioxide (CO₂). Phosphorus oxides (P_xO_y).

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (EN 133). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0.07 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
DNEL	0.145 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	700 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	0.416 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	2,000 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects
DNEL	350 mg/m ³	human, inhalatory	consumer (private households)	acute - systemic effects
DNEL	0.208 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
DNEL	100 mg/kg bw/day	human, dermal	consumer (private households)	acute - systemic effects

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	0.04 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
DNEL	50 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic effects

Relevant PNECs and other threshold levels				
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0.83 mg/kg	aquatic organisms	water	short-term (single instance)
PNEC	0.00029 mg/l	aquatic organisms	water	intermittent release
PNEC	0 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	100 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0.185 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0.018 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	2.5 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection (EN 166).

Skin protection

Protective clothing (EN 340 & EN ISO 13688).

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

- type of material

IIR: isobutene-isoprene (butyl) rubber

- breakthrough times of the glove material

>480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	liquid
Colour	colourless
Odour	odourless

Other safety parameters

pH (value)	not determined
Melting point/freezing point	<-20 °C
Initial boiling point and boiling range	>400 °C at 98 kPa
Flash point	>200 °C
Evaporation rate	not determined
Flammability (solid, gas)	not relevant, (fluid)
Explosive limits	not determined
Vapour pressure	0.01333 hPa at 20 °C
Density	not determined
Vapour density	this information is not available
Relative density	1.153 – 1.183 at 20 °C (water = 1)

Solubility(ies)

- water solubility	0.367 mg/l at 20 °C
--------------------	---------------------

Partition coefficient

- n-octanol/water (log KOW)	4.92 – 5.17
-----------------------------	-------------

Auto-ignition temperature	not determined
---------------------------	----------------

Viscosity

- dynamic viscosity	96.3 mPa s at 20 °C
---------------------	---------------------

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

Explosive properties	none
Oxidising properties	none

9.2 Other information

There is no additional information.

Refractive index	1.551 (25 °C)
------------------	---------------

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Acids. Bases. Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity			
Exposure route	Endpoint	Value	Species
oral	LD50	>5,000 mg/kg	rat
inhalation: dust/mist	LC50	>200 mg/l/1h	rat
dermal	LD50	>10,000 mg/kg	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (adrenal gland) through prolonged or repeated exposure (if swallowed).

Hazard category	Target organ	Exposure route
2	adrenal gland	if swallowed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)			
Endpoint	Value	Species	Exposure time
LC50	10.8 mg/l	fish	96 h
EC50	>2.5 mg/l	algae	72 h
ErC50	>2.5 mg/l	algae	72 h

Aquatic toxicity (chronic)			
Endpoint	Value	Species	Exposure time
EC50	198 µg/l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	17.9 %	28 d

12.3 Bioaccumulative potential

n-octanol/water (log KOW)	4.92 – 5.17
BCF	225

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
 Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

12.6 Other adverse effects

Data are not available.

Endocrine disrupting potential

Not listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks



Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number	3082
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Technical name	LeakLock
14.3 Transport hazard class(es)	9 (environmentally hazardous)
Class	9 (environmentally hazardous)
14.4 Packing group	III (substance presenting low danger)
14.5 Environmental hazards	hazardous to the aquatic environment
14.6 Special precautions for user	Provisions for dangerous goods (ADR) should be complied within the premises.
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code	No data available.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class	9
Classification code	M6
Packing group	III
Danger label(s)	9, fish and tree
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90
Emergency Action Code	3Z
International Maritime Dangerous Goods Code (IMDG)	
UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class	9
Marine pollutant	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A
International Civil Aviation Organization (ICAO-IATA/DGR)	
UN number	3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Class	9
Environmental hazards	yes (hazardous to the aquatic environment)
Packing group	III
Danger label(s)	9, fish and tree
Special provisions (SP)	A97, A158, A197
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Relevant provisions of the European Union (EU)
Restrictions according to REACH, Annex XVII

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Type of registration	Restriction	No
LeakLock	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		1907/2006/EC annex XVII	R3	3

Legend

R3

- Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ash-trays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
 - grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
 - lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100	200	56)

Notation

56) hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Not listed.

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

Not listed.

Regulation 98/2013/EU on the marketing and use of explosives precursors

Not listed.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

LeakLock

Version number: GHS 2.0
Replaces version of: 2015-05-29 (GHS 1)

Revision: 2019-02-06

Code	Text
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs (adrenal gland) through prolonged or repeated exposure (if swallowed).
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.