		Page: 1
SAFETY DATA SHEET		Revision Date: 11.01.2017
		Print Date: 02.01.2018
		SDS Number: R0517872
Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil		Version: 6.0
VE12511		

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Durablend™ DIESEL 5W-40
Synthetic Blend Motor Oil

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Engine, gear & lubricating oil.

<p>1.3 Details of the supplier of the safety data sheet Ellis Enterprises B.V., an affiliate of Valvoline Wieldrechtseweg 39 3316 BG Dordrecht Netherlands +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person</p> <p>SDS@valvoline.com</p>	<p>1.4 Emergency telephone number 00-800-825-8654 / 001-859-202-3865, or contact your local emergency telephone number at 112</p> <p>Product Information +31 (0)78 654 3500 (in the Netherlands), or contact your local CSR contact person</p>
--	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:


EUH210 Safety data sheet available on request.

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

2.3 Other hazards

Additional advice

No information available.

	
SAFETY DATA SHEET	Revision Date: 11.01.2017
	Print Date: 02.01.2018
	SDS Number: R0517872
Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil	Version: 6.0
VE12511	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Static Accumulator

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based	72623-87-1 276-738-4 01-2119474889-13-xxxx	Asp. Tox.1; H304	>= 25,00 - < 40,00
C14-16-18 Alkyl phenol	931-468-2 01-2119498288-19-xxxx	Skin Sens.1B; H317 STOT RE2; H373	>= 1,00 - < 2,50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through


SAFETY DATA SHEET

Revision Date: 11.01.2017

Print Date: 02.01.2018

SDS Number: R0517872

Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil

Version: 6.0

VE12511

the skin may include:
 stomach or intestinal upset (nausea, vomiting, diarrhea)
 irritation (nose, throat, airways)

Risks : Acute aspiration of large amounts of oil-laden material may produce a serious aspiration pneumonia. Patients who aspirate these oils should be followed for the development of long-term sequelae. Repeated aspiration of small quantities of mineral oil can produce chronic inflammation of the lungs (i.e. lipid pneumonia) that may progress to pulmonary fibrosis. Symptoms are often subtle and radiological changes appear worse than clinical abnormalities. Occasionally, persistent cough, irritation of the upper respiratory tract, shortness of breath with exertion, fever, and bloody sputum occur. Inhalation exposure to oil mists below current workplace exposure limits is unlikely to cause pulmonary abnormalities.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No hazards which require special first aid measures.

SECTION 5: Firefighting measures
5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 Water spray
 Foam
 Carbon dioxide (CO₂)
 Dry chemical

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : carbon dioxide and carbon monoxide
 Hydrocarbons

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.


SAFETY DATA SHEET

Revision Date: 11.01.2017

Print Date: 02.01.2018

SDS Number: R0517872

Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil

Version: 6.0

VE12511

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures
6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

SECTION 7: Handling and storage
7.1 Precautions for safe handling

Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Advice on common storage : No materials to be especially mentioned.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available


SAFETY DATA SHEET

Revision Date: 11.01.2017

Print Date: 02.01.2018

SDS Number: R0517872

Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil

Version: 6.0

VE12511

SECTION 8: Exposure controls/personal protection
8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls
Engineering measures

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Hand protection

Remarks : Nitrile rubber butyl-rubber

Skin and body protection : Wear as appropriate:
Safety shoes

Respiratory protection : No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : amber

Odour : oily

Odour Threshold : No data available

pH :
Not applicable

Pour point : < -42 °C

Boiling point/boiling range : not determined


SAFETY DATA SHEET

Revision Date: 11.01.2017

Print Date: 02.01.2018

SDS Number: R0517872

Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil

Version: 6.0

VE12511

Flash point	: 222 °C
	Method: Cleveland open cup
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 0,854 g/cm ³ (15 °C)
Bulk density	: Not applicable
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: ca. 6.400 mPa.s (-30 °C)
Viscosity, kinematic	: 87 mm ² /s (40 °C)
Oxidizing properties	: No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity
10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Product will not undergo hazardous polymerization.


SAFETY DATA SHEET

Revision Date: 11.01.2017

Print Date: 02.01.2018

SDS Number: R0517872

Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil

Version: 6.0

VE12511

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials
Materials to avoid : Strong bases
Strong oxidizing agents
10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11: Toxicological information
11.1 Information on toxicological effects
Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion
Acute toxicity

Not classified based on available information.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5,58 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: Not classified as acutely toxic by inhalation under GHS. Remarks: No mortality observed at this dose.
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg Remarks: No mortality observed at this dose.

Components:

C14-16-18 Alkyl phenol

Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg Assessment: Not classified as acutely toxic by ingestion under GHS.
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Assessment: Not classified as acutely toxic by dermal absorption under GHS. Remarks: No mortality observed at this dose.


SAFETY DATA SHEET

Revision Date: 11.01.2017

Print Date: 02.01.2018

SDS Number: R0517872

Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil

Version: 6.0

VE12511

Skin corrosion/irritation

Not classified based on available information.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based

Species: **Rabbit**Result: **No skin irritation**

C14-16-18 Alkyl phenol

Method: **OECD Test Guideline 431**Result: **No skin irritation**
Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: Unlikely to cause eye irritation or injury.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based

Species: **Rabbit**Result: **No eye irritation**

C14-16-18 Alkyl phenol

Species: **Rabbit**Result: **Slight, transient irritation**
Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitisation.

Remarks: Based on similar product.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based

Test Type: **Buehler Test**Species: **Guinea pig**Assessment: **Does not cause skin sensitisation.**

C14-16-18 Alkyl phenol

Test Type: **Local lymph node assay**Species: **Mouse**Assessment: **The product is a skin sensitiser, sub-category 1B.**Method: **OECD Test Guideline 429**
Germ cell mutagenicity

Not classified based on available information.

Components:

C14-16-18 Alkyl phenol

Genotoxicity in vitro

: Test Type: **Ames test**Test species: **Salmonella typhimurium**

SAFETY DATA SHEET

Revision Date: 11.01.2017

Print Date: 02.01.2018

SDS Number: R0517872

Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil

Version: 6.0

VE12511

Metabolic activation: **with and without metabolic activation**
 Result: **negative**

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Components:

C14-16-18 Alkyl phenol

Target Organs: **Liver**Assessment: **The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.****Aspiration toxicity**

Not classified based on available information.

Components:

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based

May be fatal if swallowed and enters airways.**Further information****Product:**

Remarks: No data available

SECTION 12: Ecological information**12.1 Toxicity****Components:**

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based

Toxicity to fish : **LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l**
 Exposure time: **96 h**
 Test Type: **static test**
 Test substance: **WAF**
 Method: **OECD Test Guideline 203**
 Remarks: **No toxicity at the limit of solubility**

Toxicity to daphnia and other aquatic invertebrates : **EL50 (Daphnia magna (Water flea)): > 10.000 mg/l**
 Exposure time: **48 h**
 Test Type: **static test**
 Test substance: **WAF**
 Method: **OECD Test Guideline 202**

Toxicity to algae : **NOEL (Pseudokirchneriella subcapitata (green algae)): >=**

SAFETY DATA SHEET

Revision Date: 11.01.2017

Print Date: 02.01.2018

SDS Number: R0517872

Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil

Version: 6.0

VE12511

100 mg/l

End point: **Growth inhibition**Exposure time: **72 h**Test Type: **static test**Test substance: **WAF**Method: **OECD Test Guideline 201**

Toxicity to fish (Chronic toxicity)

: **NOELR: Calculated \geq 1.000 mg/l**Exposure time: **14 d**Species: **Oncorhynchus mykiss (rainbow trout)**

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

: **NOEL: 10 mg/l**Exposure time: **21 d**Species: **Daphnia (water flea)**Test substance: **WAF**Method: **OECD Test Guideline 211**

C14-16-18 Alkyl phenol

Toxicity to fish

: **LC50 (Cyprinus carpio (Carp)): $>$ 100 mg/l**Exposure time: **96 h**Test Type: **static test**Test substance: **WAF**

Toxicity to daphnia and other aquatic invertebrates

: **EC50 (Daphnia magna (Water flea)): $>$ 100 mg/l**Exposure time: **48 h**Test Type: **static test**Method: **OECD Test Guideline 202**

Toxicity to algae

: **EC50 (Pseudokirchneriella subcapitata (algae)): $>$ 100 mg/l**End point: **Growth inhibition**Exposure time: **72 h**Test Type: **static test**Test substance: **WAF****12.2 Persistence and degradability****Components:**

Lubricating Oils (Petroleum), C20-50, Hydrotreated Neutral Oil-Based


Biodegradability

: Result: **Not readily biodegradable.**Biodegradation: **2 - 4 %**Exposure time: **28 d**Method: **OECD Test Guideline 301B**

C14-16-18 Alkyl phenol

Biodegradability

: Result: **Readily biodegradable.**Remarks: **Expert judgement****12.3 Bioaccumulative potential****Components:**

		Page: 11
SAFETY DATA SHEET		Revision Date: 11.01.2017
		Print Date: 02.01.2018
		SDS Number: R0517872
Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil		Version: 6.0
VE12511		

C14-16-18 Alkyl phenol

Partition coefficient: n-octanol/water : log Pow: > 7,2

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

Product:

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Empty remaining contents.

SECTION 14: Transport information

SECTION 14: Transport information

14.1 UN number

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.2 UN proper shipping name

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods


RID: Not dangerous goods

14.3 Transport hazard class(es)

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

		Page: 12
SAFETY DATA SHEET		Revision Date: 11.01.2017
		Print Date: 02.01.2018
		SDS Number: R0517872
Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil		Version: 6.0
VE12511		

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.4 Packing group

ADR: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

RID: Not dangerous goods

14.5 Environmental hazards

ADR: Not applicable

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not applicable

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not applicable

INTERNATIONAL MARITIME DANGEROUS GOODS: Not applicable

RID: Not applicable

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Ship Type: Not applicable

Hazard code(s): Not applicable

Pollutant Category: Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable


SAFETY DATA SHEET

Revision Date: 11.01.2017

Print Date: 02.01.2018

SDS Number: R0517872

Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil

Version: 6.0

VE12511

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS On the inventory, or in compliance with the inventory

ENCS Not in compliance with the inventory

KECI On the inventory, or in compliance with the inventory

PICCS On the inventory, or in compliance with the inventory

IECSC On the inventory, or in compliance with the inventory

TSCA On TSCA Inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

15.2 Chemical safety assessment

No data available

SECTION 16: Other information
Further information

Revision Date: 11.01.2017

Full text of H-Statements

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.


SAFETY DATA SHEET

Revision Date: 11.01.2017

Print Date: 02.01.2018

SDS Number: R0517872

Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil

Version: 6.0

VE12511

H373

May cause damage to organs through prolonged or repeated exposure.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet

Valvoline internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement


PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

	Page: 15
SAFETY DATA SHEET	Revision Date: 11.01.2017
	Print Date: 02.01.2018
	SDS Number: R0517872
Durablend™ DIESEL 5W-40 Synthetic Blend Motor Oil	Version: 6.0
VE12511	

TWA : Time-weighted average
vPvB : Very Persistent and Very Bioaccumulative
WEL : Workplace Exposure Level

ABM : Water Hazard Class for the Netherlands
ADR : Agreement concerning the International Carriage of Dangerous Goods by Road.
ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine
CLP : Classification, Labelling and Packaging
CSA : Chemical Safety Assessment
CSR : Chemical Safety Report
DNEL : Derived No Effect Level.
EINECS : European Inventory of Existing Commercial Chemical Substances.
ELINCS : European List of Notified Chemical Substances
PEC : Predicted Effect Concentration
PEL : Permissible Exposure Limits
PNEC : Predicted No Effect Concentration
R-phrase : Risk phrase
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulation Concerning the International Transport of Dangerous Goods by Rail
S-phrase: Safety phrase
WGK : German Water Hazard Class