


**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS\_GB

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**
**1.1 Product identifier**

Trade name : Tectyl® BODYSAFE  
Undercoating

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Recommended use : Coatings

**1.3 Details of the supplier of the safety data sheet**

Ellis Enterprises B.V., an affiliate of Valvoline  
Wieldrechtseweg 39  
3316 BG Dordrecht  
Netherlands  
+31 (0)78 654 3500 (in the Netherlands), or  
contact your local CSR contact person

SDS@valvoline.com

**1.4 Emergency telephone number**

00-800-825-8654 / 001-859-202-3865, or contact  
your local emergency telephone number at 112

**Product Information**

+31 (0)78 654 3500 (in the Netherlands), or  
contact your local CSR contact person

---

**SECTION 2: Hazards identification**
**2.1 Classification of the substance or mixture**
**Classification (REGULATION (EC) No 1272/2008)**

Flammable liquids, Category 3

H226: Flammable liquid and vapour.

Specific target organ toxicity - single  
exposure, Category 3, Central nervous  
system

H336: May cause drowsiness or dizziness.

**2.2 Label elements**
**Labelling (REGULATION (EC) No 1272/2008)**


**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

Hazard pictograms



Signal word

: Warning

Hazard statements

: H226 Flammable liquid and vapour.  
H336 May cause drowsiness or dizziness.

Supplemental Hazard Statements

: EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements

: P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
**Prevention:**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P271 Use only outdoors or in a well-ventilated area.  
**Response:**  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, &lt;2% aromatics

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Additional advice**

No information available.

**SECTION 3: Composition/information on ingredients**
**3.2 Mixtures**
**Hazardous components**

Chemical name	CAS-No.	Classification	Concentration (%)
---------------	---------	----------------	-------------------


**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

	EC-No. Registration number	(REGULATION (EC) No 1272/2008)	
Hydrocarbons, C9-C11, n-alkanes, iso- alkanes, cyclenes, <2% aromatics	01-2119463258-33-xxxx	Flam. Liq.3; H226 STOT SE3; H336 Asp. Tox.1; H304	>= 25,00 - < 40,00

For explanation of abbreviations see section 16.

---

**SECTION 4: First aid measures**
**4.1 Description of first aid measures**

- General advice : Move out of dangerous area.  
Call a POISON CENTRE or doctor/physician if exposed or you feel unwell.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Move to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Consult a physician after significant exposure.
- In case of skin contact : If on skin, rinse well with water.  
First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.  
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.
- If swallowed : Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms : No symptoms known or expected.
- Risks : May cause drowsiness or dizziness.  
Repeated exposure may cause skin dryness or cracking.


**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : No hazards which require special first aid measures.

---

**SECTION 5: Firefighting measures**
**5.1 Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Water spray  
 Foam  
 Alcohol-resistant foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical

Unsuitable extinguishing media : High volume water jet

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively.  
 Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
 Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : carbon dioxide and carbon monoxide  
 Hydrocarbons  
 Nitrogen oxides (NO<sub>x</sub>)

**5.3 Advice for firefighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Do not use a solid water stream as it may scatter and spread fire.  
 Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
 Use a water spray to cool fully closed containers.


**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

---

**SECTION 6: Accidental release measures**
**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Evacuate personnel to safe areas.  
 Remove all sources of ignition.  
 Ensure adequate ventilation.  
 Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
 Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.  
 Comply with all applicable federal, state, and local regulations.  
 Suppress (knock down) gases/vapours/mists with a water spray jet.

**6.2 Environmental precautions**

Environmental precautions : Prevent product from entering drains.  
 Prevent further leakage or spillage if safe to do so.  
 If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

**6.4 Reference to other sections**

For further information see Section 8 and Section 13 of the safety data sheet.

---

**SECTION 7: Handling and storage**
**7.1 Precautions for safe handling**

Advice on safe handling : Open drum carefully as content may be under pressure.  
 Avoid formation of aerosol.  
 Provide sufficient air exchange and/or exhaust in work rooms.  
 Do not breathe vapours/dust.  
 Do not smoke.  
 Container hazardous when empty.  
 Take precautionary measures against static discharges.  
 Avoid exposure - obtain special instructions before use.  
 Smoking, eating and drinking should be prohibited in the application area.  
 For personal protection see section 8.  
 Dispose of rinse water in accordance with local and national


**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

regulations.

Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). No sparking tools should be used. Keep away from open flames, hot surfaces and sources of ignition. Use only explosion-proof equipment.

Hygiene measures : Wash hands before breaks and at the end of workday.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. No smoking.

Other data : No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

Specific use(s) : No data available

---

**SECTION 8: Exposure controls/personal protection**
**8.1 Control parameters**

Contains no substances with occupational exposure limit values.

**8.2 Exposure controls**
**Engineering measures**

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

Eye protection : Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Hand protection

Remarks : Nitrile rubber Neoprene gloves

The suitability for a specific workplace should be discussed with the producers of the protective gloves.


**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

- Skin and body protection : Wear as appropriate:  
 Impervious clothing  
 Safety shoes  
 Flame-resistant clothing  
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

---

**SECTION 9: Physical and chemical properties**
**9.1 Information on basic physical and chemical properties**

- Appearance : liquid
- Colour : black
- Odour : solvent-like
- Odour Threshold : No data available
- pH : Not applicable
- Melting point/freezing point : No data available
- Boiling point/boiling range : No data available
- Flash point : 40 °C  
 Method: Pensky Martens closed cup
- Evaporation rate : No data available
- Flammability (solid, gas) : No data available
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : No data available
- Relative vapour density : No data available
- Relative density : No data available
- Density : ca. 0,91 g/cm<sup>3</sup> (20 °C)


**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

## Solubility(ies)

Water solubility : immiscible

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

## Viscosity

Viscosity, dynamic : &lt; 9.000 mPa.s (20 °C)

Viscosity, kinematic : > 21 mm<sup>2</sup>/s (40 °C)

Oxidizing properties : No data available

**9.2 Other information**

Self-ignition : No data available

No data available

---

**SECTION 10: Stability and reactivity**
**10.1 Reactivity**

No decomposition if stored and applied as directed.

**10.2 Chemical stability**

Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Vapours may form explosive mixture with air.

**10.4 Conditions to avoid**

Conditions to avoid : Heat, flames and sparks.

excessive heat

**10.5 Incompatible materials**
Materials to avoid : Acids  
Strong oxidizing agents
**10.6 Hazardous decomposition products**




**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

Hazardous decomposition products : No hazardous decomposition products are known.

**SECTION 11: Toxicological information**
**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

**Acute toxicity**

Not classified based on available information.

**Components:**
**Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics:**

Acute oral toxicity : **LD50 (Rat, male and female): > 15.000 mg/kg**  
Method: **OECD Test Guideline 423**  
Remarks: **Information given is based on data obtained from similar substances.**

Acute inhalation toxicity : **LC50 (Rat): > 4,95 mg/l**  
Exposure time: **4 h**  
Test atmosphere: **vapour**  
Method: **OECD Test Guideline 403**  
Assessment: **No adverse effect has been observed in acute inhalation toxicity tests.**  
Remarks: **Information given is based on data obtained from similar substances.**

Acute dermal toxicity : **LD50 (Rabbit, male and female): >= 3.160 mg/kg**  
Method: **OECD Test Guideline 402**  
Assessment: **No adverse effect has been observed in acute dermal toxicity tests.**  
Remarks: **Information given is based on data obtained from similar substances.**

**Skin corrosion/irritation**

Repeated exposure may cause skin dryness or cracking.

**Components:**
**Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics:**

Result: **Slight, transient irritation**


**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Remarks: Unlikely to cause eye irritation or injury.

**Components:**
**Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics:**
Result: **No eye irritation**
**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

May cause drowsiness or dizziness.

**Components:**
**Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics:**
Assessment: **May cause drowsiness or dizziness.**
**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**


Not classified based on available information.

**Product:**

No aspiration toxicity classification

**Components:**
**Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics:**
**May be fatal if swallowed and enters airways.**
**Further information**
**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and

		Page: 11
<b>SAFETY DATA SHEET</b>		Revision Date: 01.10.2018
		Print Date: 03.01.2019
		SDS Number: R0517896
Tectyl® BODYSAFE Undercoating		Version: 2.0
VE20035		

vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics

Toxicity to fish	: <b>LL50 (Oncorhynchus mykiss (rainbow trout)): &gt; 1.000 mg/l</b> Exposure time: <b>96 h</b> Test Type: <b>semi-static test</b> Test substance: <b>WAF</b> Method: <b>OECD Test Guideline 203</b>
Toxicity to daphnia and other aquatic invertebrates	: <b>EL50 (Daphnia magna (Water flea)): 1.000 mg/l</b> Exposure time: <b>48 h</b> Test Type: <b>static test</b> Test substance: <b>WAF</b> Method: <b>OECD Test Guideline 202</b>
Toxicity to algae	: <b>EL50 (Pseudokirchneriella subcapitata (green algae)): &gt; 1.000 mg/l</b> End point: <b>Growth inhibition</b> Exposure time: <b>72 h</b> Test Type: <b>static test</b> Method: <b>OECD Test Guideline 201</b>

### 12.2 Persistence and degradability

#### Components:

Hydrocarbons, C9-C11, n-alkanes, iso-alkanes, cyclenes, <2% aromatics

Biodegradability	: Result: <b>Readily biodegradable.</b> Biodegradation: <b>80 %</b> Exposure time: <b>28 d</b> Method: <b>OECD Test Guideline 301F</b>
------------------	---

### 12.3 Bioaccumulative potential


No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

		Page: 12
<b>SAFETY DATA SHEET</b>		Revision Date: 01.10.2018
		Print Date: 03.01.2019
		SDS Number: R0517896
Tectyl® BODYSAFE Undercoating		Version: 2.0
VE20035		

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

**Product:**

Additional ecological information : No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14: Transport information

### 14.1 UN number

ADN : UN 1139  
ADR : UN 1139  
RID : UN 1139  
IMDG : UN 1139  
IATA : UN 1139

### 14.2 UN proper shipping name

ADN : COATING SOLUTION  
ADR : COATING SOLUTION  
RID : COATING SOLUTION  
IMDG : COATING SOLUTION

**SAFETY DATA SHEET**

Revision Date: 01.10.2018

Print Date: 03.01.2019

SDS Number: R0517896

Tectyl® BODYSAFE Undercoating

Version: 2.0

VE20035

**IATA** : COATING SOLUTION

**14.3 Transport hazard class(es)**

- ADN** : 3
- ADR** : 3
- RID** : 3
- IMDG** : 3
- IATA** : 3

**14.4 Packing group**

**ADN**

- Packing group : III
- Classification Code : F1
- Hazard Identification Number : 30
- Labels : 3

**ADR**

- Packing group : III
- Classification Code : F1
- Hazard Identification Number : 30
- Labels : 3
- Tunnel restriction code : (D/E)

**RID**

- Packing group : III
- Classification Code : F1
- Hazard Identification Number : 30
- Labels : 3

**IMDG**

- Packing group : III
- Labels : 3
- EmS Code : F-E, S-E


**IATA (Cargo)**

- Packing instruction (cargo aircraft) : 366
- Packing instruction (LQ) : Y344
- Packing group : III
- Labels : Flammable Liquid

**IATA (Passenger)**

- Packing instruction (passenger aircraft) : 355
- Packing instruction (LQ) : Y344
- Packing group : III
- Labels : Flammable Liquid

**14.5 Environmental hazards**

		Page: 14
<b>SAFETY DATA SHEET</b>		Revision Date: 01.10.2018
		Print Date: 03.01.2019
		SDS Number: R0517896
Tectyl® BODYSAFE Undercoating		Version: 2.0
VE20035		

**ADN**

Environmentally hazardous : no

**ADR**

Environmentally hazardous : no

**RID**

Environmentally hazardous : no

**IMDG**

Marine pollutant : no

**14.6 Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable for product as supplied.

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable


Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 57). : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

		Page: 15
<b>SAFETY DATA SHEET</b>		Revision Date: 01.10.2018
		Print Date: 03.01.2019
		SDS Number: R0517896
Tectyl® BODYSAFE Undercoating		Version: 2.0
VE20035		

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c	FLAMMABLE LIQUIDS	Quantity 1 5.000 t	Quantity 2 50.000 t
-----	-------------------	-----------------------	------------------------

**The components of this product are reported in the following inventories:**

DSL	: All components of this product are on the Canadian DSL
AICS	On the inventory, or in compliance with the inventory
ENCS	Not in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory
TCSI	Not in compliance with the inventory
TSCA	On TSCA Inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**15.2 Chemical safety assessment**

No data available

---

**SECTION 16: Other information**


**Further information**

Revision Date: 01.10.2018

**Full text of H-Statements**

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.

Other information : The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the

		Page: 16
<b>SAFETY DATA SHEET</b>		Revision Date: 01.10.2018
		Print Date: 03.01.2019
		SDS Number: R0517896
Tectyl® BODYSAFE Undercoating		Version: 2.0
VE20035		


company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Valvoline's Environmental Health and Safety Department (+31 (0)78 654 3500).

Sources of key data used to compile the Safety Data Sheet  
 Valvoline internal data including own and sponsored test reports  
 The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists  
 BEI : Biological Exposure Index  
 CAS : Chemical Abstracts Service (Division of the American Chemical Society).  
 CMR : Carcinogenic, Mutagenic or Toxic for Reproduction  
 FG : Food grade  
 GHS : Globally Harmonized System of Classification and Labeling of Chemicals.  
 H-statement : Hazard Statement  
 IATA : International Air Transport Association.  
 IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).  
 ICAO : International Civil Aviation Organization  
 ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"  
 IMDG : International Maritime Code for Dangerous Goods  
 ISO : International Organization for Standardization  
 logPow : octanol-water partition coefficient  
 LCxx : Lethal Concentration, for xx percent of test population  
 LDxx : Lethal Dose, for xx percent of test population.  
 ICxx : Inhibitory Concentration for xx of a substance  
 Ecxx : Effective Concentration of xx  
 N.O.S.: Not Otherwise Specified  
 OECD : Organization for Economic Co-operation and Development  
 OEL : Occupational Exposure Limit  
 P-Statement : Precautionary Statement  
 PBT : Persistent , Bioaccumulative and Toxic  
 PPE : Personal Protective Equipment  
 STEL : Short-term exposure limit  
 STOT : Specific Target Organ Toxicity  
 TLV : Threshold Limit Value  
 TWA : Time-weighted average  
 vPvB : Very Persistent and Very Bioaccumulative  
 WEL : Workplace Exposure Level



	Page: 17
<b>SAFETY DATA SHEET</b>	Revision Date: 01.10.2018
	Print Date: 03.01.2019
	SDS Number: R0517896
Tectyl® BODYSAFE Undercoating	Version: 2.0
VE20035	

ABM : Water Hazard Class for the Netherlands  
 ADR : Agreement concerning the International Carriage of Dangerous Goods by Road.  
 ADNR: Regulation for the Carriage of Dangerous Substances on the Rhine  
 CLP : Classification, Labelling and Packaging  
 CSA : Chemical Safety Assessment  
 CSR : Chemical Safety Report  
 DNEL : Derived No Effect Level.  
 EINECS : European Inventory of Existing Commercial Chemical Substances.  
 ELINCS : European List of Notified Chemical Substances  
 PEC : Predicted Effect Concentration  
 PEL : Permissible Exposure Limits  
 PNEC : Predicted No Effect Concentration  
 R-phrase : Risk phrase  
 REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
 RID : Regulation Concerning the International Transport of Dangerous Goods by Rail  
 S-phrase: Safety phrase  
 WGK : German Water Hazard Class