

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : COMMANDANT POLISH NR.5
Product code : 09707501, 1830591; C55

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC0 Car maintenance. PC31 Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Supplier : Service Best International B.V.
De Run 4271
5503 LM VELDHOVEN, The Netherlands
Telephone : +31 40 230 2300
E-mail : info@servicebest.com
Website : www.servicebest.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:
NL - Telephone : +31 40 230 2300 (During office hours only)
EMERGENCY TELEPHONE NUMBER (for DOCTORS only):
National Poisons Information Service +44 344 892 0111 (24/7)

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP classification : Skin sensitization, category 1.
(1272/2008/EC)
Human health hazards : May cause an allergic skin reaction. Contains petroleum distillates, may be harmful when ingested.
Physical/chemical hazards : Not classified as dangerous according to statutory EC-Directives. Combustible.
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

H317	May cause an allergic skin reaction.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280 gloves	Wear protective gloves.
P261 vapour	Avoid breathing vapours.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Warning

H- and P-phrases :

H317	May cause an allergic skin reaction.
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P261 vapour	Avoid breathing vapours.
P280 gloves	Wear protective gloves.
P302+P352	IF ON SKIN: Wash with plenty of water/soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: 1,2-Benzisothiazol-3(2H)-one .

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	10 - < 20	-----	926-141-6		01-2119456620-43
Neuburger siliceous earth	10 - < 20	1020665-14-8	310-127-6	MAC	
Hydrocarbons, C9-11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	5 - < 10	-----	919-857-5		01-2119463258-33
White mineral oil (petroleum)	1 - < 5	8042-47-5	232-455-8		01-2119487078-27
Propyleneglycol	1 - < 5	57-55-6	200-338-0	MAC	01-2119456809-23
1-Methoxy-2-propanol	1 - < 5	107-98-2	203-539-1		01-2119457435-35
(2-Methoxymethylethoxy)propanol	1 - < 5	34590-94-8	252-104-2	MAC	01-2119450011-60
Alcohols, C12-14, ethoxylated	0,1 - < 1	68439-50-9	500-213-3		
1,2-Benzisothiazol-3(2H)-one	0,05 - < 0,1	2634-33-5	220-120-9		

Substance name	Hazard Class	H-phrases	Pictograms
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Asp. Tox. 1	H304; EUH066	GHS08
Neuburger siliceous earth	-----	-----	-----
Hydrocarbons, C9-11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Asp. Tox. 1; Flam. Liq. 3; STOT SE 3	H226; H304; H336; EUH066	GHS02; GHS07; GHS08
White mineral oil (petroleum)	Asp. Tox. 1	H304	GHS08
Propyleneglycol	-----	-----	-----
1-Methoxy-2-propanol	Flam. Liq. 3; STOT SE 3	H226; H336	GHS02; GHS07
(2-Methoxymethylethoxy)propanol	-----	-----	-----

Alcohols, C12-14, ethoxylated	Acute Tox. 4; Aquatic Acute 1; Eye Dam. 1	H302; H318; H400	GHS05; GHS07; GHS09	M (acute) = 1
1,2-Benzisothiazol-3(2H)-one	Acute Tox. 4; Aquatic Acute 1; Eye Dam. 1; Skin Irrit. 2; Skin Sens. 1	H302; H315; H317; H318; H400	GHS05; GHS07; GHS09	H317 : C >= 0.05 %

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.
- Skin contact : Take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor if irritation occurs.
- Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.
- Ingestion : Do not induce vomiting. Give nothing to drink. Do rinse the mouth. Never give anything by mouth to an unconscious person. Consult a doctor if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, dizziness and a feeling of sickness.
- Skin contact : May cause redness and irritation, sensitisation. May produce an allergic reaction. May cause dry skin.
- Eye contact : May cause stinging of eyes and redness.
- Ingestion : May cause a feeling of sickness, vomiting and diarrhoea. May cause lung damage, sore throat and lack of breath.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO2). Foam. Dry chemical. Water fog.
- Not suitable : Water jet.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : None known.
- Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. In case of large spills: contain with dike.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Absorb residues in sand or other inert material. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Keep away from sources of ignition — No smoking. Do not breathe vapour. Avoid contact with skin and eyes. Avoid splashing. Wear protective clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C). Keep away from oxidizing agents.
Recommended packaging : Keep only in the original container.
Non recommended packaging : Steel (except stainless steel), PE and PP.

7.3. Specific end use(s)

Use : Use only as directed.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, < 2% aromatics		1200	-	-	CEFIC-HSPA
Neuburger siliceous earth		0,15	-	Respirable fraction	MSDS Sillitin N84, Hoffman Mineral
Hydrocarbons, C9-11, n-alkanes, isoalkanes, cyclics, < 2% aromatics		1200	-	CEFIC-HSPA	
White mineral oil (petroleum)		5	-	Inhalable fraction	SCOEL (2011)

Propyleneglycol	GB	474	-	Total Vapour and Particulates	MAC: UK
Propyleneglycol		474		Total Vapour and Particulates	
1-Methoxy-2-propanol	GB	375	560	Skin	MAC: DE, SL, AT, CH. MAC: ES, BE, DE
1-Methoxy-2-propanol	EC	375	568	Skin	
(2-Methoxymethylethoxy)propanol	GB	308	-	Skin	
(2-Methoxymethylethoxy)propanol	EC	308	-	Skin	
Silicon dioxide		4	-		
Kaolinite		3	-		

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Hydrocarbons, C9-11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Inhalation				1500 mg/m3
	Dermal				300 mg/kg bw/day
Propyleneglycol	Inhalation			10 mg/m3	168 mg/m3
	Dermal				369 mg/m3
1-Methoxy-2-propanol	Inhalation	553,5 mg/m3			50,6 mg/kg bw/day
	Dermal				65 mg/kg bw/day
(2-Methoxymethylethoxy)propanol	Dermal				310 mg/m3
	Inhalation				

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Hydrocarbons, C9-11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Dermal				300 mg/kg bw/day
	Inhalation				900 mg/m3
Propyleneglycol	Oral				300 mg/kg bw/day
	Inhalation			10 mg/m3	50 mg/m3
1-Methoxy-2-propanol	Oral				3,3 mg/kg bw/day
	Inhalation				43,9 mg/m3
(2-Methoxymethylethoxy)propanol	Dermal				18,1 mg/kg bw/day
	Dermal				15 mg/kg bw/day
	Inhalation				37,2 mg/m3
	Oral				1,67 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Propyleneglycol	Water	260 mg/l	26 mg/l	
	Sediment	572 mg/kg	57,2 mg/kg	
	Intermittent water			183 mg/l
	STP			20000 mg/l
	Soil			50 mg/kg
1-Methoxy-2-propanol	Oral			1133 mg/kg food
	Water	10 mg/l	1 mg/l	
	Sediment	52,3 mg/kg	5,2 mg/kg	
	Intermittent water			100 mg/l
	STP			100 mg/l
(2-Methoxymethylethoxy)propanol	Soil			5,49 mg/kg
	Water	19 mg/l	1,9 mg/l	
	Sediment	70,2 mg/kg	7,02 mg/kg	
	Intermittent water			190 mg/l
	STP			4168 mg/l
	Soil			2,74 mg/kg

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: nitril. Indication of permeation breakthrough time: 6 hours.
- Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: nitril. ± 0,5 mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	: Liquid.	
Colour	: Beige	
Odour	: Characteristic.	
Odour threshold	: Not known.	
pH	: 7,5	
Solubility in water	: Emulsifiable.	
Partition coefficient (n-octanol/water)	: Not applicable.	Not measured. Not relevant for mixtures.
Flash point	: 72 °C	Closed cup.
Flammability (solid, gas)	: Not applicable.	Liquid. See flashpoint.
Auto ignition temperature	: > 200 °C	
Boiling point/boiling range	: 100 °C	
Melting point/melting range	: 0 °C	
Explosive properties	: None known.	Does not contain explosives.
Explosion limits (% in air)	: Not known.	Lower explosion limit in air (%): 0,6 (Hydrocarbons, C11-14, n-alkanes, isoalkanes, cyclics, < 2% aromatics)
		Upper explosion limit in air (%): 14 ((2-Methoxymethylethoxy)propanol)
Oxidising properties	: Not applicable.	Does not contain oxidizing substances.
Decomposition temperature	: Not applicable.	
Viscosity (20°C)	: 5400 mm ² /sec	(1 mm ² /sec = 1cSt)
Viscosity (40°C)	: 5400 mm ² /sec	
Vapour pressure (20°C)	: 2300 Pa	
Vapour density (20°C)	: > 1	(air = 1)
Relative density (20°C)	: 1 g/ml	
Evaporation rate	: < 1	(n-butyl acetate = 1)

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

SECTION 11 TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: 20 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.
- Sensitisation : May cause sensitisation by skin contact. May produce an allergic reaction.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.

Ingestion

- Acute toxicity : Calculated LD50: > 4981 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.

- Aspiration : Contains a substance/substances with an aspiration hazard. Emulsion may break after ingestion. If swallowed, if any of the following delayed signs and symptoms appear within the next 6 hours, transport to the nearest medical facility: fever greater than 38.3° C, shortness of breath, chest congestion or continued coughing or wheezing. Highly viscous liquid. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
- Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
1,2-Benzisothiazol-3(2H)-one	LD50 (oral)	1020 mg/kg bw		Rat
	LC50 (inhalation)	100 mg/m3		Rat
	Skin irritation	Irritant		Rabbit
	Eye irritation	Severely irritant		Rabbit
	Skin sensitisation	Sensitizing	OECD 406	Guinea pig
	NOAEL (oral)	30 mg/kg bw/d	OECD 408	Rat
	Genotoxicity - in vitro	Genotoxic	OECD 473	
	Genotoxicity - in vivo	250 mg/kg bw/d	OECD 474	Mouse
	NOAEL (development, oral)	Not teratogenic		
	NOAEL (fertility, oral)	24 mg/kg bw/d		Rat
	LD50 (dermal)	4115 mg/kg bw		Rat

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 16 mg/l. Calculated EC50 (waterflea): 16 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met. May form an oil film on the water surface causing a decline in oxygen content with possible adverse effects for aquatic organisms.

12.2. Persistence and degradability

Persistence – degradability : No specific information known. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : Spilled product can penetrate into the ground and get into the surface water and ground water.

12.5. Results of PBT and vPvB ass

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

12.6. Other adverse effects

Other information : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

- Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.
- Additional warning : None.
- Waste water discharge : Do not dispose into the environment, in drains or in water courses.
- European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
- Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

14.1. UN number

UN nr. : None.

14.2. UN proper shipping name

Transport name : Not regulated.

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : This product is not classified according to ADR/RID/ADN.

IMDG (sea)

Class : This product is not classified according to IMDG.

Marine pollutant : No

IATA (air)

Class : This product is not classified according to IATA.

14.6. Special precautions for user

Other information : Country specific variations may apply.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Community regulations : Regulation (EU) No 2015/830 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.
- : This product is exempted from classification as "May be fatal if swallowed and enters airways" on basis of section 3.10.3.3.1.1. of Annex I of Regulation (EC) No 1272/2008.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2015/830 dated 28 May 2015 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Sens. 1/1A/1B : Calculation method.

Full text of hazard classes mentioned in section 3:

Flam. Liq. 3	: Flammable liquid, category 3.
Acute Tox. 4	: Acute toxicity, category 4.
Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Skin Sens. 1/1A/1B	: Skin sensitization, category 1/1A/1B.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Asp. Tox. 1	: Aspiration hazard, category 1.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.

Full text of H-phrases mentioned in section 3:

H226 Flammable liquid and vapour.

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
EUH066	Repeated exposure may cause skin dryness or cracking.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.

Print date : 2019-12-16